SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

Version 8.3
Revision Date 31.12.2025
Print Date 28.07.2026

GENERIC EU MSDS - NO COUNTRY SPECIFIC DATA - NO OEL DATA

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name : MCE 0.025UM WH PL 47MM 100/PK

Product Number : VSWP04700
Catalogue No. : 638165
Brand : Millipore
REACH No. :

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Filtration

1.3 Details of the supplier of the safety data sheet

Company : Merck Life Science S.A.S
80 Rue de Luzais
F-38297 SAINT QUENTIN FALLAVIER CEDEX

Telephone : +33 (0)1 85 16 94 34
E-mail address : servicetechnique@merckgroup.com

1.4 Emergency telephone number

Emergency Phone # : +33 (0)9 75 18 14 07 (CHEMTREC)
+33 (0)1 45 42 59 59 (I.N.R.S.)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Flammable solids, Category 1	H228: Flammable solid.
Long-term (chronic) aquatic hazard, Category 3	H412: Harmful to aquatic life with long lasting effects.
Endocrine disruptor for environment, Category 1	EUH430: May cause endocrine disruption in the environment.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

The life science business of Merck operates as MilliporeSigma in the US and Canada

Hazard pictograms :



Signal word : Danger

Hazard statements :

H228	Flammable solid.
H412	Harmful to aquatic life with long lasting effects.
EUH430	May cause endocrine disruption in the environment.

Precautionary statements :

Prevention:

P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P273	Avoid release to the environment.

Response:

P391	Collect spillage.

Storage:

P405	Store locked up.

Disposal:

P501	Dispose of contents/ container to an approved waste disposal plant.

Hazardous components which must be listed on the label:

Octylphenol polyethoxyethanol

Reduced Labelling (<= 125 ml)

Hazard pictograms :



Signal word	Danger
Hazard Statements	
H412	Harmful to aquatic life with long lasting effects.
EUH430	May cause endocrine disruption in the environment.
Precautionary Statements	
P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P273	Avoid release to the environment.

The life science business of Merck operates as MilliporeSigma in the US and Canada

P391	Collect spillage.
P405	Store locked up.
P501	Dispose of contents/ container to an approved waste disposal plant.
Supplemental Hazard Statements	none

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: This substance/mixture contains components considered to have endocrine disrupting properties for environment , according to REACH Article 57(f), Commission Regulation (EU) 2018/605 or Commission Delegated Regulation (EU) 2017/2100.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
Octylphenol polyethoxyethanol	9036-19-5 *	Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Dam. 1; H318 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 ED ENV 1; EUH430 --- M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic aquatic toxicity): 1 --- Acute toxicity estimate Acute oral toxicity:	>= 0,25 - < 1

The life science business of Merck operates as MilliporeSigma in the US and Canada

		500 mg/kg	

*A registration number is not available for this substance as the substance or its use are exempted from registration according to Article 2 REACH Regulation (EC) No 1907/2006, or the annual tonnage does not require a registration.

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

If inhaled : After inhalation: fresh air.

In case of skin contact : In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

In case of eye contact : After eye contact: rinse out with plenty of water. Remove contact lenses.

If swallowed : After swallowing: make victim drink water (two glasses at most). Consult doctor if feeling unwell.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Water
Foam
Carbon dioxide (CO2)
Dry powder

Unsuitable extinguishing media : For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire fighting : Combustible.

Spontaneous ignition at elevated temperatures.
Development of hazardous combustion gases or vapours possible in the event of fire.
Fire may cause evolution of:
nitrogen oxides
nitrous gases

The life science business of Merck operates as MilliporeSigma in the US and Canada

Hazardous combustion products	:	Carbon oxides

5.3 Advice for firefighters

Special protective equipment for fire-fighters	:	Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.
Further information	:	Suppress (knock down) gases/vapours/mists with a water spray jet. Remove container from danger zone and cool with water. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	:	Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert. Advice for emergency responders: Protective equipment see section 8.

For personal protection see section 8.

6.2 Environmental precautions

Environmental precautions	:	Do not let product enter drains.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up	:	Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

6.4 Reference to other sections

For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	:	Observe label precautions.
Advice on protection against fire and explosion	:	Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

The life science business of Merck operates as MilliporeSigma in the US and Canada

Hygiene measures	:	Change contaminated clothing. Wash hands after working with substance.

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Further information on storage conditions	:	Tightly closed. Dry. Keep away from heat and sources of ignition. Keep away from direct sunlight. Performing regular visual inspections of membranes and keeping accurate records of recommended shelf life can reduce the risk of membrane deterioration. Shelf-life limited when kept above +25°C. Recommended storage humidity: 30 - 70 %. Verify on a regular basis housekeeping, temperature and humidity. Designated "Flammable Material" storage areas must be engineered according to local regulations. Rotate stock. Improper storage conditions can accelerate deterioration of the membrane in advance of expiration date. Perform regular visual inspections of stored materials to ensure early stages of deterioration does not advance. Early stages of deterioration: Amber or yellow discoloration. Advanced stages of deterioration: visible liquid or solid brown resin. If membrane shows visual indications of deterioration, safely dispose of product according to local regulations. Storage under improper conditions could lead to the membrane self-decomposing at ambient temperatures with the formation of nitrous vapors or self ignition.
Advice on common storage	:	Keep away from oxidizing agents, strongly alkaline and strongly acid materials in order to avoid exothermic reactions.
Storage class (TRGS 510)	:	4.1B, Flammable solid hazardous materials
Further information on storage stability	:	Recommended storage temperature see product label.

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

The life science business of Merck operates as MilliporeSigma in the US and Canada

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

8.2 Exposure controls

Personal protective equipment

Eye/face protection : Safety glasses

Hand protection

Material	:	Nitrile rubber
Break through time	:	480 min
Glove thickness	:	0,11 mm
Protective index	:	Full contact
Manufacturer	:	KCL 741 Dermatril® L

Material	:	Nitrile rubber
Break through time	:	480 min
Glove thickness	:	0,11 mm
Protective index	:	Splash contact
Manufacturer	:	KCL 741 Dermatril® L

Remarks : This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Respiratory protection : required when dusts are generated.

Recommended Filter type: : Filter P 1 (acc. to DIN 3181) for solid particles of inert substances

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Protective measures : protective clothing

Environmental exposure controls

Advice : Do not let product enter drains.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state : solid

Color : coloured

The life science business of Merck operates as MilliporeSigma in the US and Canada

Odor	:	No data available
Melting point	:	No data available
Boiling point	:	No data available
Flammability	:	The substance or mixture is a flammable solid with the category 1.
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	No data available
Autoignition temperature	:	No data available
Decomposition temperature	:	No data available
pH	:	No data available
Viscosity, dynamic	:	No data available
Viscosity, kinematic	:	No data available
Flow time	:	No data available
Solubility(ies) Water solubility	:	No data available
Solubility in other solvents	:	insoluble
Partition coefficient: n-octanol/water	:	No data available
Vapor pressure	:	No data available
Relative density	:	No data available
Density	:	No data available
Relative vapour density	:	No data available

9.2 Other information

The life science business of Merck operates as MilliporeSigma in the US and Canada

Explosives	:	Not classified as explosive.
Oxidizing properties	:	none
Burning rate	:	No data available
Evaporation rate	:	No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

The following applies in general to flammable organic substances and mixtures: in correspondingly fine distribution, when whirled up a dust explosion potential may generally be assumed.

10.2 Chemical stability

Product is sensitive to light and moisture.
Prolonged exposure to air may cause discolouration.

10.3 Possibility of hazardous reactions

Hazardous reactions	:	Risk of ignition or formation of inflammable gases or vapours with: Oxidizing agents Bases Strong acids

10.4 Conditions to avoid

Conditions to avoid	:	Heating (decomposition). Exposure to sunlight.

10.5 Incompatible materials

No data available

10.6 Hazardous decomposition products

In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Mixture

Acute toxicity
Oral: No data available

Inhalation: No data available

Dermal: No data available

Skin corrosion/irritation
Remarks: No data available

The life science business of Merck operates as MilliporeSigma in the US and Canada

Serious eye damage/eye irritation
Remarks: No data available

Respiratory or skin sensitization
No data available

Germ cell mutagenicity
No data available

Carcinogenicity
Carcinogenicity - No data available

Reproductive toxicity
No data available

Reproductive toxicity - No data availableDevelopmental Toxicity - No data available**Specific target organ toxicity - single exposure**
No data available

Specific target organ toxicity - repeated exposure
No data available

Aspiration hazard
No data available

11.2 Additional Information

Endocrine disrupting properties

Product:

Assessment	The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Risk of methaemoglobin formation.
After uptake:

Risk of methaemoglobin formation.

However, when the product is handled appropriately, hazardous effects are unlikely to occur.

Handle in accordance with good industrial hygiene and safety practice.

Components

Octylphenol polyethoxyethanol

Acute toxicity
LD50 Oral - Rat - 1.900 - 5.000 mg/kg
Remarks: (External MSDS)
Symptoms: Vomiting, Irritations of mucous membranes in the mouth, pharynx, oesophagus and gastrointestinal tract., Risk of aspiration upon vomiting., Aspiration may cause pulmonary oedema and pneumonitis.

The life science business of Merck operates as MilliporeSigma in the US and Canada

Acute toxicity estimate Oral - 500 mg/kg
(ATE value derived from LD50/LC50 value)
Inhalation: No data available
LD50 Dermal - Rabbit - > 3.000 mg/kg
Remarks: (External MSDS)

Skin corrosion/irritation
Skin - Rabbit
Result: irritating - 4 h
(OECD Test Guideline 404)
Remarks: The value is given in analogy to the following substances: 4-(1,1,3,3-tetramethylbutyl)phenol

Serious eye damage/eye irritation
Eyes - Rabbit
Result: Risk of serious damage to eyes.
(Draize Test)
Remarks: Risk of corneal clouding.

Respiratory or skin sensitization
Sensitisation test: - Human
Result: negative
Remarks: (External MSDS)
Patch test on human volunteers did not demonstrate sensitisation properties.

Germ cell mutagenicity
No data available

Carcinogenicity
No data available

Reproductive toxicity
Ingestion of excessive amounts by pregnant animals resulted in maternal and foetal toxicity. Did not show teratogenic effects in animal experiments.

Specific target organ toxicity - single exposure
Acute oral toxicity - Vomiting, Irritations of mucous membranes in the mouth, pharynx, oesophagus and gastrointestinal tract., Risk of aspiration upon vomiting., Aspiration may cause pulmonary oedema and pneumonitis.

Specific target organ toxicity - repeated exposure
No data available

Aspiration hazard
No data available

SECTION 12: Ecological information

12.1 Toxicity

Product:

Toxicity to fish	:	Remarks: No data available
Toxicity to daphnia and other aquatic invertebrates	:	Remarks: No data available

The life science business of Merck operates as MilliporeSigma in the US and Canada

Toxicity to algae/aquatic plants	:	Remarks: No data available
Toxicity to fish (Chronic toxicity)	:	Remarks: No data available
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	Remarks: No data available
Toxicity to microorganisms	:	Remarks: No data available

Ecotoxicology Assessment

Components:

Octylphenol polyethoxyethanol:

Toxicity to fish	:	LC50 (Leuciscus idus (Golden orfe)): 0,26 mg/l Exposure time: 96 h Test Type: semi-static test Analytical monitoring: yes Method: OECD Test Guideline 203 GLP: yes Remarks: The value is given in analogy to the following substances: The value is given in analogy to the following substances: 4-(1,1,3,3-tetramethylbutyl)phenol
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 0,011 mg/l Exposure time: 48 h Test Type: static test Remarks: (ECOTOX Database) The value is given in analogy to the following substances: The value is given in analogy to the following substances: 4-(1,1,3,3-tetramethylbutyl)phenol
Toxicity to algae/aquatic plants	:	EC50 (Pseudokirchneriella subcapitata (green algae)): 1,9 mg/l Exposure time: 96 h Test Type: static test GLP: yes Remarks: (ECHA) The value is given in analogy to the following substances: The value is given in analogy to the following substances: 4-(1,1,3,3-tetramethylbutyl)phenol
M-Factor (Acute aquatic toxicity)	:	10
Toxicity to fish (Chronic	:	NOEC: 0,012 mg/l

The life science business of Merck operates as MilliporeSigma in the US and Canada

toxicity)		Species: Danio rerio (zebra fish) Test Type: flow-through test Analytical monitoring: yes Method: OECD Test Guideline 210 Remarks: The value is given in analogy to the following substances: The value is given in analogy to the following substances: 4-(1,1,3,3-tetramethylbutyl)phenol
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC: 0,03 mg/l End point: reproduction rate Exposure time: 21 d Species: Daphnia magna (Water flea) Test Type: semi-static test Analytical monitoring: yes Method: OECD Test Guideline 202 GLP: yes Remarks: The value is given in analogy to the following substances: The value is given in analogy to the following substances: 4-(1,1,3,3-tetramethylbutyl)phenol
M-Factor (Chronic aquatic toxicity)	:	1

12.2 Persistence and degradability

Components:

Octylphenol polyethoxyethanol:

Biodegradability	:	Test Type: aerobic Inoculum: activated sludge Concentration: 100 mg/l Result: Not readily biodegradable. Biodegradation: 22 % Exposure time: 28 d Method: OECD Test Guideline 301C

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment	:	This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

The life science business of Merck operates as MilliporeSigma in the US and Canada

12.6 Endocrine disrupting properties

Product:

Assessment : This substance/mixture contains components considered to have endocrine disrupting properties for environment , according to REACH Article 57(f), Commission Regulation (EU) 2018/605 or Commission Delegated Regulation (EU) 2017/2100.

Components:

Octylphenol polyethoxyethanol:

Assessment : The substance is considered to have endocrine disrupting properties according to REACH Article 57(f) for the environment.

12.7 Other adverse effects

Product:

Additional ecological information : Discharge into the environment must be avoided.

Components:

Octylphenol polyethoxyethanol:

Additional ecological information : Causes endocrine disruption.

Discharge into the environment must be avoided.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : This mixed cellulose ester membrane contains 4-(1,1,3,3-tetramethylbutyl)phenol, ethoxylated (4-tert-OPnEO). To avoid environmental contamination during the waste stage, devices manufactured with this product should not be disposed of to normal household waste. Disposal should be in accordance with general disposal instructions applicable to in vitro medical devices. Please make sure that your customers are aware of these disposal instructions for the product.

SECTION 14: Transport information

14.1 UN number or ID number

ADR : UN 3270

The life science business of Merck operates as MilliporeSigma in the US and Canada

IMDG	:	UN 3270
IATA	:	UN 3270

14.2 UN proper shipping name

ADR	:	NITROCELLULOSE MEMBRANE FILTERS
IMDG	:	NITROCELLULOSE MEMBRANE FILTERS
IATA	:	Nitrocellulose membrane filters

14.3 Transport hazard class(es)

		Class	Subsidiary risks
ADR	:	4.1	
IMDG	:	4.1	
IATA	:	4.1	

14.4 Packing group

ADR

Packing group	:	II
Classification Code	:	F1
Labels	:	4.1
Tunnel restriction code	:	(E)

IMDG

Packing group	:	II
Labels	:	4.1
EmS Code	:	F-A, S-I

IATA (Cargo)

Packing instruction (cargo aircraft)	:	458
Packing instruction (LQ)	:	Y458
Packing group	:	II
Labels	:	Division 4.1 - Flammable solids

IATA_P (Passenger)

Packing instruction (passenger aircraft)	:	458
Packing instruction (LQ)	:	Y458
Packing group	:	II
Labels	:	Division 4.1 - Flammable solids

14.5 Environmental hazards

ADR

Environmentally hazardous	:	no

IMDG

Marine pollutant	:	no

The life science business of Merck operates as MilliporeSigma in the US and Canada

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	:	Not applicable
REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).	:	Octylphenol polyethoxyethanol
Regulation (EU) No 2024/590 on substances that deplete the ozone layer	:	Not applicable
Regulation (EU) 2019/1021 on persistent organic pollutants (recast)	:	Not applicable
REACH - List of substances subject to authorisation (Annex XIV)	:	Octylphenol polyethoxyethanol

This product contains a substance listed on Annex XIV of the REACH Regulation (EC) Nr. 1907/2006.

Listed substance / Sunset Date	:	Octylphenol polyethoxyethanol / 04.01.2021

After the sunset date the use of this substance requires either an authorization or can only be used for exempted uses, e.g. use in scientific research and development which includes routine analytics or use as intermediate.

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.	Not applicable

15.2 Chemical safety assessment

For this product a chemical safety assessment was not carried out

SECTION 16: Other information

Relevant changes since previous version

13. Disposal considerations

The life science business of Merck operates as MilliporeSigma in the US and Canada

Full text of H-Statements

EUH430	:	May cause endocrine disruption in the environment.
H302	:	Harmful if swallowed.
H315	:	Causes skin irritation.
H318	:	Causes serious eye damage.
H400	:	Very toxic to aquatic life.
H410	:	Very toxic to aquatic life with long lasting effects.

Full text of other abbreviations

Acute Tox.	:	Acute toxicity
Aquatic Acute	:	Short-term (acute) aquatic hazard
Aquatic Chronic	:	Long-term (chronic) aquatic hazard
ED ENV	:	Endocrine disruptor for environment
Eye Dam.	:	Serious eye damage
Skin Irrit.	:	Skin irritation

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonised System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organisation; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardisation; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organisation for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

The life science business of Merck operates as MilliporeSigma in the US and Canada

Classification of the mixture:		**Classification procedure:**
Flam. Sol. 1	H228	Based on product data or assessment
Aquatic Chronic 3	H412	Calculation method
ED ENV 1	EUH430	Calculation method

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

REG_EU / EN

The life science business of Merck operates as MilliporeSigma in the US and Canada