Kautex Textron GmbH & Co.KG
Alter Heerweg 2a
D-53123
Tel.: +49 (0)228 9868 – 0
Fax: +49 (0)228 9868 – 196

KAUTEX TEXTRON GMBH & CO. KG
Kautexstr. 52
D-53229 Bonn
Tel.: +49 (0)228 9868 – 0
Fax: +49 (0)228 9868 – 196

Declaration of Compliance

for plastic materials and items, which are designated to get in touch with food products

Bonn, May 7th, 2025

This Declaration of Conformity is issued based on our current state of knowledge and information provided by our suppliers when the document was created. This document is valid for the Bonn-Duisdorf site as well as for the Bonn-Holzlar site.

1 Issuer of the Declaration of Conformity

Kautex Textron GmbH & Co.KG
Alter Heerweg 2a
D-53123 Bonn

2 Manufacturer or responsible vendor of the plastic materials and items

Bottles and canisters as well as combinations of bottles or canisters and closures:

- Kautex Textron GmbH & Co.KG; Alter Heerweg 2a; D-53123 Bonn

3 Confirmation of the Compliance

The articles described in section 4 fulfill and comply with the requirements of:

EUROPEAN UNION FOOD CONTACT STATUS

• Commission Regulation (EC) No 1935/2004 of the European Parliament and of the Council of 27 October 2004 on materials and articles intended to come into contact with food.

• Commission Regulation (EC) No. 2023/2006 (of 22 December 2006) on good manufacturing practice for materials and articles intended to come into contact with food as amended.

• Commission Regulation (EU) No 10/2011 (of 14 January 2011) on plastic materials and articles intended to come into contact with food and its amendments

  - Including Regulation Commission Regulation (EU) 2019/1338 of 8 August 2019 amending Regulation (EU) No 10/2011 on plastic materials and articles intended to come into contact with food and (EU) 2024/3190 on the use of Bisphenol A.

• Commission Regulation (EU) No 2020/1245 (of 2 September 2020) amending and correcting Regulation (EU) No 10/2011 on plastic materials and articles intended to come into contact with food.

Kautex Textron GmbH & Co.KG
Alter Heerweg 2a
D-53123
Tel.: +49 (0)228 9868 – 0
Fax: +49 (0)228 9868 – 196

KAUTEX TEXTRON GMBH & CO. KG
Kautexstr. 52
D-53229 Bonn
Tel.: +49 (0)228 9868 – 0
Fax: +49 (0)228 9868 – 196

KAUTEX
A Textron Company

Declaration of Compliance

for plastic materials and items, which are designated to get in touch with food products

• (EU)Regulation N° 450/2009 on active and intelligent materials and items intended to come into contact with food.

• (EU)Regulation N° 282/2008 on recycled plastic materials and items intended to come into contact with food.

• Amendment of Regulation SR 817.023.21 of the EDI on Materials and Articles Intended to Come into Contact with Foodstuffs.

• French regulation in force concerning materials and articles intended to come in contact with food, that is to say sanction decree No 2007-766 of 10th May 2007, amended by the decree No 2008-1469 of 30th December 2008

- French decree 2012/1442 of 24th December 2012 banning Bisphenol A

- French decree of 09/11/94 and its amendments regarding materials and rubber articles in contact with food: if the article contains or is made with a rubber accessory (eg cap with a seal)

• Regulation (EU) 1895/2005 of 18/11/05 concerning the restriction of use of certain epoxy derivatives in materials and articles intended to come into contact with foodstuffs.

The stated requirements are met under the circumstances described in section 4.

The user shall themselves verify that the product is suitable for the intended food to be packed beyond the stipulations of the Directives.

In particular it is emphasized that in case of printed material, no contact is allowed between the printing ink and food product.

The articles described in section 4 have Halal Certification.

The articles described in section 4 do not have Kosher Certification.

4 Identity, Specifications and Information

Designation	**Narrow neck bottles; Wide Neck bottles; Square bottle**
Raw material/ color	**PVC, clear-sighted and brown-transparent**
Test report No.	**AR-24-JR-014658-01; AR-16-JR-003896-01**
Identification number	2000070595; 2000070596; 2000070597; 2000070598; 2000070599; 2000070697; 2000070698; 2000070699; 2000070700; 2000070701; 2000071080; 2000071081; 2000071082; 2000071083; 2000071106; 2000071107; 2000071490; 2000073352;

Kautex Textron GmbH & Co.KG
Alter Heerweg 2a
D-53123
Tel.: +49 (0)228 9868 – 0
Fax: +49 (0)228 9868 – 196

KAUTEX TEXTRON GMBH & CO. KG
Kautexstr. 52
D-53229 Bonn
Tel.: +49 (0)228 9868 – 0
Fax: +49 (0)228 9868 – 196

KAUTEX A Textron Company

Declaration of Compliance

for plastic materials and items, which are designated to get in touch with food products

	2000073353; 2000084412; 2000084419; 2000084422; 2000084423; 2000084593; 2000084596; 2000084599; 2000084601; 2000080495; 2000084276
1. Type(s) of food intended to come into contact with the material	All types of food groups in terms of the Regulation (EU) No. 10/2011
2. Type(s) of food NOT to come into contact with the material	None
3. Duration and temperature of treatment and storage while in contact with the food	Long-term-storage at up to 40°C
4. Ratio of the area of the food contact material to the volume used to determine the compliance of the plastic food contact material or article	9,6 cm^2 to 20 ml simulant
5. Specification of tested conditions of use with maximum test requirements (without exceeding OML)	3% Acetic Acid: 10 days 40°C 10% Ethanol: 10 days 40°C Olive Oil: 10 days 40°C
The global migration values are lower than the admitted threshold values (for the above-mentioned conditions of use). The tests are performed according to Art. 17 and 18 of Regulation (EU) No. 10/2011 in conjunction with Annex V. Testing for 10 days at 40 °C shall cover all storage times at refrigerated and frozen conditions including heating up to 70 °C for up to 2 hours or heating up to 100 °C for up to 15 minutes.	
6. Information about restricted substances and / or specifications	2-Ethyl-1-Hexanol – 30 mg/kg, Dodecylacrylat - 0.05 mg/kg, Tin components – 0.18 mg/kg (T), Vinylchloride < 1 mg/kg, Butadiene < 1 mg/kg
7. Information about dual use additives according to Regulation (EU) No. 10/2011:	Sodium Salts of fatty acids (E470A)
8. Functional barrier	None.
9. Further confirmation to the raw material	BSE/TSE - Note for Guidance EMEA/410/01, rev. 3 RoHS – EU-Guideline 2011/65 incl. (EU 2015/863) REACh – EG-Guideline 1907/2006 Appendix II SVHC – EG-Regulation 1907/2006 Appendix XIV Phthalates – not used during fabrication or formulation. 94/62/EC (of 20 December 1994) on packaging and packaging waste and its amendments 2005/20/EC and 2013/2/EU Nanomaterials Swiss VOC Allergens
10. NIAS	A NIAS-screening with 95% ethanol was conducted. Listed substances in Regulation (EU) No. 10/2011, Appendix I, were not detected with unallowable concentration. For eventual not listed substances, a risk assessment according to article 19 of Regulation (EU) No. 10/2011 was conducted by the raw material manufacturer.

Designation	**Narrow and wide neck bottles; wide neck cans; system and special packaging; square bottle**
Raw material/ color	**PP**

Kautex Textron GmbH & Co.KG
Alter Heerweg 2a
D-53123
Tel.: +49 (0)228 9868 – 0
Fax: +49 (0)228 9868 – 196

KAUTEX TEXTRON GMBH & CO. KG
Kautexstr. 52
D-53229 Bonn
Tel.: +49 (0)228 9868 – 0
Fax: +49 (0)228 9868 – 196

KAUTEX
A Textron Company

Declaration of Compliance

for plastic materials and items, which are designated to get in touch with food products

Test report No.	**AR-24-JR-014659-01; AR-14-JR-019742-02;AR-15-JR-014287-01;AR-15-JR-019313-01;AR-16-JR-023669-01;** **AR-17-JR-001532-01**
Identification number:	2000083785; 2000083786; 2000083787; 2000083788; 2000084249; 2000084821; 2000085738; 2000085851; 2000085921; 2000085922; 2000086111; 2000086281; 2000086295; 2000086296; 2000086297; 2000086413; 2000086438; 2000086439; 2000086440; 2000086603; 2000086680; 2000086685; 2000086694; 2000086695; 2000086829; 2000086830; 2000086872; 2000086876; 2000783852; 2000783855; 2000783856; 2000783859; 2000086456; 2000086457; 2000086458; 2000086459; 2000086502; 2000086595

1. Type(s) of food intended to come into contact with the material	All types of food groups in terms of the Regulation (EU) No. 10/2011
2. Type(s) of food NOT to come into contact with the material	none
3. Duration and temperature of treatment and storage while in contact with the food	Long-term-storage at up to 40°C
4. Ratio of the area of the food contact material to the volume used to determine the compliance of the plastic food contact material or article	1,1 dm² to 100 ml simulant
5. Specification of tested conditions of use with maximum test requirements (without exceeding OML)	3% Acetic Acid: 10 days 40°C 10% Ethanol: 10 days 40°C Olive Oil: 10 days 40°C
The global migration values are lower than the admitted threshold values (for the above-mentioned conditions of use). The tests are performed according to Art. 17 and 18 of Regulation (EU) No. 10/2011 in conjunction with Annex V. Testing for 10 days at 40 °C shall cover all storage times at refrigerated and frozen conditions including heating up to 70 °C for up to 2 hours or heating up to 100 °C for up to 15 minutes.	
6. Information about restricted substances and / or specifications	aluminium hydroxybis [2,2'-methylenebis (4,6-di-tert-butylphenyl) phosphate] – 5mg/kg , Lithium – 0.6 mg/kg (Orange and Pink masterbatch) 1,1,1-trimethylolpropane – 6 mg/kg, Stearic acid expressed as Zinc – 5 mg/kg, octadecyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate – 6 mg/kg (White masterbatch)
7. Information about dual use additives according to Regulation (EU) No. 10/2011:	Na-stearate(CAS No.:000822-16-2, Ref. No.: 89040 Na-salts) as E470a max. 400 ppm Titanium dioxide (E171), Aluminium (E173) (White masterbatch)
8. Functional barrier	None.
9. Further confirmation to the raw material	BSE/TSE - Note for Guidance EMEA/410/01, rev. 3 RoHS – EU-Guideline 2011/65 incl. (EU 2015/863) REACh – EG-Guideline 1907/2006 Appendix II SVHC – EG-Regulation 1907/2006 Appendix XIV Phthalates – not used during fabrication or formulation. 94/62/EC (of 20 December 1994) on packaging and packaging waste and its amendments 2005/20/EC and 2013/2/EU Nanomaterials Swiss VOC

Kautex Textron GmbH & Co.KG
Alter Heerweg 2a
D-53123
Tel.: +49 (0)228 9868 – 0
Fax: +49 (0)228 9868 – 196

KAUTEX TEXTRON GMBH & CO. KG
Kautexstr. 52
D-53229 Bonn
Tel.: +49 (0)228 9868 – 0
Fax: +49 (0)228 9868 – 196

Declaration of Compliance

for plastic materials and items, which are designated to get in touch with food products

	Allergens
10. NIAS	A NIAS-screening with 95% ethanol was conducted. Listed substances in Regulation (EU) No. 10/2011, Appendix I, were not detected with unallowable concentration. For eventual not listed substances, a risk assessment according to article 19 of Regulation (EU) No. 10/2011 was conducted by the raw material manufacturer.

Designation	**Narrow and wide neck bottles; wide neck cans; system and special packaging**
Raw material/ color	**PP**
Test report No.	**AR-24-JR-014662-01; AR-12-JR-015640-01; AR-19-JR-004882-01**
Identification number:	2000085153; 2000085005; 2000084952; 2000083816; 2000081948
1. Type(s) of food intended to come into contact with the material	All types of food groups in terms of the Regulation (EU) No. 10/2011
2. Type(s) of food NOT to come into contact with the material	None
3. Duration and temperature of treatment and storage while in contact with the food	Long-term-storage at up to 40°C
4. Ratio of the area of the food contact material to the volume used to determine the compliance of the plastic food contact material or article	0,9 cm² to 100 ml simulant
5. Specification of tested conditions of use with maximum test requirements (without exceeding OML)	3% Acetic Acid: 10 days 40°C 10% Ethanol: 10 days 40°C Olive Oil: 10 days 40°C
The global migration values are lower than the admitted threshold values (for the above-mentioned conditions of use). The tests are performed according to Art. 17 and 18 of Regulation (EU) No. 10/2011 in conjunction with Annex V. Testing for 10 days at 40 °C shall cover all storage times at refrigerated and frozen conditions including heating up to 70 °C for up to 2 hours or heating up to 100 °C for up to 15 minutes.	
6. Information about restricted substances and / or specifications	No substances are used that are subject to SML or QM values.
7. Information about dual use additives according to Regulation (EU) No. 10/2011:	Sodium Salts of fatty acids (E470A), Magnesium Salts of fatty acids (E470B)
8. Functional barrier	None.
9. Further confirmation to the raw material	BSE/TSE - Note for Guidance EMEA/410/01, rev. 3 RoHS – EU-Guideline 2011/65 incl. (EU 2015/863) REACh – EG-Guideline 1907/2006 Appendix II SVHC – EG-Regulation 1907/2006 Appendix XIV Phthalates – not used during fabrication or formulation. 94/62/EC (of 20 December 1994) on packaging and packaging waste and its amendments 2005/20/EC and 2013/2/EU Nanomaterials Swiss VOC

Kautex Textron GmbH & Co.KG
Alter Heerweg 2a
D-53123
Tel.: +49 (0)228 9868 – 0
Fax: +49 (0)228 9868 – 196

KAUTEX TEXTRON GMBH & CO. KG
Kautexstr. 52
D-53229 Bonn
Tel.: +49 (0)228 9868 – 0
Fax: +49 (0)228 9868 – 196

KAUTEX
A Textron Company

Declaration of Compliance

for plastic materials and items, which are designated to get in touch with food products

Designation	**Wide neck containers and system packaging**
Raw material/ color	**PETG**
Test report No.	**AR-24-JR-014656-01; AR-13-JR-001154-01**
Identification number:	2000074371; 2000074372; 2000074373; 2000074374; 2000074375; 2000084404

1. Type(s) of food intended to come into contact with the material	Food with pH below 4.5, Oil and water mixtures and alcohol content above 20%
2. Type(s) of food NOT to come into contact with the material	None
3. Duration and temperature of treatment and storage while in contact with the food	Long-term-storage at up to 40°C
4. Ratio of the area of the food contact material to the volume used to determine the compliance of the plastic food contact material or article	1,6 dm² to 100 ml simulant
5. Specification of tested conditions of use with maximum test requirements (without exceeding OML)	3% Acetic Acid: 10 days 40°C 95% Ethanol: 10 days 40°C
The global migration values are lower than the admitted threshold values (for the above-mentioned conditions of use). The tests are performed according to Art. 17 and 18 of Regulation (EU) No. 10/2011 in conjunction with Annex V. Testing for 10 days at 40 °C shall cover all storage times at refrigerated and frozen conditions including heating up to 70 °C for up to 2 hours or heating up to 100 °C for up to 15 minutes.	
6. Information about restricted substances and / or specifications	Terephthalic acid – 7.5 mg/kg, Ethyleneglycol – 30 mg/kg, 2,2-Dimethyl-1,3-propandiol - 0,05 mg/kg
7. Information about dual use additives according to Regulation (EU) No. 10/2011:	Phosphoric acid (Ref. 23170 and 72640)
8. Functional barrier	None.
9. Further confirmation to the raw material	BSE/TSE - Note for Guidance EMEA/410/01, rev. 3 RoHS – EU-Guideline 2011/65 incl. (EU 2015/863) REACh – EG-Guideline 1907/2006 Appendix II SVHC – EG-Regulation 1907/2006 Appendix XIV Phthalates – not used during fabrication or formulation. 94/62/EC (of 20 December 1994) on packaging and packaging waste and its amendments 2005/20/EC and 2013/2/EU FDA – 21 CFR 177.1520 for food contact applications. Allergens Halal, Kosher GMO Nanomaterials Swiss VOC US CONEG

Designation	**Milk bottles**

Kautex Textron GmbH & Co.KG
Alter Heerweg 2a
D-53123
Tel.: +49 (0)228 9868 – 0
Fax: +49 (0)228 9868 – 196

KAUTEX TEXTRON GMBH & CO. KG
Kautexstr. 52
D-53229 Bonn
Tel.: +49 (0)228 9868 – 0
Fax: +49 (0)228 9868 – 196

Declaration of Compliance

for plastic materials and items, which are designated to get in touch with food products

Raw material/ color	**PETG/Natural**
Test report No.	**AR-24-JR-014656-01; AR-16-JR-003895-01**
Identification number:	2000081947; 2000082749; 2000083815; 2000084799; 2000086349; 2000086437

1. Type(s) of food intended to come into contact with the material	All types of food groups in terms of the Regulation (EU) No. 10/2011
2. Type(s) of food NOT to come into contact with the material	None
3. Duration and temperature of treatment and storage while in contact with the food	Long-term-storage at up to 40°C
4. Ratio of the area of the food contact material to the volume used to determine the compliance of the plastic food contact material or article	1,6 dm² to 100 ml simulant
5. Specification of tested conditions of use with maximum test requirements (without exceeding OML)	3% Acetic Acid: 10 days 40°C 10% Ethanol: 10 days 40°C Olive Oil: 10 days 40°C
The global migration values are lower than the admitted threshold values (for the above-mentioned conditions of use). The tests are performed according to Art. 17 and 18 of Regulation (EU) No. 10/2011 in conjunction with Annex V. Testing for 10 days at 40 °C shall cover all storage times at refrigerated and frozen conditions including heating up to 70 °C for up to 2 hours or heating up to 100 °C for up to 15 minutes.	
6. Information about restricted substances and / or specifications	2,2,4,4-tetramethylcyclobutane-1,3-diol (TMCD) - 5mg/kg
7. Information about dual use additives according to Regulation (EU) No. 10/2011:	No dual use additives used.
8. Functional barrier	None.
9. Further confirmation to the raw material	94/62/EC RoHS 2011/65/EU BSE/TSE, Phthalates
10. NIAS	A NIAS-screening with 95% ethanol was conducted. Listed substances in Regulation (EU) No. 10/2011, Appendix I, were not detected with unallowable concentration. For eventual not listed substances, a risk assessment according to article 19 of Regulation (EU) No. 10/2011 was conducted by the raw material manufacturer.

Designation	**Medium, narrow and wide neck bottles; round bottles; rectangle bottle series; square containers; system packaging; wide neck cans and balloons**
Raw material/ color	**HDPE**
Test report No.	**AR-24-JR-014661-01; AR-12-JR-015661-01;AR-15-JR-011987-01;AR-19-JR-004880-01**
Identification number:	2000070520; 2000070521; 2000070522; 2000070523; 2000070538; 2000070539; 2000070540; 2000070541; 2000070542; 2000070543; 2000070544; 2000070545; 2000070546; 2000070547; 2000070548; 2000070549; 2000070600; 2000071066; 2000071138; 2000071140; 2000071143; 2000071144; 2000071149; 2000071492;

Kautex Textron GmbH & Co.KG
Alter Heerweg 2a
D-53123
Tel.: +49 (0)228 9868 – 0
Fax: +49 (0)228 9868 – 196

KAUTEX TEXTRON GMBH & CO. KG
Kautexstr. 52
D-53229 Bonn
Tel.: +49 (0)228 9868 – 0
Fax: +49 (0)228 9868 – 196

Declaration of Compliance

for plastic materials and items, which are designated to get in touch with food products

	2000073084; 2000073085; 2000073086; 2000073087; 2000073094; 2000073095; 2000073096; 2000073097; 2000073624; 2000075121; 2000075122; 2000076398; 2000076399; 2000079206; 2000079207; 2000079208; 2000079209; 2000079210; 2000079211; 2000079212; 2000079213; 2000079214; 2000081521; 2000082465; 2000082553; 2000082714; 2000082926; 2000083307; 2000083968; 2000083970; 2000083971; 2000083972; 2000083973; 2000083981; 2000083991; 2000083992; 2000083994; 2000084000; 2000084131; 2000084132; 2000084133; 2000084135; 2000084136; 2000084137; 2000084138; 2000084139; 2000084193; 2000084592; 2000084843; 2000084875; 2000085009; 2000085010; 2000085011; 2000085012; 2000085127; 2000085128; 2000085247; 2000085250; 2000085444; 2000085937; 2000085938; 2000085939; 2000085940; 2000086017; 2000086029; 2000086168; 2000086169; 2000086170; 2000086204; 2000086209; 2000086228; 2000086443; 2000086446; 2000086447; 2000086467; 2000086624; 2000086730; 2000086731; 2000086770; 2000086771; 2000087326; 2000092970; 2000098311; 2000670548; 2000675121; 2000770066; 2000770067; 2000770070; 2000770073; 2000770132; 2000770133; 2000770134; 2000770136; 2000770137; 2000770138; 2000870548; 2000879207; 2000879211; 2000970549; 2000970550; 2000970601; 2000970602; 2000983970; 2000983971; 2000086300; 2000086327; 2000086328; 2000089526; 2000086781; 2000082588; 2000081015; 2000092676; 2000099529; 2000097305; 2000871143; 2000084468; 2000879206; 2000084470; 2000097303; 2000085345; 2000085492; 2000086901; 2000087893; 2000087901; 2000086903; 2000087898; 2000087903; 2000086905; 2000087891; 2000087905; 2000086906; 2000087892; 2000087906; 2000099214; 2000085618; 2000080038; 2000984136; 2000085814
1. Type(s) of food intended to come into contact with the material	All types of food groups in terms of the Regulation (EU) No. 10/2011
2. Type(s) of food NOT to come into contact with the material	None
3. Duration and temperature of treatment and storage while in contact with the food	Long-term-storage at up to 40°C
4. Ratio of the area of the food contact material to the volume used to determine the compliance of the plastic food contact material or article	0,9 dm² to 65 ml simulant
5. Specification of tested conditions of use with maximum test requirements (without exceeding OML)	3% Acetic Acid: 10 days 40°C 10% Ethanol: 10 days 40°C Olive Oil: 10 days 40°C
The global migration values are lower than the admitted threshold values (for the above-mentioned conditions of use). The tests are performed according to Art. 17 and 18 of Regulation (EU) No. 10/2011 in conjunction with Annex V. Testing for 10 days at 40 °C shall cover all storage times at refrigerated and frozen conditions including heating up to 70 °C for up to 2 hours or heating up to 100 °C for up to 15 minutes.	
6. Information about restricted substances and / or specifications	octadecyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate – 6 mg/kg (Color masterbatch) 1,1,1-trimethylolpropane – 6 mg/kg, Stearic acid expressed as Zinc – 5 mg/kg (White masterbatch), Barium – 1mg/kg (Silver masterbatch), alkyl(C8-C22)sulphonic acids – 6 mg/kg (Orange and Green masterbatch)
7. Information about dual use additives according to Regulation (EU) No. 10/2011:	Ca-stearate(CAS No.:1592-23-0, Ref. No.: 89040 Ca-salts) as E470a max. 800 ppm

Kautex Textron GmbH & Co.KG
Alter Heerweg 2a
D-53123
Tel.: +49 (0)228 9868 – 0
Fax: +49 (0)228 9868 – 196

KAUTEX TEXTRON GMBH & CO. KG
Kautexstr. 52
D-53229 Bonn
Tel.: +49 (0)228 9868 – 0
Fax: +49 (0)228 9868 – 196

Declaration of Compliance

for plastic materials and items, which are designated to get in touch with food products

	Titanium dioxide (E171)– (White,Orange and Green masterbatch), Aluminium (E173) (White masterbatch)
8. Functional barrier	None.
9. Further confirmation to the raw material	EP chapter 3.1.3 FDA title 21 §177.1520(a)(3)(i)(c1) concerning specification: 2.1 and 2.2 BSE/TSE - Note for Guidance EMEA/410/01, rev. 3 RoHS – EU-Guideline 2011/65 incl. (EU 2015/863) REACh – EG-Guideline 1907/2006 Appendix II SVHC – EG-Regulation 1907/2006 Appendix XIV Phthalates – not used during fabrication or formulation. 94/62/EC (of 20 December 1994) on packaging and packaging waste and its amendments 2005/20/EC and 2013/2/EU Nanomaterials
10. NIAS	A NIAS-screening with 95% ethanol was conducted. Listed substances in Regulation (EU) No. 10/2011, Appendix I, were not detected with unallowable concentration. For eventual not listed substances, a risk assessment according to article 19 of Regulation (EU) No. 10/2011 was conducted by the raw material manufacturer.

Designation	**Medium, narrow and wide neck bottles; round bottles; rectangle bottle series; square containers; system packaging; wide neck cans and balloons; plant protection containers**
Raw material/ color	**HDPE**
Test report No.	**AR-24-JR-014661-01; AR-13-JR-004631-01; AR-19-JR-004881-01**
Identification number:	2000083969; 2000084360; 2000084749; 2000084777; 2000084795; 2000084796; 2000084797; 2000084958; 2000084988; 2000085072; 2000085094; 2000085277; 2000085291; 2000085521; 2000085776; 2000085834; 2000085845; 2000085886; 2000086175; 2000086199;2000086219; 2000086403; 2000086416; 2000086417; 2000086418; 2000086419; 2000086421; 2000086495; 2000086504; 2000086506; 2000086507; 2000086556; 2000086608; 2000086627; 2000086628; 2000086811; 2000086822; 2000086864; 2000086865; 2000086889; 2000086891; 2000086893; 2000086894; 2000986710; 2000986711; 2000986712; 2000086422
1. Type(s) of food intended to come into contact with the material	All types of food groups in terms of the Regulation (EU) No. 10/2011
2. Type(s) of food NOT to come into contact with the material	None
3. Duration and temperature of treatment and storage while in contact with the food	Long-term-storage at up to 40°C
4. Ratio of the area of the food contact material to the volume used to determine the compliance of the plastic food contact material or article	1,5 dm² to 200 ml simulant

Kautex Textron GmbH & Co.KG
Alter Heerweg 2a
D-53123
Tel.: +49 (0)228 9868 – 0
Fax: +49 (0)228 9868 – 196

KAUTEX TEXTRON GMBH & CO. KG
Kautexstr. 52
D-53229 Bonn
Tel.: +49 (0)228 9868 – 0
Fax: +49 (0)228 9868 – 196

KAUTEX
A Textron Company

Declaration of Compliance

for plastic materials and items, which are designated to get in touch with food products

5. Specification of tested conditions of use with maximum test requirements (without exceeding OML)	3% Acetic Acid: 10 days 40°C 10% Ethanol: 10 days 40°C Olive Oil: 10 days 40°C
The global migration values are lower than the admitted threshold values (for the above-mentioned conditions of use). The tests are performed according to Art. 17 and 18 of Regulation (EU) No. 10/2011 in conjunction with Annex V. Testing for 10 days at 40 °C shall cover all storage times at refrigerated and frozen conditions including heating up to 70 °C for up to 2 hours or heating up to 100 °C for up to 15 minutes.	
6. Information about restricted substances and / or specifications	1,1,1-trimethylolpropane – 6 mg/kg, Stearic acid expressed as Zinc – 5 mg/kg, octadecyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate – 6 mg/kg (White masterbatch) 2,5-bis(5-tert-butyl-2-benzoxazolyl)thiophene – 0.6 mg/kg, alkyl(C8-C22)sulphonic acids – 6 mg/kg (Blue masterbatch), Copper – 5 mg/kg (Green masterbatch)
7. Information about dual use additives according to Regulation (EU) No. 10/2011:	Ca-stearate (CAS No.:1592-23-0, Ref. No.: 89040 Ca-salts) as E 470a used max. 1500 ppm Titanium dioxide (E171) – (White and Blue masterbatch), Aluminium (E173) (White masterbatch)
8. Functional barrier	None.
9. Further confirmation to the raw material	EP chapter 3.1.3 FDA title 21 §177.1520(a)(3)(i)(c1) concerning specification: 2.1 and 2.2 BSE/TSE - Note for Guidance EMEA/410/01, rev. 3 RoHS – EU-Guideline 2011/65 incl. (EU 2015/863) REACh – EG-Guideline 1907/2006 Appendix II SVHC – EG-Regulation 1907/2006 Appendix XIV Phthalates – not used during fabrication or formulation. 94/62/EC (of 20 December 1994) on packaging and packaging waste and its amendments 2005/20/EC and 2013/2/EU Nanomaterials

Designation	**Medium, narrow and wide neck bottles; round bottles; rectangle bottle series; square containers; system packaging; wide neck cans and balloons**
Raw material/ color	**HDPE**
Test report No.	**AR-24-JR-014657-01; AR-13-JR-000874-01; AR-12-JR-015640-01**
Identification number:	2000084152; 2000084153; 2000084284; 2000084464; 2000084486; 2000085069; 2000085107; 2000085367; 2000085405; 2000085681; 2000085880; 2000086776; 2000770096; 2000770097; 2000884464; 2000970097; 2000984464; 2000985405; 2000086900; 2000085990
1. Type(s) of food intended to come into contact with the material	All types of food groups in terms of the Regulation (EU) No. 10/2011

Kautex Textron GmbH & Co.KG
Alter Heerweg 2a
D-53123
Tel.: +49 (0)228 9868 – 0
Fax: +49 (0)228 9868 – 196

KAUTEX TEXTRON GMBH & CO. KG
Kautexstr. 52
D-53229 Bonn
Tel.: +49 (0)228 9868 – 0
Fax: +49 (0)228 9868 – 196

KAUTEX
A Textron Company

Declaration of Compliance

for plastic materials and items, which are designated to get in touch with food products

2. Type(s) of food NOT to come into contact with the material	None
3. Duration and temperature of treatment and storage while in contact with the food	Long-term-storage at up to 40°C
4. Ratio of the area of the food contact material to the volume used to determine the compliance of the plastic food contact material or article	1,0 dm² to 100 ml simulant
5. Specification of tested conditions of use with maximum test requirements (without exceeding OML)	3% Acetic Acid: 10 days 40°C 10% Ethanol: 10 days 40°C Olive Oil: 10 days 40°C
The global migration values are lower than the admitted threshold values (for the above-mentioned conditions of use). The tests are performed according to Art. 17 and 18 of Regulation (EU) No. 10/2011 in conjunction with Annex V. Testing for 10 days at 40 °C shall cover all storage times at refrigerated and frozen conditions including heating up to 70 °C for up to 2 hours or heating up to 100 °C for up to 15 minutes.	
6. Information about restricted substances and / or specifications	Octadecyl 3(3,5-Di-tert-butyl-4-hydroxyphenyl) propionate - 6 mg/kg
7. Information about dual use additives according to Regulation (EU) No. 10/2011:	No dual use additives used.
8. Functional barrier	None.
9. Further confirmation to the raw material	FDA title 21 §177.1520(a)(2)(i) concerning specification: 2.1 und 2.2 BSE/TSE - Note for Guidance EMEA/410/01, rev. 3 RoHS – EU-Guideline 2011/65 incl. (EU 2015/863) REACh – EG-Guideline 1907/2006 Appendix II SVHC – EG-Regulation 1907/2006 Appendix XIV Phthalates – not used during fabrication or formulation. 94/62/EC (of 20 December 1994) on packaging and packaging waste and its amendments 2005/20/EC and 2013/2/EU Allergens EU POP GMO Nanomaterials Swiss VOC US CONEG

Designation	**Oval Bottles; Special Packaging**
Raw material/ color	**HDPE/ Natural and White**
Test report No.	**AR-14-JR-016014-01**
Identification number:	2000082589; 2000086479; 2000075942; 2000097625
1. Type(s) of food intended to come into contact with the material	All types of food groups in terms of the Regulation (EU) No. 10/2011

Kautex Textron GmbH & Co.KG
Alter Heerweg 2a
D-53123
Tel.: +49 (0)228 9868 – 0
Fax: +49 (0)228 9868 – 196

KAUTEX TEXTRON GMBH & CO. KG
Kautexstr. 52
D-53229 Bonn
Tel.: +49 (0)228 9868 – 0
Fax: +49 (0)228 9868 – 196

Declaration of Compliance

for plastic materials and items, which are designated to get in touch with food products

2. Type(s) of food NOT to come into contact with the material	None
3. Duration and temperature of treatment and storage while in contact with the food	Long-term-storage at up to 40°C
4. Ratio of the area of the food contact material to the volume used to determine the compliance of the plastic food contact material or article	0,8 dm² to 100 ml simulant
5. Specification of tested conditions of use with maximum test requirements (without exceeding OML)	3% Acetic Acid: 10 days 40°C 10% Ethanol: 10 days 40°C Olive Oil: 10 days 40°C
The global migration values are lower than the admitted threshold values (for the above-mentioned conditions of use). The tests are performed according to Art. 17 and 18 of Regulation (EU) No. 10/2011 in conjunction with Annex V. Testing for 10 days at 40 °C shall cover all storage times at refrigerated and frozen conditions including heating up to 70 °C for up to 2 hours or heating up to 100 °C for up to 15 minutes.	
6. Information about restricted substances and / or specifications	Aluminium – 1 mg/kg Stearic acid expressed as Zinc – 5 mg/kg, octadecyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate - 6 mg /kg (White masterbatch)
7. Information about dual use additives according to Regulation (EU) No. 10/2011:	Titanium dioxide (E171) , silicon dioxide (E551) (White masterbatch)
8. Functional barrier	None.
9. Further confirmation to the raw material	FDA title 21 §177.1520 (c) Olefin polymers BSE/TSE - Note for Guidance EMEA/410/01, rev. 3 RoHS – EU-Guideline 2011/65 incl. (EU 2015/863) REACh – EG-Guideline 1907/2006 Appendix II SVHC – EG-Regulation 1907/2006 Appendix XIV Phthalates – not used during fabrication or formulation. 94/62/EC (of 20 December 1994) on packaging and packaging waste and its amendments 2005/20/EC and 2013/2/EU Allergens EU POP GMO Nanomaterials Swiss VOC US CONEG
10. NIAS	A NIAS-screening with 95% ethanol was conducted. Listed substances in Regulation (EU) No. 10/2011, Appendix I, were not detected with unallowable concentration. For eventual not listed substances, a risk assessment according to article 19 of Regulation (EU) No. 10/2011 was conducted by the raw material manufacturer.

Designation	**Narrow and wide neck bottles; High shoulder bottles; dropper bottles; wash bottles; oiler bottles; buckets; system packaging**

Kautex Textron GmbH & Co.KG
Alter Heerweg 2a
D-53123
Tel.: +49 (0)228 9868 – 0
Fax: +49 (0)228 9868 – 196

KAUTEX TEXTRON GMBH & CO. KG
Kautexstr. 52
D-53229 Bonn
Tel.: +49 (0)228 9868 – 0
Fax: +49 (0)228 9868 – 196

KAUTEX
A Textron Company

Declaration of Compliance

for plastic materials and items, which are designated to get in touch with food products

Raw material/ color	**LDPE**
Test report No.	**AR-24-JR-014660-01; AR-12-JR-015662-01; AR-18-JR-028118-01; AR-18-JR-028119-01; AR-12-JR-015640-01**
Identification number:	2000070500; 2000070501; 2000070502; 2000070503; 2000070504; 2000070505; 2000070506; 2000070507; 2000070508; 2000070511; 2000070512; 2000070513; 2000070514; 2000070515; 2000070517; 2000070519; 2000070528; 2000070529; 2000070530; 2000070531; 2000070532; 2000070533; 2000070534; 2000070535; 2000070536; 2000070537; 2000070578; 2000070585; 2000070587; 2000070588; 2000070589; 2000070618; 2000070619; 2000070723; 2000075991; 2000075992; 2000075993; 2000075994; 2000076072; 2000076074; 2000076078; 2000076079; 2000076081; 2000076083; 2000076084; 2000086492; 2000086697; 2000093214; 2000770046; 2000770047; 2000770049; 2000770050; 2000770119; 2000770120; 2000770121; 2000770124; 2000770125; 2000770126; 2000770127; 2000770500; 2000770501; 2000770502; 2000770503; 2000770504; 2000770505; 2000770506; 2000770507; 2000770508; 2000770509; 2000770510; 2000770528; 2000770529; 2000770530; 2000770531; 2000770532; 2000770533; 2000770534; 2000770535; 2000770536; 2000770537; 2000784583; 2000784584; 2000784585; 2000784586; 2000784587; 2000870503; 2000870504; 2000870506; 2000870507; 2000870508; 2000870528; 2000870529; 2000870531; 2000870533; 2000870535; 2000870537; 2000870589; 2000075940; 2000770016; 2000770017; 2000770018; 2000770019; 2000770020; 2000770021; 2000770022; 2000770023; 2000770024; 2000770025; 2000080706; 2000081489
1. Type(s) of food intended to come into contact with the material	All types of food groups in terms of the Regulation (EU) No. 10/2011
2. Type(s) of food NOT to come into contact with the material	None
3. Duration and temperature of treatment and storage while in contact with the food	Long-term-storage at up to 40°C
4. Ratio of the area of the food contact material to the volume used to determine the compliance of the plastic food contact material or article	0,8 dm² to 60 ml simulant
5. Specification of tested conditions of use with maximum test requirements (without exceeding OML)	3% Acetic Acid: 10 days 40°C 10% Ethanol: 10 days 40°C 95% Ethanol: 10 days 40°C Isooctane: 1.5 h 60°C Olive Oil: 10 days 40°C
The global migration values are lower than the admitted threshold values (for the above-mentioned conditions of use). The tests are performed according to Art. 17 and 18 of Regulation (EU) No. 10/2011 in conjunction with Annex V. Testing for 10 days at 40 °C shall cover all storage times at refrigerated and frozen conditions including heating up to 70 °C for up to 2 hours or heating up to 100 °C for up to 15 minutes.	
6. Information about restricted substances and / or specifications	1,1,1-trimethylolpropane – 6 mg/kg, Stearic acid expressed as Zinc – 5 mg/kg, octadecyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate – 6 mg/kg (White masterbatch)
7. Information about dual use additives according to Regulation (EU) No. 10/2011:	Titanium dioxide (E171), Aluminium (E173) – (White masterbatch)
8. Functional barrier	None.

Kautex Textron GmbH & Co.KG
Alter Heerweg 2a
D-53123
Tel.: +49 (0)228 9868 – 0
Fax: +49 (0)228 9868 – 196

KAUTEX TEXTRON GMBH & CO. KG
Kautexstr. 52
D-53229 Bonn
Tel.: +49 (0)228 9868 – 0
Fax: +49 (0)228 9868 – 196

Declaration of Compliance

for plastic materials and items, which are designated to get in touch with food products

9. Further confirmation to the raw material	EP chapter 3.1.3 FDA title 21 §177.1520(a)(2)(i)(c) concerning specification: 2.1 und 2.2 BSE/TSE - Note for Guidance EMEA/410/01, rev. 3 RoHS – EU-Guideline 2011/65 incl. (EU 2015/863) REACh – EG-Guideline 1907/2006 Appendix II SVHC – EG-Regulation 1907/2006 Appendix XIV Phthalates – not used during fabrication or formulation. 94/62/EC (of 20 December 1994) on packaging and packaging waste and its amendments 2005/20/EC and 2013/2/EU Allergens EU POP GMO Nanomaterials Swiss VOC US CONEG

Designation	**Screw cap**
Information	The closures have not been analyzed or tested by Kautex. Information is completely based on the supplier declarations.
Raw material/ color	**PP, colored**
Identification number:	2000070750; 2000070751; 2000070752; 2000070753; 2000070754; 2000072842; 2000073199; 2000073775; 2000073881; 2000074111; 2000082833; 2000082871; 2000083691; 2000083762; 2000084481; 2000084511; 2000084844; 2000085261; 2000085262; 2000085377; 2000085453; 2000085524; 2000085525; 2000086112; 2000086488; 2000086779; 2000086878; 2000573199; 2000873775; 2000971155; 2000971898; 2000973199; 2000973775; 2000982871; 2000986488; 2000085436; 2000070510; 2000070509; 2000084461; 2000086279; 2000086469; 2000972650; 2000073827; 2000085260; 2000085854; 2000086341; 2000070756; 2000083921
1. Type(s) of food intended to come into contact with the material	All types of food groups in terms of the Regulation (EU) No. 10/2011
2. Type(s) of food NOT to come into contact with the material	None
3. Duration and temperature of treatment and storage while in contact with the food	Long-term-storage at up to 40°C
4. Ratio of the area of the food contact material to the volume used to determine the compliance of the plastic food contact material or article	1,4 dm² to 100 ml simulant / 2,8 dm² to 500 ml simulant

Kautex Textron GmbH & Co.KG
Alter Heerweg 2a
D-53123
Tel.: +49 (0)228 9868 – 0
Fax: +49 (0)228 9868 – 196

KAUTEX TEXTRON GMBH & CO. KG
Kautexstr. 52
D-53229 Bonn
Tel.: +49 (0)228 9868 – 0
Fax: +49 (0)228 9868 – 196

Declaration of Compliance

for plastic materials and items, which are designated to get in touch with food products

5. Specification of tested conditions of use with maximum test requirements (without exceeding OML)	3% Acetic Acid: 10 days 40°C 50% Ethanol: 10 days 40°C MPPO (Tenax): 10 days 40°C Olive Oil: 10 days 40°C Tap Water: 10 days 40°C
The global migration values are lower than the admitted threshold values (for the above-mentioned conditions of use). The tests are performed according to Art. 17 and 18 of Regulation (EU) No. 10/2011 in conjunction with Annex V.	
6. Information about restricted substances and / or specifications	No substances are used that are subject to SML or QM values
7. Information about dual use additives according to Regulation (EU) No. 10/2011:	E422, E470a, E471, E504(i), E551, E553(iii), E570
8. Functional barrier	None.
9. Further confirmation to the raw material	94/62/EC RoHS 2011/65/EU REACH (EU 1907/2006)

Designation	**Screw cap**
Information	The closures have not been analyzed or tested by Kautex. Information is completely based on the supplier declarations.
Raw material/ color	**PP Natural**
Identification number:	2000784398; 2000784542; 2000084542; 2000783789; 2000083789; 2000783792; 2000083792; 2000883791; 2000783791; 2000083791; 2000783790; 2000083790; 2000084398; 2300086112; 2000094398; 2000794398; 2000094542; 2000794542; 2000093789; 2000096112; 2000793789; 2000093792; 2000793792; 2000993792; 2000093791; 2000793791; 2000893791; 2000093790; 2000793790; 2000790605
1. Type(s) of food intended to come into contact with the material	All types of food groups in terms of the Regulation (EU) No. 10/2011
2. Type(s) of food NOT to come into contact with the material	None
3. Duration and temperature of treatment and storage while in contact with the food	Long-term-storage at up to 40°C
4. Ratio of the area of the food contact material to the volume used to determine the compliance of the plastic food contact material or article	9,6 cm^2 to 100 ml simulant
5. Specification of tested conditions of use with maximum test requirements (without exceeding OML)	3% Acetic Acid: 10 days 40°C 50% Ethanol: 10 days 40°C MPPO (Tenax): 10 days 40°C Olive Oil: 10 days 40°C
The global migration values are lower than the admitted threshold values (for the above-mentioned conditions of use). The tests are performed according to Art. 17 and 18 of Regulation (EU) No. 10/2011 in conjunction with Annex V.	
6. Information about restricted substances and / or specifications	No substances are used that are subject to SML or QM values

Kautex Textron GmbH & Co.KG
Alter Heerweg 2a
D-53123
Tel.: +49 (0)228 9868 – 0
Fax: +49 (0)228 9868 – 196

KAUTEX TEXTRON GMBH & CO. KG
Kautexstr. 52
D-53229 Bonn
Tel.: +49 (0)228 9868 – 0
Fax: +49 (0)228 9868 – 196

Declaration of Compliance

for plastic materials and items, which are designated to get in touch with food products

7. Information about dual use additives according to Regulation (EU) No. 10/2011:	E470a Calcium salts of fatty acids E471a Mono and diglycerides of fatty acids
8. Functional barrier	None.
9. Further confirmation to the raw material	BSE/TSE - Note for Guidance EMEA/410/01, rev. 3 RoHS – EU-Guideline 2011/65 incl. (EU 2015/863) REACh – EG-Guideline 1907/2006 Appendix II SVHC – EG-Regulation 1907/2006 Appendix XIV Phthalates – not used during fabrication or formulation. 94/62/EC (of 20 December 1994) on packaging and packaging waste and its amendments 2005/20/EC and 2013/2/EU FDA – 21 CFR 177.1520 for food contact applications. Allergens Halal, Kosher GMO Nanomaterials Swiss VOC US CONEG Recycled or Active or Intelligent materials are not used

Designation	**Screw cap**
Information	The closures have not been analyzed or tested by Kautex. Information is completely based on the supplier declarations.
Raw material/ color	**PP, white**
Identification number:	2000073089; 2000073090; 2000083371; 2000073182
1. Type(s) of food intended to come into contact with the material	Aqueous, acid and fatty food products
2. Type(s) of food NOT to come into contact with the material	None
3. Duration and temperature of treatment and storage while in contact with the food	Long-term-storage at up to 40°C
4. Ratio of the area of the food contact material to the volume used to determine the compliance of the plastic food contact material or article	6 dm² to 1 kg
5. Specification of tested conditions of use with maximum test requirements (without exceeding OML)	3% Acetic Acid: 10 days 40°C 50% Ethanol: 10 days 40°C Olive Oil: 10 days 40°C Tap Water: 10 days 40°C
The global migration values are lower than the admitted threshold values (for the above-mentioned conditions of use). The tests are performed according to Art. 17 and 18 of Regulation (EU) No. 10/2011 in conjunction with Annex V.	

Kautex Textron GmbH & Co.KG
Alter Heerweg 2a
D-53123
Tel.: +49 (0)228 9868 – 0
Fax: +49 (0)228 9868 – 196

KAUTEX TEXTRON GMBH & CO. KG
Kautexstr. 52
D-53229 Bonn
Tel.: +49 (0)228 9868 – 0
Fax: +49 (0)228 9868 – 196

KAUTEX
A Textron Company

Declaration of Compliance

for plastic materials and items, which are designated to get in touch with food products

6. Information about restricted substances and / or specifications	N,N-Bis(2-hydroxyethyl)alkyl(C8-C18)amin 1,2 mg/kg 9,9-Bis(methoxymethyl)fluorene 0,05 mg/kg Dibutylphtalat 0,3 mg/kg Bis(2,4-di-tert-butylphenyl)pentaerythritol diphosphit 0,6 mg/kg Zinc stearate 25 mg/kg
7. Information about dual use additives according to Regulation (EU) No. 10/2011:	Calcium stearate
8. Functional barrier	None.
9. Further confirmation to the raw material	94/62/EC RoHS 2011/65/EU

Designation	**Closure with tamper evident ring (Silesia, UN)**
Information	The closures have not been analyzed or tested by Kautex. Information is completely based on the supplier declarations.
Raw material/ color	**PP in white and blue**
Identification number:	2000073826; 2000077953; 2000085435
1. Type(s) of food intended to come into contact with the material	Dry, aqueous, acid, alcoholic and fatty food products
2. Type(s) of food NOT to come into contact with the material	None
3. Duration and temperature of treatment and storage while in contact with the food	Long-term-storage at up to 40°C
4. Ratio of the area of the food contact material to the volume used to determine the compliance of the plastic food contact material or article	0,88 dm² to 100 ml
5. Specification of tested conditions of use with maximum test requirements (without exceeding OML)	3% Acetic Acid: 10 days 40°C 50% Ethanol: 10 days 40°C MPPO (Tenax): 10 days 40°C Olive Oil: 10 days 40°C Tap Water: 10 days 40°C
The global migration values are lower than the admitted threshold values (for the above-mentioned conditions of use). The tests are performed according to Art. 17 and 18 of Regulation (EU) No. 10/2011 in conjunction with Annex V.	
6. Information about restricted substances and / or specifications	No substances are used that are subject to SML or QM values
7. Information about dual use additives according to Regulation (EU) No. 10/2011:	Calcium stearate
8. Functional barrier	None.
9. Further confirmation to the raw material	BSE/TSE - Note for Guidance EMEA/410/01, rev. 3 RoHS – EU-Guideline 2011/65 incl. (EU 2015/863) REACh – EG-Guideline 1907/2006 Appendix II SVHC – EG-Regulation 1907/2006 Appendix XIV

Kautex Textron GmbH & Co.KG
Alter Heerweg 2a
D-53123
Tel.: +49 (0)228 9868 – 0
Fax: +49 (0)228 9868 – 196

KAUTEX TEXTRON GMBH & CO. KG
Kautexstr. 52
D-53229 Bonn
Tel.: +49 (0)228 9868 – 0
Fax: +49 (0)228 9868 – 196

Declaration of Compliance

for plastic materials and items, which are designated to get in touch with food products

	Phthalates – not used during fabrication or formulation. 94/62/EC (of 20 December 1994) on packaging and packaging waste and its amendments 2005/20/EC and 2013/2/EU GMO US CONEG

Designation	**Screw cap**
Information	The closures have not been analyzed or tested by Kautex. Information is completely based on the supplier declarations.
Raw material/ color:	
Identification number:	2000071150; 2000071159; 2000071160; 2000071675; 2000071704; 2000072230

1. Type(s) of food intended to come into contact with the material	Oil-Water / Water-Oil-Emulsion
2. Type(s) of food NOT to come into contact with the material	None
3. Duration and temperature of treatment and storage while in contact with the food	Storage temperature: 20° C ± 5°C
4. Ratio of the area of the food contact material to the volume used to determine the compliance of the plastic food contact material or article	
5. Specification of tested conditions of use with maximum test requirements (without exceeding OML)	
The global migration values are lower than the admitted threshold values (for the above-mentioned conditions of use). The tests are performed according to Art. 17 and 18 of Regulation (EU) No. 10/2011 in conjunction with Annex V.	
6. Information about restricted substances and / or specifications	None
7. Information about dual use additives according to Regulation (EU) No. 10/2011:	None
8. Functional barrier	None
9. Further confirmation to the raw material	94/62/EC

Designation	**Dosing pump**
Information	The closures have not been analyzed or tested by Kautex. Information is completely based on the supplier declarations.
Raw material/ color:	
Identification number:	2000083884; 2000083885; 2000083886; 2000090568; 2000096921; 2000090480; 2000090386; 2000095872

1. Type(s) of food intended to come into contact with the material	All types of food groups in terms of the Regulation (EU) No. 10/2011

Kautex Textron GmbH & Co.KG
Alter Heerweg 2a
D-53123
Tel.: +49 (0)228 9868 – 0
Fax: +49 (0)228 9868 – 196

KAUTEX TEXTRON GMBH & CO. KG
Kautexstr. 52
D-53229 Bonn
Tel.: +49 (0)228 9868 – 0
Fax: +49 (0)228 9868 – 196

Declaration of Compliance

for plastic materials and items, which are designated to get in touch with food products

2. Type(s) of food NOT to come into contact with the material	None
3. Duration and temperature of treatment and storage while in contact with the food	Long-term-storage at up to 40°C
4. Ratio of the area of the food contact material to the volume used to determine the compliance of the plastic food contact material or article	6 dm² per kg
5. Specification of tested conditions of use with maximum test requirements (without exceeding OML)	3% Acetic Acid: 10 days 40°C 10% Ethanol: 10 days 40°C Vegetable oil: 10 days 40°C
The global migration values are lower than the admitted threshold values (for the above-mentioned conditions of use). The tests are performed according to Art. 17 and 18 of Regulation (EU) No. 10/2011 in conjunction with Annex V.	
6. Information about restricted substances and / or specifications	Products contain substances with specific migration limit, listed in the regulation No. 10/2011. Migration results are in compliance with regulation No. 10/2011.
7. Information about dual use additives according to Regulation (EU) No. 10/2011:	E471, E470a
8. Functional barrier	None
9. Further confirmation to the raw material	BSE/TSE - Note for Guidance EMEA/410/01, rev. 3 RoHS – EU-Guideline 2011/65 incl. (EU 2015/863) REACh – EG-Guideline 1907/2006 Appendix II SVHC – EG-Regulation 1907/2006 Appendix XIV Phthalates – not used during fabrication or formulation. 94/62/EC (of 20 December 1994) on packaging and packaging waste and its amendments 2005/20/EC and 2013/2/EU FDA – 21 CFR 177.1520 for food contact applications. Allergens Halal, Kosher GMO Nanomaterials Swiss VOC US CONEG

Designation	**Closure with tamper evident ring**	
Information	The closures have not been analyzed or tested by Kautex. Information is completely based on the supplier declarations.	
Raw material/ color	**PP**	
Identification number:	2000076305; 2000076306; 2000084512; 2000086778; 2000976304	
1. Type(s) of food intended to come into contact with the material		Dry, aqueous, acid, alcoholic and fatty and milk-based food products
2. Type(s) of food NOT to come into contact with the material		None

Kautex Textron GmbH & Co.KG
Alter Heerweg 2a
D-53123
Tel.: +49 (0)228 9868 – 0
Fax: +49 (0)228 9868 – 196

KAUTEX TEXTRON GMBH & CO. KG
Kautexstr. 52
D-53229 Bonn
Tel.: +49 (0)228 9868 – 0
Fax: +49 (0)228 9868 – 196

KAUTEX
A Textron Company

Declaration of Compliance

for plastic materials and items, which are designated to get in touch with food products

3. Duration and temperature of treatment and storage while in contact with the food	Long-term-storage at up to 40°C
4. Ratio of the area of the food contact material to the volume used to determine the compliance of the plastic food contact material or article	0,4 dm² to 100 ml
5. Specification of tested conditions of use with maximum test requirements (without exceeding OML)	3% Acetic Acid: 10 days 40°C 10% Ethanol: 10 days 40°C 95% Ethanol: 10 days 40°C
The global migration values are lower than the admitted threshold values (for the above-mentioned conditions of use). The tests are performed according to Art. 17 and 18 of Regulation (EU) No. 10/2011 in conjunction with Annex V.	
6. Information about restricted substances and / or specifications	No substances are used that are subject to SML or QM values
7. Information about dual use additives according to Regulation (EU) No. 10/2011:	Calcium stearate; Clycerolmonostearat and Talkum
8. Functional barrier	None.
9. Further confirmation to the raw material	BSE/TSE - Note for Guidance EMEA/410/01, rev. 3 RoHS – EU-Guideline 2011/65 incl. (EU 2015/863) REACh – EG-Guideline 1907/2006 Appendix II SVHC – EG-Regulation 1907/2006 Appendix XIV Phthalates – not used during fabrication or formulation. 94/62/EC (of 20 December 1994) on packaging and packaging waste and its amendments 2005/20/EC and 2013/2/EU Allergens GMO Nanomaterials US CONEG

Designation	**Screw cap**
Information	The closures have not been analyzed or tested by Kautex. Information is completely based on the supplier declarations.
Raw material/ color	**PP in white, red, blue, black**
Identification number:	2000083783; 2000084005; 2000084198; 2000084943; 2000085358; 2000086866; 2000971153; 2000072650; 2000084006; 2000086476; 2000083761; 2000083955; 2000971152; 2000084201; 2000084200; 2000093933
1. Type(s) of food intended to come into contact with the material	All types of food groups in terms of the Regulation (EU) No. 10/2011
2. Type(s) of food NOT to come into contact with the material	none
3. Duration and temperature of treatment and storage while in contact with the food	Long-term-storage at up to 40°C
4. Ratio of the area of the food contact material to the volume used to determine the compliance of the plastic food contact material or article	1 cap / 500 ml

Kautex Textron GmbH & Co.KG
Alter Heerweg 2a
D-53123
Tel.: +49 (0)228 9868 – 0
Fax: +49 (0)228 9868 – 196

KAUTEX TEXTRON GMBH & CO. KG
Kautexstr. 52
D-53229 Bonn
Tel.: +49 (0)228 9868 – 0
Fax: +49 (0)228 9868 – 196

Declaration of Compliance

for plastic materials and items, which are designated to get in touch with food products

5. Specification of tested conditions of use with maximum test requirements (without exceeding OML)	3% Acetic acid: 10 days 40°C 10% Ethanol: 10 days 40°C 95% Ethanol: 10 days 40°C Isooctane: 2 days 20°C
The global migration values are lower than the admitted threshold values (for the above-mentioned conditions of use). The tests are performed according to Art. 17 and 18 of Regulation (EU) No. 10/2011 in conjunction with Annex V.	
6. Information about restricted substances and / or specifications	9H-Fluorene; N,N-bis(2-hydroxyethyl)alkyl (C8-C18)amine; N,N-bis(2-hydroxyethyl)alkyl (C8-C18)amine hydrochlorides; Octadecyl-3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionat; 1,1,1-Trimethylolpropan; 1-Octene; Monoethyl-3,5-ditertbutyl-4-hydroxybenzylphosphonat, Calciumsalz; Zinc; DNBP/DBP(I); 1, 3,5Trist(3,5ditertbutyl4hydroxybenzyl) 1,3, 5triazin2,4, 6(1H,3H,5H)-trion; Copper; Aluminium; 1-(2-hydroxyethyl)-4-hydroxy-2,2,6,6-tetramethyl piperidine-succinic acid, dimethyl ester, copolymer; Methacrylic acid, diester with 1,4-butanediol
7. Information about dual use additives according to Regulation (EU) No. 10/2011:	E470a; E471; E492; E171; E1521; Fats and oils, hydrogenated, from animal or vegetable food sources; E330; Carbonic acid, salts; E529; E331; E500; E170; E475; E553b; E570; E1521; E171; E330
8. Functional barrier	None.
9. Further confirmation to the raw material	Phthalates REACh – EG-Guideline 1907/2006 Appendix II SVHC – EG-Regulation 1907/2006 Appendix XIV 94/62/EC (of 20 December 1994) on packaging and packaging waste and its amendments 2005/20/EC and 2013/2/EU

Designation	**Screw cap**
Information	The closures have not been analyzed or tested by Kautex. Information is completely based on the supplier declarations.
Raw material/ color	**PP in white**
Identification number:	2000086336
1. Type(s) of food intended to come into contact with the material	All types of food groups in terms of the Regulation (EU) No. 10/2011

Kautex Textron GmbH & Co.KG
Alter Heerweg 2a
D-53123
Tel.: +49 (0)228 9868 – 0
Fax: +49 (0)228 9868 – 196

KAUTEX TEXTRON GMBH & CO. KG
Kautexstr. 52
D-53229 Bonn
Tel.: +49 (0)228 9868 – 0
Fax: +49 (0)228 9868 – 196

Declaration of Compliance

for plastic materials and items, which are designated to get in touch with food products

2. Type(s) of food NOT to come into contact with the material	none
3. Duration and temperature of treatment and storage while in contact with the food	Long-term-storage at up to 40°C
4. Ratio of the area of the food contact material to the volume used to determine the compliance of the plastic food contact material or article	1 cap / 250 ml
5. Specification of tested conditions of use with maximum test requirements (without exceeding OML)	3% Acetic acid: 10 days 40°C 10% Ethanol: 10 days 40°C 50% Ethanol: 10 days 40°C Olive Oil: 10 days 40°C
The global migration values are lower than the admitted threshold values (for the above-mentioned conditions of use). The tests are performed according to Art. 17 and 18 of Regulation (EU) No. 10/2011 in conjunction with Annex V.	
6. Information about restricted substances and / or specifications	9H-Fluorene; Aluminium Zinc N,N-bis(2-hydroxyethyl)alkyl (C8-C18)amine; N,N-bis(2-hydroxyethyl)alkyl (C8-C18)amine hydrochlorides; Octadecyl-3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionat; Tetrafluorethylen Perfluoromethyl perfluorovinyl ether
7. Information about dual use additives according to Regulation (EU) No. 10/2011:	E470a; E171
8. Functional barrier	None.
9. Further confirmation to the raw material	BSE/TSE - Note for Guidance EMEA/410/01, rev. 3 REACh – EG-Guideline 1907/2006 Appendix II SVHC – EG-Regulation 1907/2006 Appendix XIV RoHS – EU-Guideline 2011/65 incl. (EU 2015/863) 94/62/EC (of 20 December 1994) on packaging and packaging waste and its amendments 2005/20/EC and 2013/2/EU Allergens
10. NIAS	A NIAS-screening with 95% ethanol was conducted. Listed substances in Regulation (EU) No. 10/2011, Appendix I, were not detected with unallowable concentration.

Designation	**Screw cap**
Information	The closures have not been analyzed or tested by Kautex. Information is completely based on the supplier declarations.
Raw material/ color	**PP in blue**
Identification number:	2000083951; 2000084162; 2000085915; 2000084182

Kautex Textron GmbH & Co.KG
Alter Heerweg 2a
D-53123
Tel.: +49 (0)228 9868 – 0
Fax: +49 (0)228 9868 – 196

KAUTEX TEXTRON GMBH & CO. KG
Kautexstr. 52
D-53229 Bonn
Tel.: +49 (0)228 9868 – 0
Fax: +49 (0)228 9868 – 196

KAUTEX
A Textron Company

Declaration of Compliance

for plastic materials and items, which are designated to get in touch with food products

1. Type(s) of food intended to come into contact with the material	Dry, aqueous, acid, alcoholic and fatty food products
2. Type(s) of food NOT to come into contact with the material	None
3. Duration and temperature of treatment and storage while in contact with the food	Long-term-storage at up to 40°C
4. Ratio of the area of the food contact material to the volume used to determine the compliance of the plastic food contact material or article	1,32 dm² to 100 ml
5. Specification of tested conditions of use with maximum test requirements (without exceeding OML)	3% Acetic Acid: 10 days 40°C 50% Ethanol: 10 days 40°C MPPO (Tenax): 10 days 40°C Olive Oil: 10 days 40°C Tap Water: 10 days 40°C
The global migration values are lower than the admitted threshold values (for the above-mentioned conditions of use). The tests are performed according to Art. 17 and 18 of Regulation (EU) No. 10/2011 in conjunction with Annex V.	
6. Information about restricted substances and / or specifications	No substances are used that are subject to SML or QM values.
7. Information about dual use additives according to Regulation (EU) No. 10/2011:	Titanium dioxide, calcium carbonate
8. Functional barrier	None.
9. Further confirmation to the raw material	94/62/EC RoHS 2011/65/EU REACh – EG-Guideline 1907/2006 Appendix II SVHC – EG-Regulation 1907/2006 Appendix XIV

Raw material/ color	**Dust cap**
Information	The closures have not been analyzed or tested by Kautex. Information is completely based on the supplier declarations.
Raw material/ color	**Natural**
Identification number:	2000084185; 2000086179; 2000098846
1. Type(s) of food intended to come into contact with the material	Dry food products
2. Type(s) of food NOT to come into contact with the material	None
3. Duration and temperature of treatment and storage while in contact with the food	10 days / 40°C (Tenax)
4. Ratio of the area of the food contact material to the volume used to determine the compliance of the plastic food contact material or article	1 part / 0,5 l
The global migration values are lower than the admitted threshold values (for the above-mentioned conditions of use). The tests are performed according to Art. 17 and 18 of Regulation (EU) No. 10/2011 in conjunction with Annex V.	

Kautex Textron GmbH & Co.KG
Alter Heerweg 2a
D-53123
Tel.: +49 (0)228 9868 – 0
Fax: +49 (0)228 9868 – 196

KAUTEX TEXTRON GMBH & CO. KG
Kautexstr. 52
D-53229 Bonn
Tel.: +49 (0)228 9868 – 0
Fax: +49 (0)228 9868 – 196

Declaration of Compliance

for plastic materials and items, which are designated to get in touch with food products

6. Information about restricted substances and / or specifications	No substances are used that are subject to SML or QM values.
7. Information about dual use additives according to Regulation (EU) No. 10/2011:	None
8. Functional barrier	None.
9. Further confirmation to the raw material	BSE/TSE - Note for Guidance EMEA/410/01, rev. 3 RoHS – EU-Guideline 2011/65 incl. (EU 2015/863) REACh – EG-Guideline 1907/2006 Appendix II SVHC – EG-Regulation 1907/2006 Appendix XIV Phthalates – not used during fabrication or formulation. 94/62/EC (of 20 December 1994) on packaging and packaging waste and its amendments 2005/20/EC and 2013/2/EU FDA – 21 CFR 177.1520 for food contact applications. Allergens GMO Nanomaterials Swiss VOC US CONEG

Designation	**Screw cap**
Information	The closures have not been analyzed or tested by Kautex. Information is completely based on the supplier declarations.
Raw material/ color	**PP in black**
Identification number:	2000070755; 2000073058; 2000074185; 2000083700; 2000084479; 2000084480
1. Type(s) of food intended to come into contact with the material	All types of food groups in terms of the Regulation (EU) No. 10/2011
2. Type(s) of food NOT to come into contact with the material	none
3. Duration and temperature of treatment and storage while in contact with the food	Long-term-storage at up to 40°C
4. Ratio of the area of the food contact material to the volume used to determine the compliance of the plastic food contact material or article	6 dm² / 1000 ml
5. Specification of tested conditions of use with maximum test requirements (without exceeding OML)	3% Acetic Acid: 10 days 40°C 95% Ethanol: 10 days 40°C Isooctane: 10 days 40°C

Kautex Textron GmbH & Co.KG
Alter Heerweg 2a
D-53123
Tel.: +49 (0)228 9868 – 0
Fax: +49 (0)228 9868 – 196

KAUTEX TEXTRON GMBH & CO. KG
Kautexstr. 52
D-53229 Bonn
Tel.: +49 (0)228 9868 – 0
Fax: +49 (0)228 9868 – 196

KAUTEX
A Textron Company

Declaration of Compliance

for plastic materials and items, which are designated to get in touch with food products

The global migration values are lower than the admitted threshold values (for the above-mentioned conditions of use). The tests are performed according to Art. 17 and 18 of Regulation (EU) No. 10/2011 in conjunction with Annex V.	
6. Information about restricted substances and / or specifications	CAS Nr. 9003-07-0
7. Information about dual use additives according to Regulation (EU) No. 10/2011:	No dual use additives used
8. Functional barrier	None.
9. Further confirmation to the raw material	BSE/TSE - Note for Guidance EMEA/410/01, rev. 3 RoHS – EU-Guideline 2011/65 incl. (EU 2015/863) REACh – EG-Guideline 1907/2006 Appendix II SVHC – EG-Regulation 1907/2006 Appendix XIV Phthalates – not used during fabrication or formulation. 94/62/EC (of 20 December 1994) on packaging and packaging waste and its amendments 2005/20/EC and 2013/2/EU FDA – 21 CFR 177.1520 for food contact applications. Allergens GMO EU POP Nanomaterials Swiss VOC US CONEG

Designation:	**Screw cap**
Information	The closures have not been analyzed or tested by Kautex. Information is completely based on the supplier declarations.
Raw material/ color	**HDPE**
Identification number::	2000085869; 2000085870; 2000085874; 2000086293; 2000086365; 2000091901; 2000085449; 2000095947; 2000098871; 2000086019; 2000086020; 2000985020
1. Type(s) of food intended to come into contact with the material	All types of food groups in terms of the Regulation (EU) No. 10/2011
2. Type(s) of food NOT to come into contact with the material	None
3. Duration and temperature of treatment and storage while in contact with the food	Long-term-storage at up to 40°C
4. Ratio of the area of the food contact material to the volume used to determine the compliance of the plastic food contact material or article	6 dm² / 1000 ml
5. Specification of tested conditions of use with maximum test requirements (without exceeding OML)	3% Acetic Acid: 10 days 40°C 95% Ethanol: 10 days 40°C Isooctane: 10 days 40°C
The global migration values are lower than the admitted threshold values (for the above-mentioned conditions of use). The tests are performed according to Art. 17 and 18 of Regulation (EU) No. 10/2011 in conjunction with Annex V.	

Kautex Textron GmbH & Co.KG
Alter Heerweg 2a
D-53123
Tel.: +49 (0)228 9868 – 0
Fax: +49 (0)228 9868 – 196

KAUTEX TEXTRON GMBH & CO. KG
Kautexstr. 52
D-53229 Bonn
Tel.: +49 (0)228 9868 – 0
Fax: +49 (0)228 9868 – 196

KAUTEX A Textron Company

Declaration of Compliance

for plastic materials and items, which are designated to get in touch with food products

6. Information about restricted substances and / or specifications	Butanedioic acid, Dimethylester Polymer with 4-hydroxy-2,2,6,6-tetramethyl-1-piperidine Etha Butene Bariumsulfat 1-Octene Octadecyl-3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate Hexene Zinc stearate 1,1,1-Trimethylolpropane
7. Information about dual use additives according to Regulation (EU) No. 10/2011:	E900a, E551, E330, E553b, E470a, E471
8. Functional barrier	None
9. Further confirmation to the raw material	BSE/TSE - Note for Guidance EMEA/410/01, rev. 3 RoHS – EU-Guideline 2011/65 incl. (EU 2015/863) REACh – EG-Guideline 1907/2006 Appendix II SVHC – EG-Regulation 1907/2006 Appendix XIV Phthalates – not used during fabrication or formulation. 94/62/EC (of 20 December 1994) on packaging and packaging waste and its amendments 2005/20/EC and 2013/2/EU FDA – 21 CFR 177.1520 for food contact applications. Allergens GMO EU POP Nanomaterials Swiss VOC US CONEG

Designation:	**Screw cap**
Information	The closures have not been analyzed or tested by Kautex. Information is completely based on the supplier declarations.
Raw material/ color	**HDPE, nature**
Identification number:	2000086629

1. Type(s) of food intended to come into contact with the material	Breast milk
2. Type(s) of food NOT to come into contact with the material	None
3. Duration and temperature of treatment and storage while in contact with the food	10 days in cooled condition
4. Ratio of the area of the food contact material to the volume used to determine the compliance of the plastic food contact material or article	

Kautex Textron GmbH & Co.KG
Alter Heerweg 2a
D-53123
Tel.: +49 (0)228 9868 – 0
Fax: +49 (0)228 9868 – 196

KAUTEX TEXTRON GMBH & CO. KG
Kautexstr. 52
D-53229 Bonn
Tel.: +49 (0)228 9868 – 0
Fax: +49 (0)228 9868 – 196

Declaration of Compliance

for plastic materials and items, which are designated to get in touch with food products

5. Specification of tested conditions of use with maximum test requirements (without exceeding OML)	3% Acetic Acid: 10 days 40°C 95% Ethanol: 10 days 40°C Isooctane: 10 days 40°C
The global migration values are lower than the admitted threshold values (for the above-mentioned conditions of use). The tests are performed according to Art. 17 and 18 of Regulation (EU) No. 10/2011 in conjunction with Annex V.	
6. Information about restricted substances and / or specifications	Calcium stearate Butanedioic acid, Dimethylester
7. Information about dual use additives according to Regulation (EU) No. 10/2011:	None
8. Functional barrier	None
9. Further confirmation to the raw material	94/62/EC

Designation:	**Screw cap / Spray cap**
Information	The closures have not been analyzed or tested by Kautex. Information is completely based on the supplier declarations.
Raw material/ color	**LDPE/Natural, brown**
Identification number:	2000090605; 2000090606; 2000090607; 2000090608; 2000090609; 2000090610; 2000090603; 2000090604; 2000590604; 2000790604; 2000890604; 2000990604; 2000091425; 2000085992; 2000090618; 2000095993; 2000095994; 2000090619; 2000590605; 2000790605; 2000590606; 2000790606; 2000094579; 2000590607; 2000690607; 2000790607; 2000794579; 2000890607; 2000894579; 2000990607; 2000094578; 2000590608; 2000790608; 2000794578; 2000890608; 2000590609; 2000790609; 2000990609; 2000094576; 2000590610; 2000790610; 2000794576; 2000890610
1. Type(s) of food intended to come into contact with the material	All types of food groups in terms of the Regulation (EU) No. 10/2011
2. Type(s) of food NOT to come into contact with the material	None
3. Duration and temperature of treatment and storage while in contact with the food	Any long term storage, short time heating upto 2h at 70°C and upto 15min at 100°C
4. To determine the compliance of the plastic food contact material or article	3 closures on 100 ml simulant
5. Specification of tested conditions of use with maximum test requirements (without exceeding OML)	3% Acetic Acid: 10 days 40°C 10% Ethanol: 10 days 40°C 95% Ethanol: 10 days 60°C Olive oil: 10 days 40°C
The global migration values are lower than the admitted threshold values (for the above-mentioned conditions of use). The tests are performed according to Art. 17 and 18 of Regulation (EU) No. 10/2011 in conjunction with Annex V.	
6. Information about restricted substances and / or specifications	None
7. Information about dual use additives according to Regulation (EU) No. 10/2011:	No Dual Use Additives
8. Functional barrier	None
9. Further confirmation to the raw material	EP chapter 3.1.3 and 3.1.4

Kautex Textron GmbH & Co.KG
Alter Heerweg 2a
D-53123
Tel.: +49 (0)228 9868 – 0
Fax: +49 (0)228 9868 – 196

KAUTEX TEXTRON GMBH & CO. KG
Kautexstr. 52
D-53229 Bonn
Tel.: +49 (0)228 9868 – 0
Fax: +49 (0)228 9868 – 196

KAUTEX
A Textron Company

Declaration of Compliance

for plastic materials and items, which are designated to get in touch with food products

	BSE/TSE - Note for Guidance EMEA/410/01, rev. 3 RoHS – EU-Guideline 2011/65 incl. (EU 2015/863) REACh – EG-Guideline 1907/2006 Appendix II SVHC – EG-Regulation 1907/2006 Appendix XIV Phthalates – not used during fabrication or formulation. 94/62/EC (of 20 December 1994) on packaging and packaging waste and its amendments 2005/20/EC and 2013/2/EU FDA – 21 CFR 177.1520 for food contact applications. Allergens GMO Nanomaterials Swiss VOC US CONEG

Designation	**Screw cap**
Information	The closures have not been analyzed or tested by Kautex. Information is completely based on the supplier declarations.
Raw material/ color	**LDPE, colored, natural**
Identification number:	2000070603; 2000070604; 2000070605; 2000070606; 2000070607; 2000070608; 2000070609; 2000070610; 2000070619; 2000070620; 2000071426; 2000071976; 2000072100; 2000072101; 2000072102; 2000072103; 2000073196; 2000075261; 2000084576; 2000084578; 2000084579; 2000084775; 2000085764; 2000086658; 2000094605; 2000095901; 2000095946; 2000095949; 2000570604; 2000570605; 2000570606; 2000570607; 2000570608; 2000570609; 2000570610; 2000670604; 2000670607; 2000770604; 2000770605; 2000770606; 2000770607; 2000770608; 2000770609; 2000770610; 2000784576; 2000784577; 2000784578; 2000784579; 2000870604; 2000870607; 2000870608; 2000870609; 2000870610; 2000884579; 2000970604; 2000970607; 2000970609; 2000984183; 2000091426; 2000091427; 2000870605; 2000870606; 2000082835; 2000084577; 2000084989
1. Type(s) of food intended to come into contact with the material	All types of food groups in terms of the Regulation (EU) No. 10/2011
2. Type(s) of food NOT to come into contact with the material	none
3. Duration and temperature of treatment and storage while in contact with the food	Long-term-storage at up to 40°C
4. Ratio of the area of the food contact material to the volume used to determine the compliance of the plastic food contact material or article	9,6 cm² to 20 ml simulant
5. Specification of tested conditions of use with maximum test requirements (without exceeding OML)	3% Acetic Acid: 10 days 40°C 50% Ethanol: 10 days 40°C MPPO (Tenax): 10 days 40°C Olive Oil: 10 days 40°C Tap Water: 10 days 40°C

Kautex Textron GmbH & Co.KG
Alter Heerweg 2a
D-53123
Tel.: +49 (0)228 9868 – 0
Fax: +49 (0)228 9868 – 196

KAUTEX TEXTRON GMBH & CO. KG
Kautexstr. 52
D-53229 Bonn
Tel.: +49 (0)228 9868 – 0
Fax: +49 (0)228 9868 – 196

Declaration of Compliance

for plastic materials and items, which are designated to get in touch with food products

The global migration values are lower than the admitted threshold values (for the above-mentioned conditions of use). The tests are performed according to Art. 17 and 18 of Regulation (EU) No. 10/2011 in conjunction with Annex V.	
6. Information about restricted substances and / or specifications	No substances are used that are subject to SML or QM values.
7. Information about dual use additives according to Regulation (EU) No. 10/2011:	No dual use additives used.
8. Functional barrier	None.
9. Further confirmation to the raw material	BSE/TSE - Note for Guidance EMEA/410/01, rev. 3 RoHS – EU-Guideline 2011/65 incl. (EU 2015/863) REACh – EG-Guideline 1907/2006 Appendix II SVHC – EG-Regulation 1907/2006 Appendix XIV Phthalates – not used during fabrication or formulation. 94/62/EC (of 20 December 1994) on packaging and packaging waste and its amendments 2005/20/EC and 2013/2/EU FDA – 21 CFR 177.1520 for food contact applications. Allergens GMO Nanomaterials Swiss VOC US CONEG

Designation	**Keep-fresh cover**
Information	The closures have not been analyzed or tested by Kautex. Information is completely based on the supplier declarations.
Raw material/ color	**LDPE, white**
Identification number:	2000098537; 2000098538; 2000098539; 2000098540; 2000098541; 2000098542
1. Type(s) of food intended to come into contact with the material	All types of food groups in terms of the Regulation (EU) No. 10/2011
2. Type(s) of food NOT to come into contact with the material	none
3. Duration and temperature of treatment and storage while in contact with the food	Long-term-storage at up to 40°C
4. Ratio of the area of the food contact material to the volume used to determine the compliance of the plastic food contact material or article	Contact method: immersion
5. Specification of tested conditions of use with maximum test requirements (without exceeding OML)	3% Acetic Acid: 10 days 40°C 50% Ethanol: 10 days 40°C 95% Ethanol: 10 days 40°C Isooctane: 2 days 20°C
The global migration values are lower than the admitted threshold values (for the above-mentioned conditions of use). The tests are performed according to Art. 17 and 18 of Regulation (EU) No. 10/2011 in conjunction with Annex V.	

Kautex Textron GmbH & Co.KG
Alter Heerweg 2a
D-53123
Tel.: +49 (0)228 9868 – 0
Fax: +49 (0)228 9868 – 196

KAUTEX TEXTRON GMBH & CO. KG
Kautexstr. 52
D-53229 Bonn
Tel.: +49 (0)228 9868 – 0
Fax: +49 (0)228 9868 – 196

Declaration of Compliance

for plastic materials and items, which are designated to get in touch with food products

6. Information about restricted substances and / or specifications	No substances are used that are subject to SML or QM values.
7. Information about dual use additives according to Regulation (EU) No. 10/2011:	No dual use additives used.
8. Functional barrier	None.
9. Further confirmation to the raw material	BSE/TSE - Note for Guidance EMEA/410/01, rev. 3 RoHS – EU-Guideline 2011/65 incl. (EU 2015/863) REACh – EG-Guideline 1907/2006 Appendix II SVHC – EG-Regulation 1907/2006 Appendix XIV Phthalates – not used during fabrication or formulation. 94/62/EC (of 20 December 1994) on packaging and packaging waste and its amendments 2005/20/EC and 2013/2/EU FDA – 21 CFR 177.1520 for food contact applications. Allergens GMO Nanomaterials Swiss VOC US CONEG No Bisphenol A

Designation	**Stopcocks** **UN-Closure SV51 OV-A PE blue, with pull-off ring and PE-seal** **UN-Closure SV51 OV-A PE green, with pull-off ring and PE-seal**	
Information	The closures have not been analyzed or tested by Kautex. Information is completely based on the supplier declarations.	
Raw material/ color	**HDPE / color masterbatch / foam gasket**	
Identification number:	2000076459; 2000097928	
1. Type(s) of food intended to come into contact with the material		All types of food groups in terms of the Regulation (EU) No. 10/2011
2. Type(s) of food NOT to come into contact with the material		none
3. Duration and temperature of treatment and storage while in contact with the food		Long-term-storage at up to 40°C
4. Ratio of the area of the food contact material to the volume used to determine the compliance of the plastic food contact material or article		Contact method: immersion
5. Specification of tested conditions of use with maximum test requirements (without exceeding OML)		3% Acetic Acid: 10 days 40°C 10% Ethanol: 10 days 40°C Vegetable Oil: 10 days 40°C
The global migration values are lower than the admitted threshold values (for the above-mentioned conditions of use). The tests are performed according to Art. 17 and 18 of Regulation (EU) No. 10/2011 in conjunction with Annex V.		

Kautex Textron GmbH & Co.KG
Alter Heerweg 2a
D-53123
Tel.: +49 (0)228 9868 – 0
Fax: +49 (0)228 9868 – 196

KAUTEX TEXTRON GMBH & CO. KG
Kautexstr. 52
D-53229 Bonn
Tel.: +49 (0)228 9868 – 0
Fax: +49 (0)228 9868 – 196

KAUTEX
A Textron Company

Declaration of Compliance

for plastic materials and items, which are designated to get in touch with food products

6. Information about restricted substances and / or specifications	Copper 5mg/kg food or food simulant Aluminum 1mg/kg food or food simulant
7. Information about dual use additives according to Regulation (EU) No. 10/2011:	Titanium dioxide E171 Calcium carbonate E170 Aluminum E173 Silicone dioxide e551
8. Functional barrier	None.
9. Further confirmation to the raw material	BSE/TSE - Note for Guidance EMEA/410/01, rev. 3 RoHS – EU-Guideline 2011/65 incl. (EU 2015/863) REACh – EG-Guideline 1907/2006 Appendix II SVHC – EG-Regulation 1907/2006 Appendix XIV Phthalates – not used during fabrication or formulation. 94/62/EC (of 20 December 1994) on packaging and packaging waste and its amendments 2005/20/EC and 2013/2/EU FDA – 21 CFR 177.1520 for food contact applications. Allergens GMO EU POP Nanomaterials Swiss VOC US CONEG
10. NIAS Screening	A special screening of NIAS is done with every material testing. Relevant substances (mentioned by our raw material suppliers) regarding compliance were assessed according to Article 19 of the regulation EU/10/2011 and classified as harmless.

Designation	**Dropper cap with holding strap**
Information	The closures have not been analyzed or tested by Kautex. Information is completely based on the supplier declarations.
Raw material/ color	**PVC, red**
Identification number:	2000073350
1. Type(s) of food intended to come into contact with the material	Acid and alcoholic food groups.
2. Type(s) of food NOT to come into contact with the material	Fatty food groups

Kautex Textron GmbH & Co.KG
Alter Heerweg 2a
D-53123
Tel.: +49 (0)228 9868 – 0
Fax: +49 (0)228 9868 – 196

KAUTEX TEXTRON GMBH & CO. KG
Kautexstr. 52
D-53229 Bonn
Tel.: +49 (0)228 9868 – 0
Fax: +49 (0)228 9868 – 196

Declaration of Compliance

for plastic materials and items, which are designated to get in touch with food products

3. Duration and temperature of treatment and storage while in contact with the food	Long-term-storage at up to 40°C
4. Ratio of the area of the food contact material to the volume used to determine the compliance of the plastic food contact material or article	0,1 cm² at 10 ml simulant
5. Specification of tested conditions of use with maximum test requirements (without exceeding OML)	3% Acetic Acid: 10 days 40°C 50% Ethanol: 10 days 40°C
The global migration values are lower than the admitted threshold values (for the above-mentioned conditions of use). The tests are performed according to Art. 17 and 18 of Regulation (EU) No. 10/2011 in conjunction with Annex V.	
6. Information about restricted substances and / or specifications	Additive A 9 mg/l Additive B 60 mg/l Additive C 25 mg/l Vinyl chloride QM = 1 mg/kg in finished product
7. Information about dual use additives according to Regulation (EU) No. 10/2011:	No dual use additives used.
8. Functional barrier	None.
9. Further confirmation to the raw material	94/62/EC RoHS 2011/65/EU

Kautex Textron GmbH & Co.KG
Alter Heerweg 2a
D-53123
Tel.: +49 (0)228 9868 – 0
Fax: +49 (0)228 9868 – 196

KAUTEX TEXTRON GMBH & CO. KG
Kautexstr. 52
D-53229 Bonn
Tel.: +49 (0)228 9868 – 0
Fax: +49 (0)228 9868 – 196

KAUTEX
A Textron Company

Declaration of Compliance

for plastic materials and items, which are designated to get in touch with food products

Designation	**UN WIDE NECK DRUM 60L and 120L**
Raw material/ color	**HDPE BLUE**
Identification number:	2000090867; 2000091093

1. Type(s) of food intended to come into contact with the material	Water based, Acid based, and Alcoholic based and fatty food.
2. Type(s) of food NOT to come into contact with the material	None
3. Duration and temperature of treatment and storage while in contact with the food	Long-term-storage at up to 40°C
4. Ratio of the area of the food contact material to the volume used to determine the compliance of the plastic food contact material or article	1,14 dm^2/l
5. Specification of tested conditions of use with maximum test requirements (without exceeding OML)	3% Acetic Acid: 10 days 40°C 95% Ethanol: 10 days 40°C Vegetable Oil: 10 days 40°C
The restrictions for evaluated substances (SML) in the Union list of Regulations (EU) 10/2011 are met under the test conditions given above. Migration test results are expressed according to Article 17 of Regulations (EU) 10/2011.	
6. Information about restricted substances and / or specifications	None
7. Information about dual use additives according to Regulation (EU) No. 10/2011:	Titanium dioxide, Stearic acid, E470a, E170, E1521
8. Functional barrier	None.
9. Further confirmation to the raw material	BSE/TSE - Note for Guidance EMEA/410/01, rev. 3 RoHS – EU-Guideline 2011/65 incl. (EU 2015/863) REACh – EG-Guideline 1907/2006 Appendix II SVHC – EG-Regulation 1907/2006 Appendix XIV Phthalates – not used during fabrication or formulation. 94/62/EC (of 20 December 1994) on packaging and packaging waste and its amendments 2005/20/EC and 2013/2/EU FDA – 21 CFR 177.1520 for food contact applications. Allergens GMO Nanomaterials Swiss VOC US CONEG

The information in this document is, to our knowledge, true and accurate at the time and date of issue. Due to possible changes in the laws and regulations, or other reasons, we cannot guarantee that the status of this product will remain unchanged.