

## Solution Basins

### I. APPLICATIONS

1. Transfer of chemicals and other liquids

### II. FEATURES

1. Materials: PVC, polystyrene, or polypropylene
2. Polypropylene basin is chemically resistant to alcohols and mild organic solvents
3. PVC basin has transparent walls to permit easy viewing of contents
4. Polypropylene basin is autoclavable

### III. BASIN DESIGN

1. Available in PVC super clear, polystyrene white, and polypropylene 12-channel
2. PVC basins have a volume of 55ml; polystyrene basins have volumes of 55ml or 100ml.
3. Polypropylene 12-channel basin: individual channels hold 5ml, flip-side is 50ml volume
4. All basins can be used with single or multi-channel pipettors
5. Polypropylene basins come in assorted colors: clear, blue, green, red, and yellow

### IV. PACKAGING

1. PVC: Bulk, 100 basins/pack and 8 packs/case
2. Polystyrene: Individually wrapped, 100 basins/case or 50 basins/case
3. Polypropylene: Bulk, 25 basins/bag, 4 bags/case (assorted colors)

### V. DESCRIPTION

Item	Material/Color	Packaging	Sterile
25-0052	PVC/Super clear	Bulk, 100 basins/pack, 8 packs/case	No
25-0051	Polystyrene/white	Individually wrapped, 100 basins/case	Yes
25-1202	Polypropylene/Assorted	Bulk, 25 basins/pack, 4 packs/case	No
25-1025	Polystyrene/white	Individually wrapped, 100 basins/case	Yes
25-1100	Polystyrene/white	Individually wrapped, 50 basins/case	Yes

### VI. STERILITY

1. Products are Gamma Radiation Sterilized according to ISO13485 standard.
2. For each lot, sterilization records are recorded and signed off by qualified personnel for product release.

### VII. CERTIFICATION

Biologix products are manufactured completely according to the TUV ISO 9001:2008 standard.


## VIII. RESTRICTIONS


Refer to the Chemical Resistance Chart in our catalog, and available within our online catalog.

## IX. PRODUCT PARAMETER


Dimensions = mm

Cat #	Description	A	B	C	D	E	F	G	H	I	J
25-0051	Solution Basin	105.9	138.3	149	39.4	54.5	65.2	26.2	108°	97°	84°
25-0052	Solution Basin	105.9	138.3	149	39.4	54.5	65.2	26.2	108°	97°	84°
25-1202	Solution Basin	36	49	7	111.7	124	40.5	29.5	-	-	-
25-1025	Solution Basin	123	130	138	31.2	61	64	26	-	-	-
25-1100	Solution Basin	123	133	138	41.2	70	75	34	-	-	-





25-1025



25-1100