

# METTLER TOLEDO SAFETY DATA SHEET

according to the Globally Harmonized System

## Buffer solution pH 11.00

---

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name	Buffer solution pH 11.00
Synonyms	Buffer solution pH 11.00 (9867)
Product code	52118026, 51350012, 51350026, 30111135

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture	Laboratory chemicals
------------------------------	----------------------

#### 1.3. Details of the supplier of the safety data sheet

Company/Undertaking Identification	Mettler-Toledo GmbH Im Langacher 44 CH-8606 Greifensee Switzerland Tel: +41 22 567 53 22 Fax: +41 22 567 53 23 Email: ph.lab.support@mt.com
------------------------------------	---

1.4. Emergency telephone number	(24-Hour-Number): GBK GmbH +49 6132 84463
---------------------------------	---

Issuing date	30.11.2017
--------------	------------

Version	GHS 2
---------	-------

---

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008	Skin corrosion/irritation, Cat. 2, H315 Serious eye damage/eye irritation, Cat. 2, H319
---	--

Additional information	For the full text of the phrases mentioned in this Section, see Section 16.
------------------------	---

## 2.2. Label elements



<b>Signal Word</b>	Warning
<b>Hazard Statements</b>	H315: Causes skin irritation. H319: Causes serious eye irritation.
<b>Precautionary statements</b>	P280c: Wear protective gloves/ eye protection/ face protection. P302+P352: IF ON SKIN: Wash with plenty of soap and water. P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
<b>Supplemental information</b>	None.
<b>Product identifier</b>	Diisopropylamine, CAS-No. 108-18-9, EC-No. 203-558-5
<b>2.3. Other hazards</b>	None known.

---

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

Buffer solution.

Components		CLP Classification	Product identifier
Deionised water	95% - 99%		CAS-No.: 7732-18-5 EC-No.: 231-791-2
Diisopropylamine	1% - 2.5%	Acute Tox. 4 H332, Acute Tox. 4 H302, Skin Corr. 1B H314, Flam. Liq. 2 H225 [SSEIn3: C ≥ 5 %]	CAS-No.: 108-18-9 EC-No.: 203-558-5 Index-No: 612-129-00-5

For the full text of the phrases mentioned in this Section, see Section 16.

**Hazardous impurities** None known.

---

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

**Inhalation** Move to fresh air in case of accidental inhalation of vapours or decomposition products. Consult a physician for severe cases.

<b>Skin contact</b>	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. If skin irritation persists, call a physician.
<b>Eye contact</b>	Rinse thoroughly with plenty of water, also under the eyelids. Consult an ophthalmologist.
<b>Ingestion</b>	Rinse mouth. Drink 1 or 2 glasses of water. If swallowed, seek medical advice immediately and show this container or label.
<b>4.2. Most important symptoms and effects, both acute and delayed</b>	None known.
<b>4.3. Indication of any immediate medical attention and special treatment needed</b>	If ingested, irrigate the stomach.

---

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

<b>Suitable extinguishing media</b>	Use water spray, alcohol-resistant foam, dry extinguishing agent or carbon dioxide.
<b>Extinguishing media which must not be used for safety reasons</b>	None.

### 5.2. Special hazards arising from the substance or mixture

The product is not flammable. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

### 5.3. Advice for firefighters

<b>Special protective equipment for firefighters</b>	Standard procedure for chemical fires. In the event of fire, wear self-contained breathing apparatus. Wear protective suit.
<b>Specific methods</b>	Water mist may be used to cool closed containers.

---

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

<b>Advice for non-emergency personnel</b>	Ensure adequate ventilation. Use personal protective equipment. Sweep up to prevent slipping hazard. Avoid contact with skin and eyes. Do not breathe vapours/dust.
<b>Advice for emergency responders</b>	Handle in accordance with good industrial hygiene and safety practice. Use personal protective equipment. Sweep up to prevent slipping hazard.

- 6.2. Environmental precautions** Do not flush into surface water or sanitary sewer system.
- 6.3. Methods and material for containment and cleaning up** Soak up with inert absorbent material. Keep in suitable and closed containers for disposal.
- 6.4. Reference to other sections** See chapter 8 and 13.

---

## SECTION 7: Handling and storage

- 7.1. Precautions for safe handling** Wear personal protective equipment. Avoid contact with skin and eyes. Practice care and caution to avoid skin contact and inhalation of vapours or mists if generated.
- 7.2. Conditions for safe storage, including any incompatibilities** Keep containers tightly closed in a cool, well-ventilated place. Store in original container. Store in a place accessible by authorized persons only.
- 7.3. Specific end use(s)** No information available.

---

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

**Exposure limit(s)** No data is available on the product itself.

<b>Diisopropylamine (CAS 108-18-9)</b>	
United Kingdom - Workplace Exposure Limits (WELs) - STELs	15 ppm STEL (calculated) 63 mg/m <sup>3</sup> STEL (calculated)
United Kingdom - Workplace Exposure Limits (WELs) - TWAs	5 ppm TWA 21 mg/m <sup>3</sup> TWA
U.S. - OSHA - Final PELs - Time Weighted Averages (TWAs)	5 ppm TWA 20 mg/m <sup>3</sup> TWA
U.S. - OSHA - Vacated PELs - TWAs	5 ppm TWA 20 mg/m <sup>3</sup> TWA

### 8.2. Exposure controls

**Appropriate engineering controls** Avoid contact with skin, eyes and clothing.

#### Personal protection equipment

**Respiratory protection** No personal respiratory protective equipment normally required.

**Hand protection** Gloves made of Nitril. The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it. Break through time: > 4 h. Take note of the information given by the producer concerning permeability and break through times, and of special workplace conditions (mechanical strain, duration of contact).

<b>Eye protection</b>	Safety glasses with side-shields conforming to EN166.
<b>Skin and body protection</b>	Long sleeved clothing. Choose body protection according to the amount and concentration of the dangerous substance at the work place.
<b>Thermal hazards</b>	No special measures required.
<b>Environmental exposure controls</b>	No special measures required.

---

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

<b>Appearance</b>	Liquid.
<b>Colour</b>	Colourless.
<b>Odour</b>	Mild.
<b>Odour Threshold</b>	Not determined.
<b>pH:</b>	11
<b>Melting point/range:</b>	Not determined.
<b>Boiling point/range:</b>	Not determined.
<b>Flash point:</b>	Not determined.
<b>Evaporation Rate:</b>	Not determined.
<b>Flammability:</b>	Not determined.
<b>Explosion limits:</b>	Not determined.
<b>Vapour pressure:</b>	Not determined.
<b>Vapor density:</b>	Not determined.
<b>Relative density:</b>	Not determined.
<b>Water solubility:</b>	completely miscible
<b>Partition coefficient (n-octanol/water):</b>	Not determined.
<b>Autoignition temperature:</b>	Not determined.
<b>Decomposition temperature:</b>	Not determined.
<b>Viscosity:</b>	Not determined.
<b>Explosive properties:</b>	not hazardous
<b>Oxidising properties:</b>	None

### 9.2. Other information

<b>General Product Characteristics</b>	No information available.
--	---------------------------

---

## SECTION 10: Stability and reactivity

<b>10.1. Reactivity</b>	No information available.
<b>10.2. Chemical stability</b>	Stable at normal conditions.
<b>10.3. Possibility of hazardous reactions</b>	No information available.

<b>10.4. Conditions to avoid</b>	Not required.
<b>10.5. Incompatible materials</b>	None.
<b>10.6. Hazardous decomposition products</b>	None under normal use.

---

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

<b>Acute toxicity</b>	No data is available on the product itself. <b>Deionised water (CAS 7732-18-5)</b> Oral LD50 Rat > 90 mL/kg (FOOD_JOURN) <b>Diisopropylamine (CAS 108-18-9)</b> Dermal LD50 Rabbit = 2000 mg/kg (OECD_SIDS) Inhalation LC50 Rat = 4800 mg/m <sup>3</sup> 2 h(NLM_CIP) Oral LD50 Rat = 770 mg/kg (JAPAN_GHS)
<b>Skin corrosion/irritation</b>	Mild skin irritation.
<b>Serious eye damage/eye irritation</b>	Slight eye irritation.
<b>Respiratory / Skin Sensitisation</b>	None.
<b>Carcinogenicity</b>	No data available.
<b>Germ cell mutagenicity</b>	No data available.
<b>Reproductive toxicity</b>	No data available.
<b>Specific target organ toxicity (single exposure)</b>	No data available.
<b>Specific target organ toxicity (repeated exposure)</b>	No data available.
<b>Aspiration hazard</b>	No data available.
<b>Human experience</b>	No data available.
<b>Information on likely routes of exposure</b>	dermal
<b>Symptoms related to the physical, chemical and toxicological characteristics</b>	May cause eye/skin irritation.
<b>Other information</b>	The product contains no substances which at their given concentration, are considered to be hazardous to health.

---

## SECTION 12: Ecological information

<b>12.1. Toxicity</b>	No data is available on the product itself.
<b>Diisopropylamine (CAS 108-18-9)</b>	
Ecotoxicity - Freshwater Fish - Acute Toxicity Data	LC50 96 h Brachydanio rerio 150 - 223 mg/L [semi-static] (IUCLID) LC50 96 h Oryzias latipes 420 - 560 mg/L [semi-static] (EPA) LC50 96 h Oncorhynchus mykiss 37 mg/L (EPA) LC50 96 h Poecilia reticulata 1000 mg/L [semi-static] (EPA)
Ecotoxicity - Freshwater Algae - Acute Toxicity Data	EC50 96 h Pseudokirchneriella subcapitata 20 mg/L (IUCLID) EC50 96 h Pseudokirchneriella subcapitata 20 mg/L [static] (EPA)
<b>12.2. Persistence and degradability</b>	No data available.
<b>12.3. Bioaccumulative potential</b>	No data available.
<b>12.4. Mobility in soil</b>	No data available.
<b>12.5. Results of PBT and vPvB assessment</b>	No information available.
<b>12.6. Other adverse effects</b>	No information available.

---

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

<b>Waste from residues / unused products</b>	Dispose of in accordance with local regulations. Dispose of in accordance with the European Directives on waste and hazardous waste.
<b>Contaminated packaging</b>	Dispose of as unused product.

---

## SECTION 14: Transport information

<b>ADR/RID</b>	Not regulated.
<b>IMDG</b>	Not regulated.
<b>IATA</b>	Not regulated.
<b>Further Information</b>	Not classified as dangerous in the meaning of transport regulations.



## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Regulatory Information

The product is classified and labelled according to Regulation (EC) No. 1272/2008.

<b>Deionised water (CAS 7732-18-5)</b>	
Inventory - United States - Section 8(b) Inventory (TSCA)	Present (ACTIVE)
U.S. - TSCA (Toxic Substances Control Act) - Section 8(a) - Chemical Data Reporting Rule - Fully Exempt Substances	Present (listed under Certain forms of natural gas and water)
<b>Diisopropylamine (CAS 108-18-9)</b>	
EU - Control of Exports of Dual Use Items (428/2009)	1C350.48
EU - REACH (1907/2006) - List of Registered Substances	Present
Inventory - United States - Section 8(b) Inventory (TSCA)	Present (ACTIVE)
U.S. - California - Occupational Exposure Limits - PELs	5 ppm PEL 20 mg/m <sup>3</sup> PEL
U.S. - California - Occupational Exposure Limits - Skin Notations	material may be absorbed through the skin, eyes or mucous membrane

#### 15.2. Chemical safety assessment

Not required.

## SECTION 16: Other information

#### Revision Note

Safety datasheet sections which have been updated: 3.

#### Key or legend to abbreviations and acronyms

CLP: Classification according to Regulation (EC) No. 1272/2008 (GHS)

#### Key literature references and sources for data

Information taken from reference works and the literature. Sources of key data used to compile the Safety Data Sheet: IUCLID.

#### Classification procedure

Bridging principle "Dilution". Calculation method.

#### Full text of phrases referred to under sections 2 and 3

H225: Highly flammable liquid and vapour.  
H302: Harmful if swallowed.  
H314: Causes severe skin burns and eye damage.  
H315: Causes skin irritation.  
H319: Causes serious eye irritation.  
H332: Harmful if inhaled.



## Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release. It is not to be considered a warranty or quality specification.

DOMINIQUE DUTSCHER S.A.S

