

Product Data Sheet for JACKSON SAFETY* G40 Foam Coated Gloves - Hand Specific / Blue

Product Information

Customer Facing Code	40225 - 40229
Description	JACKSON SAFETY* G40 Foam Coated Gloves - Hand Specific / Blue
PDS Reference	02/08/2017
Status	On Sale



Packaging Configuration

Case Contents	5 Bags x 12 Pairs = 60 Pairs
Outer Pack Material	Paper
Commodity Code	61161020

Packaging and Palletisation

Code/Size	ITF Barcode	EAN Barcode	Case LWH (cm)	Net/Gross Weight (kg)	Pallet Type	Pallet LWH (m)	Cases per Pallet	Inner Gross Weight (Kg)
40225-7	10036000402251	036000402254	41 x 25.2 x 12.9	2.16/2.79	E5	1.20 x 0.80 x 1.31	6 x 9 =54	
40226-8	10036000402268	036000402261	41.4 x 25.6 x 13.7	2.28/2.91	E5	1.20 x 0.80 x 1.38	6 x 9 =54	
40227-9	10036000402275	036000402278	41.4 x 25.6 x 13.7	2.64/3.27	E5	1.20 x 0.80 x 1.38	6 x 9 =54	
40228-10	10036000402282	036000402285	41.4 x 25.6 x 13.7	3/3.63	E5	1.20 x 0.80 x 1.38	6 x 9 =54	
40229-11	10036000402299	036000402292	41.4 x 25.6 x 13.7	3.48/4.11	E5	1.20 x 0.80 x 1.38	6 x 9 =54	

Product Description

A range of Gloves to protect hands against mechanical hazards, get the job done safely and help reduce costs.

Ideal for: providing PPE category 2 protection in mechanical, manufacturing and construction environments, without breaking or tearing; allowing sensitive touch for handling small parts.

Available as: pairs of hand specific gloves in a choice of five sizes with colour-coded cuffs, with foam Nitrile coated palms for excellent dry grip and seamless knitted nylon backing, offering breathability and comfort.

Features and Benefits

Features	Benefits
EU Abrasion Rating of 4	Better durability, Key measurement on EU scale, Highest score on EU scale
Excellent Dexterity	Results in improved productivity
Excellent Wet and Dry Grip	Results in improved productivity, Good grip for light oil applications (better protection), Lowers chance of dropping things in material handling



Product Data Sheet for JACKSON SAFETY* G40 Foam Coated Gloves - Hand Specific / Blue

Product Configuration



Sterile	No	Latex Free	Yes
Main Protection Type	General purpose	Application	Industrial
Ambidextrous	No	Powdered	No
Material	Nylon	Coated	Palm Coated
Liner	Y - Other	Coating	Nitrile
Colour	Blue	Coating Type	Coated
Gauge	15	Glove Shape	Hand Specific
Length	160 - 240 mm		

International Standards and Symbols


Solution

Safer Workplace	We know staff safety is your top priority. You can rely on our solutions to protect them, their environment and your important work.	
Productive Workplace	The success of your business hinges on your work efficiency. That's why our solutions are designed to help improve your productivity.	

Standard R+E

EN 388:2003	This standard which is designed to assess the performance of a fabric or layers of fabric for their ability to resist mechanical risks of abrasion, blade cut, tear and puncture. The test procedure includes a separate test for each of these properties, and a performance level is awarded according to each test result. This standard is only applicable in conjunction with EN420	
CE Mark	Simple - CAT I, Intermediate - CAT II or Complex - CAT III	

Trade

ISO 9001	This gives the requirements for quality management systems, is now firmly established as the globally implemented standard for providing assurance about the ability to satisfy quality requirements and to enhance customer satisfaction in supplier-customer relationships.	
-----------------	---	---

Packaging

Unit Of Sale	Case	Max Weight(kg)	4.52
Case Dimension(LXWXH)(cm)	41.4 x 25.6 x 13.7	Inner Pack Material	Paper

Instructions

The open book pictogram - indicates that the user should read and understand the USER INSTRUCTIONS before using the garment.



Protect from heat and radioactive sources.



Keep Dry. Store in a cool, dry place.



5 cycles of washing in a domestic machine with standard cleaning agents @ 40°C



Product Data Sheet for JACKSON SAFETY* G40 Foam Coated Gloves - Hand Specific / Blue

Information

It is the employer's responsibility to assess the risk of the task to be undertaken and determine the correct choice of personal protective equipment for the task. The manufacturer, Kimberly-Clark, does not accept any responsibility for the incorrect choice or misuse of the personal protective equipment shown in this brochure. All care has been taken to ensure that the information contained herein is as accurate as possible at the time of publication, however errors may occur and legislation concerning personal protective equipment is under constant review and may change in the lifetime of this brochure. Accordingly, the specification for the products may be subject to change. We would advise you to contact INFOFAX if you have any queries concerning the products shown or the suitability of such products for a particular task. Always dispose of used protective equipment in a safe and appropriate manner in accordance with European, National and Local environmental regulations.

Infobox Details

infofax@kcc.com

Websites

www.kcprofessional.co.uk

Storage conditions

Keep dry. Store in a cool dry place and shield from exposure to direct sunlight, intense artificial light or exposure to sources of radiation or ozone.

Durability

This product has a five years shelf life from the date of manufacture.

Customer Service Number

For more information please contact Customer Service during regular office hours-0870 551 044

Country of Origin

PAKISTAN