

Edition Date: Revision Date : Revised by:

# Product Name: Sample Tube

Catalogue No.: C571-1

This document replaces any previous version

- 1. Product Description:
  - 50 ml Sample Tube with Cap: Disposable, sterile, self-standing conical bottom and skirted tube with cap.
- 2. Packaging:
  - > Case:

20 packs of 25 units / 500 units per case

## 3. Product Specifications:

- > Material:
  - Tube: Polypropylene
  - Cap: Polyethylene
- ▶ Gamma radiation sterilized at a SAL of 10<sup>-3</sup>; specified dose between 6.5 kGy and 13.5 kGy
- Temperature range: -90°C to +100°C
- > Tubes have molded-in graduations from 10ml to 50ml with 5ml increments

## 4. Standards and Conformity:

- ➢ ISO 2859-1:
- ≻ FDA:
- > CONEG / RoHS:

**REACH (SVHC):** 

- > LATEX:
- > BSE / TSE:
- ≻ CE:

Sampling and inspection procedures Resins conform to FDA 21 CFR 177.1520 Plastics and colorants are in conformity with CONEG / RoHS standards for heavy metals Plastics are in conformity to REACH standards Materials are Latex Free Materials are BSE / TSE Free Product is CE marked

# 5. Quality Assurance:

- Clear, no presence of contamination in plastic
- Visual attributes
- Volume measurements
- Closure verification
- Gas phase of Liquid Nitrogen resistance



Edition Date: Revision Date : Revised by: 2004-02-05 2021-06-15 Annette Roy, Regulatory

## 6. Traceability:

- **Lot No. Composition:** 8 or 9 digits
- > The lot number can be found in one or all of these locations:
  - 1. On exterior case label
  - 2. On label inserted inside the master case
  - 3. On the inner bag

#### 7. Storage Conditions:

- > Store at room temperature in normal warehouse conditions
- Avoid temperature variations and humidity
- Protect from any possible contamination
- > Protect from any damage to the packaging which could compromise the product sterility

#### 8. Recommended Use:

- > Verify proper cap closure when using biohazard material and / or chemical reagents
- > Follow chemical resistance chart recommendations
- > Follow the equipment manufacturer's instructions
- Should be used only in the gas phase of Liquid Nitrogen

#### **OWNERSHIP OF MATERIALS**:

Materials and information contained in this document are **Simport Scientific**'s copyrighted and are protected by worldwide copyright laws and treaty provisions. They may not be copied, reproduced, modified, published, uploaded, posted, transmitted or distributed in any way.