


MF-Millipore™ Filters

- A biologically inert mixture of cellulose acetate and cellulose nitrate



For more than 40 years, MF-Millipore* filters have found numerous uses in the laboratory. Our wide selection allows you to choose the pore size, diameter, and color that best suits your application. If you have questions about which filter to use, contact your nearest Millipore office. We also offer a complete line of filter holders, pressure vessels, and other filtration accessories.

MILLIPORE

* Also referred to as mixed cellulose esters or MCE filters.

Notes to Table

Flow rates

Initial flow rates for a liquid of 1 centipoise viscosity at the start of filtration before filter plugging is detectable (based on measurements with clean water and air). Actual initial flow rates may vary from the average values given here.

Water flow rates

Milliliters per minute per cm² of filtration area at 20 °C with a differential pressure of 0.7 bar (10 psi).

Air flow rate

Liters per minute per cm² of filtration area at 20 °C with a differential pressure of 0.7 bar (10 psi).

Bubble point

The differential pressure required to force air through the pores of the filter when wet with water.

Water extractables

5% or less

Product Selection Guide

Pore size (µm)		0.025	0.05
Membrane type		VS white	VM white
Wettability		Hydrophilic	Hydrophilic
Bubble point	bar	21.1	17.6
	psi	300	250
Thickness (µm)		105	105
Water flow rate		0.15	0.75
Air flow rate (L/min cm ²)		0.15	0.25
Porosity (%)		70	72
Protein binding (µg/cm ²)		150	150
Sterilization		Yes	Yes
Gravimetric extractables (% wgt)		<1.0	<1.0
Size (packaging)			
13 mm (100/pk)	Plain	VSWP 013 00	VMWP 013 00
	Gridded		
19 x 42 (100/pk)	Plain		
24 mm (100/pk)	Plain		
25 mm (100/pk)	Plain	VSWP 025 00	VMWP 025 00
	Gridded		
37 mm (100/pk)	Plain		
	Gridded		
47 mm (100/pk)	Plain	VSWP 047 00	VMWP 047 00
	Monitor refills/ matched weight pairs		
	Gridded		
50, 55, and 70 mm (100/pk)	Plain	VSWP 050 00 (50 mm)	
	Gridded		
90 mm (25/pk)	Plain	VSWP 090 25	VMWP 090 25
142 mm (50/pk)	Plain	VSWP 142 50	
293 mm (25/pk)	Plain	VSWP 293 25	
300 X 300 mm (10/pk)	Plain		
	Gridded		
30 cm X 300 cm (roll)	Plain	VSWP 000 10	VMWP 000 10
	Gridded		

1. Monitor refills that include thin absorbent pads (AP1003700) for aerosol monitoring.
2. Matched weight filter pairs.
3. Developed for asbestos monitoring. Membranes are cut from selected and controlled stock to avoid contamination by fibers.
4. Monitor refills that include thick absorbent pads (AP30034P0) for liquid monitoring.
5. Matched weight pairs (monitor refills) with thick absorbent pads for liquid monitoring; 50 pair.
6. Matched weight pairs; 50 pair.

0.1	0.22	0.3	0.45	0.45
VC white	GS white	PH white	HA white	HA black
Hydrophilic	Hydrophilic	Hydrophilic	Hydrophilic	Hydrophilic
14.1	3.52	2.46	2.11	2.32
200	50	35	32	28
105	150	150	150	150
1.5	18	32	60	60
0.4	2	3	4	4
74	75	77	79	79
150	150	150	150	150
Yes	Yes	Yes	Yes	Yes
<1.0	<1.0	<1.0	<1.0	<1.0
VCWP 013 00	GSWP 013 00		HAWP 013 00 HAWG 013 00	HABG 013 00
VCWP 025 00	GSWP 024 00 GSWP 025 00	PHWP 025 00	HAWP 024 00 HAWP 025 00 HAWG 025 00	HABP 025 00 HABG 025 00
VCWP 047 00	GSWP 037 00 ¹ GSWP 047 00	PHWP 047 00	HAWP 037 00 ¹ HAWG 037 00 ¹ HAWP 047 00 HAWP 047 OM ²	HABP 047 00
VCWP 050 00 (50 mm)	GSWP 055 00 (55 mm)		HAWG 047 00 HAWG 047 05 (500/pk) HAWP 050 00 (50 mm) HAWG 050 00 (50 mm)	HABG 047 00
VCWP 090 25	GSWP 090 00 (100/pk)	PHWP 090 25	HAWP 090 00 (100/pk)	
VCWP 142 50	GSWP 142 50	PHWP 142 50	HAWP 142 50	
VCWP 293 25	GSWP 293 25	PHWP 293 25	HAWP 293 25	
			HAWP 304 FO (1x1) HAWG 304 FO	
	GSWP 000 10		HAWP 000 10 HAWG 000 10	

0.3	0.45	0.45	0.65	0.8
PH white	HA white	HA black	DAWP white	AA white
Hydrophilic	Hydrophilic	Hydrophilic	Hydrophilic	Hydrophilic
2.46	2.11	2.32	1.2	0.98
35	32	28	17	16
150	150	150	150	150
32	60	60	140	190
3	4	4	9	16
77	79	79	81	82
150	150	150	150	150
Yes	Yes	Yes	Yes	Yes
<1.0	<1.0	<1.0	<1.0	<1.0
	HAWP 013 00		DAWP 013 00	AAWP 013 00
	HAWG 013 00	HABG 013 00		AAWG 013 00
	HAWP 024 00			
PHWP 025 00	HAWP 025 00	HABP 025 00	DAWP 025 00	AAWP 025 00
	HAWG 025 00	HABG 025 00		AAWG 025 00
				AAWG 025 0C ³
	HAWP 037 00 ¹			AAWP 037 00 ¹
				AAWP 037 P0 ⁴
				AAWP 037 PM ⁵
	HAWG 037 00 ¹			AAWG 037 00 ¹
PHWP 047 00	HAWP 047 00	HABP 047 00	DAWP 047 00	AAWP 047 00
	HAWP 047 0M ²			AAWP 047 0M ⁶
	HAWG 047 00	HABG 047 00		AAWG 047 00
	HAWG 047 05 (500/pk)			
	HAWP 050 00 (50 mm)		DAWP 050 00 (50 mm)	
	HAWG 050 00 (50 mm)			
PHWP 090 25	HAWP 090 00 (100/pk)		DAWP 090 25	AAWP 090 00 (100/pk)
PHWP 142 50	HAWP 142 50		DAWP 142 50	AAWP 142 50
PHWP 293 25	HAWP 293 25		DAWP 293 25	AAWP 293 25
	HAWP 304 FO (1x1)			
	HAWG 304 FO			
	HAWP 000 10			
	HAWG 000 10			

0.8	1.2	3	5	8
AA black	RAWP white	SSWP white	SMWP white	SCWP white
Hydrophilic	Hydrophilic	Hydrophilic	Hydrophilic	Hydrophilic
1.12	0.77	0.7	0.42	0.42
16	12	10	8	6
150	150	150	135	135
190	270	320	580	620
16	20	30	32	65
82	82	83	84	84
150	150	150	150	150
Yes	Yes	Yes	Yes	Yes
<1.0	<1.0	<1.0	<1.0	<1.0
AABP 013 00	RAWP 013 00	SSWP 013 00	SMWP 013 00	SCWP 013 00
AABG 013 00			SMWP 019 OR SMWP 024 00	SCWP 019 OR
AABP 025 00	RAWP 025 00	SSWP 025 00	SMWP 025 00	SCWP 025 00
AABG 025 00	RAWG 025 00 RAWG 025 0C ³ RAWP 037 00 ¹		SMWP 037 00 ¹	
AABG 037 00 ¹				
AABP 047 00	RAWP 047 00	SSWP 047 00	SMWP 047 00	SCWP 047 00
AABG 047 00	RAWG 047 00			
	RAWP 050 00 (50 mm)	SSWP 050 00 (50 mm)	SMWP 070 00 (70 mm; 25/pk)	SCWP 050 00 (50 mm)
	RAWP 090 25	SSWP 090 25	SMWP 090 25	SCWP 090 25
	RAWP 142 50	SSWP 142 50	SMWP 142 50	SCWP 142 50
	RAWP 293 25	SSWP 293 25	SMWP 293 25	SCWP 293 25
		SSWP 304 FO	SMWP 304 FO	SCWP 304 FO
		SSWP 304 FO	SMWP 304 FO	SCWP 304 FO

Applications Guide

Pore Size (µm)	0.025	0.05	0.1	0.22	0.3	0.45	0.45	0.65	0.8	0.8	1.2	3	5	8
Membrane Type	VS	VM	VC	GS	PH	HA white	HA black	DA	AA white	AA black	RA	SS	SM	SC
<i>Air monitoring</i>						■			■	■		■		■
<i>Life science</i>														
Bioassays				■	■		■		■					
Clarification of aqueous solutions						■					■			
Fluorescent assays										■				
Fluorescent bacteriological analysis							■							
Microdialysis of DNA and proteins	■	■	■											
Sterilizing filtration			■	■										
<i>Microbiology</i>														
Dairy microbiology								■						
Microbiological analysis*						■								
<i>Monitoring and clarification</i>														
Fluid monitoring												■	■	■
Particle collection and analysis												■	■	■
Particle monitoring					■		■	■	■	■				
Particle removal					■	■		■	■					
QC of fluid holding tanks												■	■	■
Retention of yeasts, molds, algae								■						

* For a complete selection of filters for microbiological QC, contact Millipore.

To Place an Order or Receive Technical Assistance

For additional information call your nearest Millipore office:

In the U.S. and Canada, call toll-free **1-800-MILLIPORE (1-800-645-5476)**

In the U.S., Canada and Puerto Rico, fax orders to **1-800-MILLIFX (1-800-645-5439)**

Internet: www.millipore.com

Tech Service

www.millipore.com/techservice



Now you can buy Millipore products online @

www.millipore.com/purecommerce

MILLIPORE

Millipore and MF-Millipore are trademarks of Millipore Corporation.

BigDye is a trademark of Perkin-Elmer Corporation.
Lit. No. PF1595EN00 Printed in U.S.A. 11/01 01-163

© 2001 Millipore Corporation, Bedford, MA.
All rights reserved.

Millipore Worldwide

AUSTRALIA

Tel. 1 800 222 111
or (02) 9888 8999
Fax (02) 9878 0788

AUSTRIA

Tel. (01) 877-8926
Fax (01) 877-1654

BALTIC COUNTRIES

Tel. +358 9 804 5110
Fax +358 9 256 5660

BELGIUM AND LUXEMBOURG

Tel. +32 2 726 88 40
Fax +32 2 726 98 84

BRAZIL

Tel. (011) 5548-7011
Fax (011) 5548-7923

CANADA

Tel. 1-800-645-5476
Fax 1-800-645-5439

CHINA, PEOPLE'S REPUBLIC OF

Beijing:
Tel. (8610) 8519 1250
(8610) 6518 1058
Fax (8610) 8519 1255
Guangzhou:
Tel. (8620) 8755 4049
Fax (8620) 8752 0172
Hong Kong:
Tel. (852) 2803 9111
Fax (852) 2513 0313
Shanghai:
Tel. (8621) 5306 9100
Fax (8621) 5306 0838

CZECH REPUBLIC

Tel. 02-2051 3841
Fax 02-2051 4298

DENMARK

Tel. 70 10 00 23
Fax 70 10 13 14

EASTERN EUROPE, C.I.S., AFRICA, MIDDLE EAST AND GULF

Life Sciences Division:
Tel. +33 3 88 38 9536
Fax +33 3 88 38 9539
BioPharmaceutical Division:
Tel. +43 1 877-8926
Fax +43 1 877-1654
Laboratory Water Division:
Tel. +33 1 30 12 7000
Fax +33 1 30 12 7180

FINLAND

Tel. (09) 804 5110
Fax (09) 256 5660

FRANCE

Tel. 01 30 12 7000
Fax 01 30 12 7180

GERMANY

Tel. (06196) 494-0
Fax (06196) 43901

HUNGARY

Tel. 1-205 9784
Fax 1-205 9792

INDIA

Tel. (91) 80-839 46 57
Fax (91) 80-839 63 45

IRELAND

Life Sciences and Laboratory Water Divisions:
Tel. +44 1923 816375
Fax +44 1923 818297
BioPharmaceutical Division:
Tel. (021) 883 666
Fax (021) 883 048

ITALY

Vimodrone (Milano):
Tel. (02) 25.07.81
Fax (02) 26.50.324
Roma:
Tel. (06) 52.03.600
Fax (06) 52.95.735

JAPAN

Tel. (03) 5442-9711
Fax (03) 5442-9736 Life Sciences
9737 BioPharm.
9734 Lab Water

KOREA

Tel. (822) 551-0990
Fax (822) 551-0228

MALAYSIA

Tel. 603-757 1322
Fax 603-757 1711

MEXICO

Tel. (525) 576-9688
Fax (525) 576-8706

THE NETHERLANDS

Tel. 076-5022000
Fax 076-5022436

NORWAY

Tel. 22 67 82 53
Fax 22 66 04 60

POLAND

Tel. 22-669 12 25
22-663 70 31
Fax 22-663 70 33

PUERTO RICO

Tel. (787) 273-8495
Fax (787) 747-6553

SINGAPORE

Tel. (65) 842 1822
Fax (65) 842 4988

SPAIN AND PORTUGAL

Tel. +34 917 283 960
Fax +34 917 292 909

SWEDEN

Tel. 08-628 6960
Fax 08-628 6457

SWITZERLAND

Volketswil:
Tel. (01) 908-30-60
Fax (01) 908-30-80
Lausanne:
Tel. (021) 641 2550
Fax (021) 641 2551

TAIWAN

Taipei:
Tel. (886-2) 700-1742
Fax (886-2) 755-3267
Hsin Chu City:
Tel. (886-3) 571-0178
Fax (886-3) 572-9520

U.K.

Tel. 01923 816375
Fax 01923 818297

U.S.A.

Tel. (781) 533-6000
Fax (781) 533-3110

IN ALL OTHER COUNTRIES

Millipore Intertech (U.S.A.)
Tel. +1 (781) 533-8622
Fax +1 (781) 533-8630