

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended

Honeywell
Fluka™

Ammonium hydroxide solution

05002-1L

Version 1.4

Revision Date 05.02.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name : Ammonium hydroxide solution
SDS-number : 000000015205
Type of product : Mixture
Remarks : SDS according to Art. 31 of Regulation (EC) 1907/2006.

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Laboratory chemicals
Uses advised against : none

1.3. Details of the supplier of the safety data sheet

Company : Honeywell International Inc. Honeywell International, Inc.
115 Tabor Road 115 Tabor Road
07950-2546 Morris Plains Morris Plains, NJ 07950-2546
USA USA

Telephone :
For further information, please contact: : SafetyDataSheet@Honeywell.com

1.4. Emergency telephone number

Emergency telephone number : +1-703-527-3887 (ChemTrec-Transport)
+1-303-389-1414 (Medical)
: Poison Control Center:
United Kingdom: (+44) 844 892 0111

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

REGULATION (EC) No 1272/2008

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended

Honeywell
Fluka™

Ammonium hydroxide solution

05002-1L

Version 1.4

Revision Date 05.02.2024

Skin corrosion Category 1B

H314 Causes severe skin burns and eye damage.

Specific target organ toxicity - single exposure Category 3 - Respiratory system

H335 May cause respiratory irritation.

Short-term (acute) aquatic hazard Category 1

H400 Very toxic to aquatic life.

Long-term (chronic) aquatic hazard Category 2

H411 Toxic to aquatic life with long lasting effects.

2.2. Label elements

REGULATION (EC) No 1272/2008

Hazard pictograms



Signal word

: Danger

Hazard statements

: H314

Causes severe skin burns and eye damage.

H335

May cause respiratory irritation.

H410

Very toxic to aquatic life with long lasting effects.

Precautionary statements

: P260

Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.

P280

Wear protective gloves/protective clothing/eye protection/face protection.

P284

In case of inadequate ventilation wear respiratory protection.

P301 + P330 + P331

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P302 + P352

IF ON SKIN: Wash with plenty of water.

P304 + P340

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305 + P351 + P338

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308 + P313

IF exposed or concerned: Get medical advice/ attention.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended

Honeywell
Fluka™

Ammonium hydroxide solution

05002-1L

Version 1.4

Revision Date 05.02.2024

Hazardous components : Ammonia, aqueous solution
which must be listed on the
label

2.3. Other hazards

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Chemical name	CAS-No. Index-No. REACH Registration Number EC-No.	Classification 1272/2008	Concentration	Remarks
Ammonia, aqueous solution	1336-21-6 007-001-01-2 215-647-6	Skin Corr. 1B; H314 STOT SE 3; H335; Respiratory system Aquatic Acute 1; H400 Aquatic Chronic 2; H411	>= 25 % - < 50 %	STOT SE 3; H335: >= 5 %

Remaining components of this product are non-hazardous and/or are present at concentrations below reportable limits.

Occupational Exposure Limit(s), if available, are listed in Section 8.
For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice:

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended

Honeywell
Fluka™

Ammonium hydroxide solution

05002-1L

Version 1.4

Revision Date 05.02.2024

First aider needs to protect himself. Move out of dangerous area. Immediately take off contaminated clothing and rinse body with plenty of water.

Inhalation:

Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Use oxygen as required, provided a qualified operator is present. Call a physician immediately.

Skin contact:

Wash off immediately with soap and plenty of water. Take off contaminated clothing and shoes immediately. Wash contaminated clothing before re-use.

Eye contact:

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Protect unharmed eye. If symptoms persist, call a physician.

Ingestion:

A person suspected to have swallowed the substance who is conscious should be given water to drink. Take to a doctor immediately together with this card Do NOT induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

No data available

4.3. Indication of any immediate medical attention and special treatment needed

Inhaled corrosive substances can lead to a toxic oedema of the lungs. Treat symptomatically.

See Section 11 for more detailed information on health effects and symptoms.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended

Honeywell
Fluka™

Ammonium hydroxide solution

05002-1L

Version 1.4

Revision Date 05.02.2024

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

Water spray

Foam

Carbon dioxide (CO₂)

Dry powder

Extinguishing media which shall not be used for safety reasons:

High volume water jet

5.2. Special hazards arising from the substance or mixture

Ammonia gas may be liberated at high temperatures.

Vapours may form explosive mixtures with air.

5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective suit.

No unprotected exposed skin areas.

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Do not use a solid water stream as it may scatter and spread fire.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Wear personal protective equipment. Immediately evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Ensure adequate ventilation. Remove all sources of ignition. Do not breathe vapours or spray mist. Do not get in eyes, on skin, or on clothing.

6.2. Environmental precautions

Prevent further leakage or spillage if safe to do so. Discharge into the environment must be avoided. Do not flush into surface water or sanitary sewer system. Do not allow run-off from fire fighting to enter drains or water courses.

6.3. Methods and materials for containment and cleaning up

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended

Honeywell
Fluka™

Ammonium hydroxide solution

05002-1L

Version 1.4

Revision Date 05.02.2024

Soak up with inert absorbent material.
Pick for disposal in tightly closed containers
Personal protection through wearing a tightly closed chemical protection suit and a self-contained breathing apparatus.

6.4. Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling:

Exhaust ventilation at the object is necessary. Use only alkali-proof equipment.

Advice on protection against fire and explosion:

Keep away from sources of ignition - No smoking. Avoid flammable gas mixtures. The product itself does not burn.

Hygiene measures:

When using, do not eat, drink or smoke. Wash hands before breaks and immediately after handling the product. Keep working clothes separately. Remove and wash contaminated clothing before re-use. Do not breathe vapours or spray mist. Do not get in eyes, on skin, or on clothing.

7.2. Conditions for safe storage, including any incompatibilities

Further information on storage conditions:

Store in original container. Keep in a dry, cool and well-ventilated place.

7.3. Specific end use(s)

no additional data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended

Honeywell
Fluka™

Ammonium hydroxide solution

05002-1L

Version 1.4

Revision Date 05.02.2024

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits:

Components	Basis / Value type	Value / Form of exposure	Exceeding Factor	Remarks
Ammonia, aqueous solution	EH40 OES TWA	18 mg/m ³ 25 ppm		
Ammonia, aqueous solution	EH40 OES STEL	25 mg/m ³ 35 ppm		
Ammonia, aqueous solution	EH40 WEL STEL	25 mg/m ³ 35 ppm		
Ammonia, aqueous solution	EH40 WEL TWA	18 mg/m ³ 25 ppm		
Ammonia, aqueous solution	EU ELV TWA	14 mg/m ³ 20 ppm		Indicative
Ammonia, aqueous solution	EU ELV STEL	36 mg/m ³ 50 ppm		Indicative

EH40 OES - UK. COSHH Exposure Limit Values
TWA - Time weighted average
EH40 OES - UK. COSHH Exposure Limit Values
STEL - Short term exposure limit

DNEL/ PNEC-Values

Component	End-use/impact	Exposure duration	Value	Exposure routes	Remarks
Ammonia, aqueous solution	Workers / Acute systemic effects		6,8mg/kg bw/d	Skin contact	
Ammonia, aqueous solution	Workers / Acute systemic effects		47,6 mg/m ³	Inhalation	

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended

Honeywell
Fluka™

Ammonium hydroxide solution

05002-1L

Version 1.4

Revision Date 05.02.2024

Ammonia, aqueous solution	Workers / Long-term systemic effects		47,6 mg/m ³	Inhalation	
Ammonia, aqueous solution	Workers / Acute local effects		36 mg/m ³	Inhalation	
Ammonia, aqueous solution	Workers / Long-term local effects		14 mg/m ³	Inhalation	
Ammonia, aqueous solution	Workers / Long-term systemic effects		6,8mg/kg bw/d	Skin contact	
Ammonia, aqueous solution	Consumers / Long-term systemic effects		23,8 mg/m ³	Inhalation	
Ammonia, aqueous solution	Consumers / Acute systemic effects		23,8 mg/m ³	Inhalation	
Ammonia, aqueous solution	Consumers / Long-term local effects		2,8 mg/m ³	Inhalation	
Ammonia, aqueous solution	Consumers / Acute local effects		7,2 mg/m ³	Inhalation	
Ammonia, aqueous solution	Consumers / Long-term systemic effects		6,8mg/kg bw/d	Skin contact	
Ammonia, aqueous solution	Consumers / Acute systemic effects		6,8mg/kg bw/d	Skin contact	
Ammonia, aqueous solution	Consumers / Long-term systemic effects		6,8mg/kg bw/d	Ingestion	
Ammonia, aqueous solution	Consumers /		6,8mg/kg	Ingestion	

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended



Ammonium hydroxide solution

05002-1L

Version 1.4

Revision Date 05.02.2024

	Acute systemic effects		bw/d		
--	------------------------	--	------	--	--

Component	Environmental compartment / Value	Remarks
Ammonia, aqueous solution	Fresh water: 0,00135 mg/l	
Ammonia, aqueous solution	Marine water: 0,00135 mg/l	
Ammonia, aqueous solution	Soil: 0,0221 mg/kg dw	

8.2. Exposure controls

Occupational exposure controls

Do not breathe vapours or spray mist.

The Personal Protective Equipment must be in accordance with EN standards:respirator EN 136, 140, 149; safety glasses EN 166; protective suit: EN 340, 463, 468, 943-1, 943-2; gloves EN 374, 511; safety shoes EN-ISO 20345.

Engineering measures

Use with local exhaust ventilation.

Personal protective equipment

Respiratory protection:

Recommended Filter type:

K

In the case of vapour formation use a respirator with an approved filter.

Hand protection:

Glove material: Viton®

Break through time: > 480 min

Glove thickness: 0,7 mm

Vitoject® 890

Gloves must be inspected prior to use.

Replace when worn.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended

Honeywell
Fluka™

Ammonium hydroxide solution

05002-1L

Version 1.4

Revision Date 05.02.2024

Remarks: Supplementary note: The specifications are based on information and tests from similar substances by analogy.
Due to varying conditions (e.g.temperature or other strains) it must be considered that the usage of a chemical protective glove in practice may be much shorter than the permeation time determined in accordance with EN 374.
Since actual conditions of practical use often deviate from standardised conditions according EN 374 the glove manufacturer recommends to use the chemical protective glove in practice not longer than 50% of the recommended permeation time.
Manufacturer's directions for use should be observed because of great diversity of types .
Suitable gloves tested according EN 374 are supplied e.g. from KCL GmbH, D-36124 Eichenzell, Vertrieb@kcl.de

Eye protection:
Safety goggles

Skin and body protection:
Protective suit

Environmental exposure controls

Handle in accordance with local environmental regulations and good industrial practices.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

- | | | |
|---|---|----------------------------------|
| (a) Physical state | : | liquid |
| (b) Colour | : | colourless |
| (c) Odour | : | ammoniacal |
| (d) Melting point/freezing point | : | -92 °C |
| (e) Initial boiling point and boiling range | : | ca. 32 °C
at 1.013 hPa |
| (f) Flammability | : | Not applicable |
| (g) Lower and upper explosion limit | : | Lower explosion limit
15 %(V) |

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended



Ammonium hydroxide solution

05002-1L

Version 1.4

Revision Date 05.02.2024

- | | | |
|--|---|--|
| | : | Upper explosion limit
30,2 %(V) |
| (h) Flash point | : | Not applicable |
| (i) Auto-ignition
temperature | : | 630 °C
651 °C |
| (j) Decomposition
temperature | : | No decomposition if used as directed. |
| (k) pH | : | alkaline
(undiluted) |
| (l) Viscosity, kinematic | : | No data available |
| (m) Solubility(ies) | : | Water solubility:
completely miscible |
| (n) Partition coefficient: n-
octanol/water | : | No data available |
| (o) Vapour pressure | : | 1.900 hPa
at 50 °C

837 hPa
at 20 °C |
| (p) Density and / or relative
density | : | ca. 0,89 g/cm ³
at 20 °C |
| (q) Bulk density | : | Not applicable |
| (q) Relative vapour density | : | No data available |
| (r) Particle characteristics | : | No data available |

9.2 Other Information

Information regarding ignition temperature, applies only to the pure substance.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended

Honeywell
Fluka™

Ammonium hydroxide solution

05002-1L

Version 1.4

Revision Date 05.02.2024

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Evaporation rate : No data available

Viscosity, dynamic : No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable under recommended storage conditions.

10.2. Chemical stability

No decomposition if used as directed.

10.3. Possibility of hazardous reactions

Hazardous polymerisation does not occur.

10.4. Conditions to avoid

Keep away from heat and sources of ignition.

10.5. Incompatible materials

Acids
Halogens

10.6. Hazardous decomposition products

Ammonia

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

(a) *Acute toxicity*

Acute oral toxicity:

Toxicity is determined by the corrosivity of the product.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended

Honeywell
Fluka™

Ammonium hydroxide solution

05002-1L

Version 1.4

Revision Date 05.02.2024

Acute dermal toxicity:

Toxicity is determined by the corrosivity of the product.

Acute inhalation toxicity:

Toxicity is determined by the corrosivity of the product.

Acute toxicity (other routes of administration):

No data available

(b) Skin corrosion/irritation:

Species: Rabbit

Result: Causes burns.

Method: OECD Test Guideline 404

(c) Serious eye damage/eye irritation:

Species: Rabbit

Result: Risk of serious damage to eyes.

(d) Respiratory or skin sensitisation:

Species: Guinea pig

Classification: non-sensitizing

(e) Germ cell mutagenicity:

Test Method: Ames test

Result: negative

Method: OECD Test Guideline 471

Test Method: Micronucleus test

Species: Mouse

Method: OECD Test Guideline 474

Test substance: REACH dossier "read-across"

Result: negative

(g) Reproductive toxicity:

Method: OECD Test Guideline 422

Species: Rat

Route of Application: Oral

General Toxicity - Parent: NOAEL: 408 mg/kg bw/d

Species: Rabbit

Route of Application: Oral

Remarks: Did not show teratogenic effects in animal experiments.

(h) STOT-single exposure:

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended

Honeywell
Fluka™

Ammonium hydroxide solution

05002-1L

Version 1.4

Revision Date 05.02.2024

Assessment: The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with respiratory tract irritation.

(i) STOT - repeated exposure:

Species: Rat

Application Route: Inhalation

Exposure time: 50 d

NOAEL: 0,035 mg/l

STOT - repeated exposure:

Remarks: Not classified due to data which are conclusive although insufficient for classification.

(j) Aspiration hazard:

No data available

11.2. Information on other hazards

Endocrine disrupting properties

No data available

Other information:

Risk of serious damage to the lungs (by inhalation).

The data on toxicology refer to the active ingredient.

SECTION 12: Ecological information

12.1. Toxicity

Toxicity to fish:

LC50

Species: *Oncorhynchus mykiss* (rainbow trout)

Value: 0,89 mg/l

Exposure time: 96 h

Lowest Observed Effect Concentration

Species: *Oncorhynchus mykiss* (rainbow trout)

Value: 0,022 mg/l

Exposure time: 73 d

Test substance: REACH dossier "read-across"

Toxicity to aquatic plants:

EC50

static test

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended

Honeywell
Fluka™

Ammonium hydroxide solution

05002-1L

Version 1.4

Revision Date 05.02.2024

Species: Chlorella vulgaris (Fresh water algae)

Value: 2.700 mg/l

Exposure time: 18 d

Toxicity to aquatic invertebrates:

LC50

Species: Daphnia magna (Water flea)

Value: 101 mg/l

Exposure time: 48 h

Chronic toxicity to aquatic invertebrates:

NOEC

Species: Daphnia magna (Water flea)

Value: 0,79 mg/l

Test substance: REACH dossier "read-across"

12.2. Persistence and degradability

Biodegradability:

Not applicable

12.3. Bioaccumulative potential

Bioaccumulation is unlikely.

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

Substance is not persistent, bioaccumulative, and toxic (PBT).

Substance is not very persistent and very bioaccumulative (vPvB).

12.6. Endocrine disrupting properties

No data available

12.7. Other adverse effects

Do not flush into surface water or sanitary sewer system.

The ecological data given are those of the active ingredient.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended



Ammonium hydroxide solution

05002-1L

Version 1.4

Revision Date 05.02.2024

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product:

Dispose according to legal requirements.

Packaging:

Legal requirements are to be considered in regard of reuse or disposal of used packaging materials

Further information:

Provisions relating to waste:

EC Directive 2006/12/EC; 2008/98/EEC

Regulation No. 1013/2006

For personal protection see section 8.

SECTION 14: Transport information

14.1 UN number or ID number

ADR/RID:2672

IMDG:2672

IATA:2672

14.2 UN proper shipping name

ADR/RID:AMMONIA SOLUTION

IMDG:AMMONIA SOLUTION

IATA:Ammonia solution

14.3 Transport hazard class(es)

ADR/RID:8

IMDG: 8

IATA: 8

14.4 Packaging group

ADR/RID:III

IMDG: III

IATA: III

14.5 Environmental hazards

ADR/RID: yes

Marine pollutant: yes

14.6 Special precautions for user

IMDG Code segregation group (SGG18) – ALKALIS,

14.7 Maritime transport in bulk according to IMO instruments

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended



Ammonium hydroxide solution

05002-1L

Version 1.4

Revision Date 05.02.2024

No data available

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Basis	Value	Remarks
Directive 2012/18/EC Listed in Regulation : E1: Hazardous to the aquatic environment	Quantity: 100.000 kg Quantity: 200.000 kg	
Substances of very high concern (SVHC)		This product does not contain substances of very high concern according to Regulation (EC) No Article 57 above the respective regulatory 1907/2006 (REACH), concentration limit of $\geq 0.1\%$ (w/w).

Other inventory information

US. Toxic Substances Control Act
On TSCA Inventory

Australia. Inventory of Industrial Chemicals (AIIC), as amended
On the inventory, or in compliance with the inventory

Canada. Canadian Environmental Protection Act (CEPA). Domestic Substances List (DSL)
All components of this product are on the Canadian DSL

Japan. Kashin-Hou Law List
On the inventory, or in compliance with the inventory

Korea. Existing Chemicals Inventory (KECI)
On the inventory, or in compliance with the inventory

Philippines. Inventory of Chemicals and Chemical Substances (PICCS)
On the inventory, or in compliance with the inventory

China. Inventory of Existing Chemical Substances (IECSC)
On the inventory, or in compliance with the inventory

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended

Honeywell
Fluka™

Ammonium hydroxide solution

05002-1L

Version 1.4

Revision Date 05.02.2024

New Zealand. Inventory of Chemicals (NZIoC), as published by ERMA New Zealand
On the inventory, or in compliance with the inventory

Taiwan Chemical Substance Inventory (TCSI)
On the inventory, or in compliance with the inventory

15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

Text of H-statements referred to under heading 3

Ammonia, aqueous solution : H314 Causes severe skin burns and eye damage.
H335 May cause respiratory irritation.
H400 Very toxic to aquatic life.
H411 Toxic to aquatic life with long lasting effects.

Further information

All directives and regulations refer to amended versions.
Vertical lines in the left hand margin indicate a relevant amendment from the previous version.

Abbreviations:

EC European Community
CAS Chemical Abstracts Service
DNEL Derived no effect level
PNEC Predicted no effect level
vPvB Very persistent and very bioaccumulative substance
PBT Persistent, bioaccumulative und toxic substance

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended



Ammonium hydroxide solution

05002-1L

Version 1.4

Revision Date 05.02.2024

materials or in any process, unless specified in the text. Final determination of suitability of any material is the sole responsibility of the user.

This information should not constitute a guarantee for any specific product properties.
