


CATALOG NUMBER	SEE BELOW
WORKING RANGE (µL)	50 – 250 µL
MATERIAL	PS
A. BASE LENGTH	MM 127.7
B. BASE WIDTH	MM 85.6
C. TOP LENGTH	MM 123.3
D. TOP WIDTH	MM 81.2
E. FLANGE LONG SIDE	MM 2.7
F. OVERALL HEIGHT	MM 14.6
G1. DIA. TOP	MM Ø7.05
G2. DIA. BOTTOM	MM Ø6.55
H. A - I LOCATION (X)	MM 14.4
J. A - I LOCATION (Y)	MM 14.4
K. WELL TO WELL SPACING	MM 9
L. WELL DEPTH	MM 11.2
M. BOTTOM OF WELL DISTANCE	MM 3.6
N. FLANGE SHORT SIDE	MM 2.2
*P. LID LENGTH	MM 127.4
*Q. LID WIDTH	MM 85.4
*R. LID HEIGHT	MM 9
S. STACKED HEIGHT - NO LID	MM 27
*T. STACKED HEIGHT W/LIDS	MM 32.3
*U. ASSEMBLY HEIGHT W/LID	MM 15.7
	MM 0.62

CATALOG NO	SURFACE	COLOR	STERILE	WITH LID*	UNITS/ PK/CASE	CATALOG NO	SURFACE	COLOR	STERILE	WITH LID*	UNITS/ PK/CASE
136101	CELL CULTURE	WHITE	+	+	1/50	237108	NON-TREATED	BLACK	-	-	10/180
136102	CELL CULTURE	WHITE	+	+	10/160	436110	MAXSORP	WHITE	-	-	10/80
137101	CELL CULTURE	BLACK	+	+	1/50	437111	MAXSORP	BLACK	-	-	10/80
137103	CELL CULTURE	BLACK	+	+	10/160	436111	POLYSORP	WHITE	-	-	10/80
236105	NON-TREATED	WHITE	+	+	1/50	437112	POLYSORP	BLACK	-	-	10/80
236107	NON-TREATED	WHITE	+	+	10/160						
236108	NON-TREATED	WHITE	-	-	10/180						
237105	NON-TREATED	BLACK	+	+	1/50						
237107	NON-TREATED	BLACK	+	+	10/160						

* DIMS APPLY ONLY WHERE "WITH LID" = +, USING NUNC LID 2205

- NOTES:
- ALL DIMENSIONS ARE NOMINAL AND IN INCHES AND MILLIMETERS UNLESS OTHERWISE NOTED.
 - THIS IS NOT A PRODUCTION DRAWING, BUT IS FOR INFORMATION PURPOSES ONLY, AND IS SUBJECT TO CHANGE WITHOUT NOTICE.



ThermoFisher
SCIENTIFIC

Roskilde Site • Kæmstrupvej 90 • P.O. Box 280
DK-4000 Roskilde • Denmark
Tel +45 4631 2000 • Fax +45 4631 2042
E-mail: info.nunc@thermofisher.com

www.nuncbrand.com

DRAWN BY/DATE: CHANGE ORDER NO.: VALID FROM: APPROVED BY/DATE: FORM A:
ITEM NUMBER: MATERIAL: DRAWING NO.: WELSH: PAGE TYPE: SCALE: METRIC

SUBJECT: F96 MICROWELL PLATE, PS

CONFIDENTIAL
THIS PRODUCT SPECIFICATION SHEET CONTAINS CONFIDENTIAL AND/OR PROPRIETARY INFORMATION AND IS TO BE USED ONLY FOR THE EXPRESSED PURPOSES AGREED UPON BY AN AUTHORIZED OFFICER OF THERMO FISHER SCIENTIFIC