


CATALOG NUMBER.....	SEE BELOW	
NOM. CAP. (uL).....	120	
MATERIAL.....	PS	
	INCH	MM
A (BASE LENGTH).....	5.03	127.8
B (BASE WIDTH).....	3.37	85.5
C (TOP LENGTH).....	4.87	123.7
D (TOP WIDTH).....	3.20	81.3
E (FLANGE LONG SIDE).....	0.25	6.4
F (OVERALL HEIGHT).....	0.57	14.4
G DIA.....	0.15	3.7
H (A-1 LOCATION) (X).....	0.48	12.1
J (A-1 LOCATION) (Y).....	0.35	9.0
K (WELL-TO-WELL SPACING).....	0.18	4.5
L (WELL DEPTH).....	0.46	11.7
M (BOTTOM OF WELL DISTANCE).....	.07	1.7
N (FLANGE SHORT SIDE).....	.10	2.5
*P (LID LENGTH).....	5.02	127.4
*Q (LID WIDTH).....	3.36	85.3
*R (LID HEIGHT).....	.36	9.1
S (STACKED HEIGHT - NO LID).....	1.09	27.7
*T (STACKED HEIGHT W/LIDS).....	1.33	33.8
*U (ASSEMBLY HEIGHT W/LID).....	.665	16.9

CATALOG NO.	SURFACE	COLOR	STERILE	WITH LID*	UNITS/PK/CASE	CATALOG NO.	SURFACE	COLOR	STERILE	WITH LID*	UNITS/PK/CASE
164564	CELL CULTURE	BLACK	YES	YES	10/30	242765	NON-TREATED	CLEAR	YES	YES	1/30
164610	CELL CULTURE	WHITE	YES	YES	10/30	262260	NON-TREATED	BLACK	NO	NO	25/100
164688	CELL CULTURE	CLEAR	YES	YES	10/30	262360	NON-TREATED	WHITE	NO	NO	25/100
164571	CELL CULTURE	BLACK	YES	NO	25/100	262160	NON-TREATED	CLEAR	NO	NO	25/100
165195	CELL CULTURE	WHITE	YES	NO	25/100	265202	NON-TREATED	CLEAR	YES	YES	25/100
164555	CELL CULTURE	CLEAR	YES	NO	25/100	265203	NON-TREATED	CLEAR	YES	NO	25/100
264556	NON-TREATED	BLACK	NO	NO	10/30	460435	POLYSDRPP®	BLACK	NO	NO	10/30
264572	NON-TREATED	WHITE	NO	NO	10/30	460518	MAXISDRP™	BLACK	NO	NO	10/30
265196	NON-TREATED	CLEAR	NO	NO	10/30	460372	MAXISDRP™	WHITE	NO	NO	10/30
242757	NON-TREATED	CLEAR	YES	YES	10/30	464718	MAXISDRP™	CLEAR	NO	NO	10/30

\* DIM.S APPLY ONLY WHERE "WITH LID" = YES, USING NUNC LID #8337.

NOTES:

- ALL DIMENSIONS ARE NOMINAL AND IN INCHES AND MILLIMETERS UNLESS OTHERWISE NOTED.
- THIS IS NOT A PRODUCTION DRAWING, BUT IS FOR INFORMATIONAL PURPOSES ONLY, AND IS SUBJECT TO CHANGE WITHOUT NOTICE.



CONFIDENTIAL

THIS PRODUCT SPECIFICATION SHEET CONTAINS CONFIDENTIAL AND/OR PROPRIETARY INFORMATION AND IS TO BE USED ONLY FOR THE EXPRESSED PURPOSES AGREED UPON BY AN AUTHORIZED OFFICER OF THERMO FISHER SCIENTIFIC.

ThermoFisher  
SCIENTIFIC

Thermo Fisher Scientific  
75 Panorama Creek Drive  
Rochester, NY 14625-2385, USA

DATE: J00	APP'D: GRP	PSS 1646XX	REV: 0706
CHK'D: AEG	7/24/06		
DESCRIPTION:			

384 WELL, PS, FLAT BOTTOM PLATE