

## **SAFETY DATA SHEET**

according to Regulation (EC) No. 1907/2006

Version 6.4 Revision Date 24.07.2023 Print Date 25.07.2023

GENERIC EU MSDS - NO COUNTRY SPECIFIC DATA - NO OEL DATA

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name : Amicon® Pro System AU0.5 30kDa and

Reagent kit NiNTA

Product Number : ACK5030NT Catalogue No. : 6C1846 Brand : Millipore

REACH No. : This product is a mixture. REACH Registration Number see

section 3.

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Biochemical research/analysis

1.3 Details of the supplier of the safety data sheet

Company : Merck KGaA

Frankfurter Str. 250 D-64271 DARMSTADT

Telephone : +49 (0)6151 72-0 Fax : +49 6151 727780

E-mail address : TechnicalService@merckgroup.com

1.4 Emergency telephone

Emergency Phone #: +(44)-870-8200418 (CHEMTREC (GB))

+(353)-19014670 (CHEMTREC Ireland) 001-803-017-9114 (CHEMTREC India)

This is a summary SDS for a kit. For the full SDS for each of the components listed in section 16 please visit our website.

#### **SECTION 2: Hazards identification**

## 2.1 Classification of the substance or mixture

## Classification according to Regulation (EC) No 1272/2008

Flammable liquids (Category 3), H226 Skin corrosion (Sub-category 1C), H314 Serious eye damage (Category 1), H318 Reproductive toxicity (Category 1B), H360D

For the full text of the H-Statements mentioned in this Section, see Section 16.

Millipore- ACK5030NT Page 1 of 10



#### 2.2 Label elements

## Labelling according Regulation (EC) No 1272/2008

Pictogram

Signal Word Danger

Hazard statement(s)

H226 Flammable liquid and vapor.

H314 Causes severe skin burns and eye damage.

H360D May damage the unborn child.

Precautionary statement(s)

P202 Do not handle until all safety precautions have been read and

understood.

P210 Keep away from heat, hot surfaces, sparks, open flames and

other ignition sources. No smoking.

P280 Wear protective gloves/ protective clothing/ eye protection/ face

protection.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated

clothing. Rinse skin with water.

P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable

for breathing. Immediately call a POISON CENTER/ doctor.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue

rinsing.

Supplemental Hazard

Statements

none

Reduced Labeling (<= 125 ml)

Pictogram

Signal Word Danger

Hazard statement(s)

H314 Causes severe skin burns and eye damage.

H360D May damage the unborn child.

Precautionary statement(s)

P202 Do not handle until all safety precautions have been read and

understood.

P280 Wear protective gloves/ protective clothing/ eye protection/ face

protection.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated

clothing. Rinse skin with water.

P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable

for breathing. Immediately call a POISON CENTER/ doctor.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue

rinsing.

Supplemental Hazard none

Millipore- ACK5030NT Page 2 of 10

A

#### Statements

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

#### **Ecological information:**

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

#### Toxicological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## **SECTION 3: Composition/information on ingredients**

Refer to component SDS

## **SECTION 4: First aid measures**

Refer to component SDS

### **SECTION 5: Firefighting measures**

Refer to component SDS

#### **SECTION 6: Accidental release measures**

Refer to component SDS

## **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling

#### Advice on safe handling

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

## Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

## **Hygiene measures**

Canada

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

For precautions see section 2.2.

Millipore- ACK5030NT Page 3 of 10

### 7.2 Conditions for safe storage, including any incompatibilities

### Storage conditions

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition. Keep locked up or in an area accessible only to qualified or authorized persons.

Recommended storage temperature see product label.

#### Storage class

Storage class (TRGS 510): 3: Flammable liquids

#### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

## **SECTION 8: Exposure controls/personal protection**

Refer to component SDS

## **SECTION 9: Physical and chemical properties**

Refer to component SDS

## **SECTION 10: Stability and reactivity**

Refer to component SDS

## **SECTION 11: Toxicological information**

Refer to component SDS

#### **SECTION 12: Ecological information**

Refer to component SDS

## **SECTION 13: Disposal considerations**

Refer to component SDS

## **SECTION 14: Transport information**

#### 14.1 UN number

ADR/RID: 3267 IMDG: 3267 IATA: 3267

## 14.2 UN proper shipping name

ADR/RID: CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (Imidazole) IMDG: CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (Imidazole)

Millipore- ACK5030NT Page 4 of 10



IATA: Corrosive liquid, basic, organic, n.o.s. (Imidazole)

14.3 Transport hazard class(es)

ADR/RID: 8 IMDG: 8 IATA: 8

14.4 Packaging group

ADR/RID: III IMDG: III IATA: III

14.5 Environmental hazards

ADR/RID: no IMDG Marine pollutant: no IATA: no

14.6 Special precautions for user

Tunnel restriction code : (E)

Further information : No data available

## **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

Refer to component SDS

### 15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out

#### **SECTION 16: Other information**

## **Kit Components:**

4X Ni-NTA Bind Buffer	Millipore	CS211413	Repr. 1B; H360D
4X Ni-NTA Wash Buffer	Millipore	CS211414	Repr. 1B; H360D
Ni-NTA Resin (50% slurry)	Millipore	6C1864	Flam. Liq. 3; H226
4X Ni-NTA Elution Buffer	Millipore	CS211431	Skin Corr. 1C; Eye Dam. 1; Repr. 1B; H314, H360D

Millipore- ACK5030NT Page 5 of 10



#### Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM -American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS -Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. -Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS -Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Classification of th	e mixture	Classification procedure:			
Flam. Liq.3	H226	Based on product data or assessment			
Skin Corr.1C	H314	Calculation method			
Eye Dam.1	H318	Calculation method			
Repr.1B	H360D	Calculation method			

#### **Further information**

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See

Millipore- ACK5030NT Page 6 of 10

A

www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Millipore- ACK5030NT Page 7 of 10





## **Kit Components:**

4X Ni-NTA Bind Buffer					
Product	Pictogram	Signal	Hazard	Precautionary	Supplemental
identifier		Word	Statements	Statements	information
Millipore -		Danger	May damage the	Obtain special	
CS211413			unborn child.	instructions	
	•			before use. IF	
				exposed or	
				concerned: Get	
				medical advice/	
				attention.Store	
				locked up.	
				Dispose of	
				contents/	
				container to an	
				approved waste	
				disposal plant.	
				Do not handle	
				until all safety	
				precautions	
				have been read	
				and understood.	
				Wear protective	
				gloves/	
				protective	
				clothing/ eye	
				protection/ face	
				protection.	

4X Ni-NTA Wash Buffer					
Product identifier	Pictogram	Signal Word	Hazard Statements	Precautionary Statements	Supplemental information
Millipore - CS211414		Danger	May damage the unborn child.	Obtain special instructions before use. IF exposed or concerned: Get medical advice/ attention. Store locked up. Dispose of contents/ container to an approved waste disposal plant.	

Millipore- ACK5030NT Page 8 of 10



protection.
-------------

Ni-NTA Resin (50% slurry)					
Product	Pictogram	Signal	Hazard	Precautionary	Supplemental
identifier		Word	Statements	Statements	information
Millipore -		Warning	Flammable	Keep away	
6C1864			liquid and vapor.	from heat, hot	
	Ť			surfaces,	
				sparks, open	
				flames and	
				other ignition	
				sources. No	
				smoking. Keep	
				container tightly	
				closed.	
				Ground and	
				bond container	
				and receiving	
				equipment.	
				Use explosion-	
				proof electrical/	
				ventilating/	
				lighting/	
				equipment.	
				Use non-	
				sparking tools.	
				Take action to	
				prevent static	
	1	1		discharges.	ĺ

4X Ni-NTA Elution Buffer					
Product	Pictogram	Signal	Hazard	Precautionary	Supplemental
identifier		Word	Statements	Statements	information
Millipore -		Danger	Causes severe	Obtain special	
CS211431			skin burns and	instructions	
			eye damage.	before use. IF	
			May damage the	ON SKIN (or	
	<b>~</b>		unborn child.	hair): Take off	
				immediately all	
				contaminated	
				clothing, Rinse	

Millipore- ACK5030NT Page 9 of 10



skin with water.
Do not handle
until all safety
precautions
have been read
and understood.
IF INHALED:
Remove person
to fresh air and
keep
comfortable for
breathing.
Immediately call
a POISON '
CENTER/ doctor.
Wear protective
gloves/
protective
clothing/ eye
protection/ face
protection. IF IN
EYES: Rinse
cautiously with
water for
several minutes.
Remove contact
lenses, if
present and
easy to do.
Continue
rinsing.

Millipore- ACK5030NT Page 10 of 10



