

# SAFETY DATA SHEET

(REACH regulation (EC) n° 1907/2006 - n° 2015/830)

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identifier

Product name: SURFANIOS PREMIUM

Product code: 1917000.

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Cleaning and disinfection

For further information on product indication, please see the label.

## 1.3. Details of the supplier of the safety data sheet

Registered company name: Laboratoires ANIOS.

Address : PAVE DU MOULIN .59260.LILLE - HELLEMMES.FRANCE. Telephone : + 33 (0)3 20 67 67 67. Fax : + 33 (0)3 20 67 67 68.

e:mail : fds@anios.com www.anios.com

### 1.4. Emergency telephone number: + 33(0)1 45 42 59 59.

Association/Organisation : INRS. Other emergency numbers

New Zealand: 0800 764 766 (National Poisons centre)

Australia: 13 11 26 (National Poisons centre)

# **SECTION 2: HAZARDS IDENTIFICATION**

#### 2.1. Classification of the substance or mixture

# In compliance with EC regulation No. 1272/2008 and its amendments.

Substance that is corrosive to metals, Category 1 (Met. Corr. 1, H290).

Skin irritation, Category 2 (Skin Irrit. 2, H315).

Serious eye damage, Category 1 (Eye Dam. 1, H318).

Hazardous to the aquatic environment - Acute hazard, Category 1 (Aquatic Acute 1, H400).

Hazardous to the aquatic environment - Chronic hazard, Category 2 (Aquatic Chronic 2, H411).

#### 2.2. Label elements

Detergent mixture (see section 15).

This mixture being intended for professional use only, the labelling for contents under detergent regulation does not appear on the label but is resumed in section 15

# In compliance with EC regulation No. 1272/2008 and its amendments.

Hazard pictograms:





GHS05

GHS09

Signal Word : DANGER

Product identifiers :

EC 219-145-8 N-(3-AMINOPROPYL)-N-DODECYLPROPANE-1,3-DIAMINE

EC 230-525-2 DIDECYLDIMETHYLAMMONIUM CHLORIDE

Hazard statements :

H290 May be corrosive to metals. H315 Causes skin irritation.

### SURFANIOS PREMIUM - 1917000

H318 Causes serious eye damage.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements - General:

P102 Keep out of reach of children.

Precautionary statements - Prevention:

P234 Keep only in original container.
P273 Avoid release to the environment.

P280 Wear protective gloves and eye protection/face protection.

Precautionary statements - Response :

P302 + P352 IF ON SKIN: Wash with plenty of water.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER or doctor/physician.

Precautionary statements - Disposal :

P501 Dispose of product and its container as hazardous waste.

### 2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >= 0.1% published by the European

CHemicals Agency (ECHA) under article 57 of REACH: http://echa.europa.eu/fr/candidate-list-table

The mixture satisfies neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

No other hazard identified in the current state of knowledge.

### **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

Title for H and EUH statements: see § 16.

#### 3.2. Mixtures

#### Composition:

Identification	(EC) 1272/2008	Note	%
CAS: 2372-82-9	GHS06, GHS05, GHS09, GHS08		2.5 <= x % < 10
EC: 219-145-8	Dgr		
REACH: 01-2119980592-29	Acute Tox. 3, H301		
	Skin Corr. 1A, H314		
N-(3-AMINOPROPYL)-N-DODECYLPROP	STOT RE 2, H373		
ANE-1,3-DIAMINE	Aquatic Acute 1, H400		
	M Acute = 10		
	Aquatic Chronic 1, H410		
	M Chronic = 1		
CAS: 7173-51-5	GHS06, GHS05, GHS09		2.5 <= x % < 10
EC: 230-525-2	Dgr		
	Acute Tox. 3, H301		
DIDECYLDIMETHYLAMMONIUM	Skin Corr. 1B, H314		
CHLORIDE	Aquatic Acute 1, H400		
	M Acute = 10		
	Aquatic Chronic 1, H410		
	M Chronic = 1		
NDEX: 603-117-00-0	GHS02, GHS07	[1]	0 <= x % < 2.5
CAS: 67-63-0	Dgr		
EC: 200-661-7	Flam. Liq. 2, H225		
REACH: 01-2119457558-25	Eye Irrit. 2, H319		
	STOT SE 3, H336		
PROPAN-2-OL			

### Information on ingredients :

[1] Substance for which maximum workplace exposure limits are available.

### **SECTION 4: FIRST AID MEASURES**

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

### 4.1. Description of first aid measures

# In the event of exposure by inhalation :

Move the person away from the place of exposure and take him/her outside.

### In the event of splashes or contact with eyes :

If applicable, remove contact lenses.

Wash thoroughly with soft clean water for 15 minutes, holding the eyelids open.

Take care not to introduce rinsing water in the undamaged eye.

Additional treatment to be provided immediately in an eye clinic or by an ophthalmologist. Show this container or label.

Continue rinsing until medical advice is obtained.

#### In the event of splashes or contact with skin:

Remove all contaminated or stained clothing immediately. Do not use them again until they have been decontaminated.

Rinse immediately and thoroughly with water.

In the event of skin irritation, seek medical advice. Show this container or label.

#### In the event of swallowing:

Rinse out the mouth, do not induce vomiting, keep the person calm and take him/her to a clinic or a doctor's. Show the container or label.

#### 4.2. Most important symptoms and effects, both acute and delayed

Cf. § 11

#### 4.3. Indication of any immediate medical attention and special treatment needed

Refer to the recommendation of the doctor.

#### **SECTION 5: FIREFIGHTING MEASURES**

#### 5.1. Extinguishing media

#### Suitable methods of extinction

Any extinguishing agents are authorized: foam, sand, carbon dioxide, water, powder.

#### 5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

#### 5.3. Advice for firefighters

Use autonomous insulating breathing apparatus and a full protective suit.

### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

### 6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

Avoid all contact with skin or eyes.

## 6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Do not get rid in natural spaces (waterways, ground and vegetations...)

## 6.3. Methods and material for containment and cleaning up

Absorb any spilled product using absorbent non combustible materials and sweep away or remove with a shovel. Put any waste in drums for disposal. Do not mix with any other waste.

For small quantities, dilute the product with large quantities of water and rinse away.

Do not collect the product for re-use.

Do not get rid in natural spaces.

# 6.4. Reference to other sections

Disposal considerations: see section 13.

# **SECTION 7: HANDLING AND STORAGE**

#### 7.1. Precautions for safe handling

Product for external use - do not swallow.

Avoid all contact with skin or eyes.

Handle in accordance with user instructions on label

Handle in well-ventilated premises.

# Recommended equipment and procedures :

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

Avoid eye contact with this mixture at all times.

Eye bath and water point nearby.

Ensure room is well ventilated.

# Prohibited equipment and procedures :

No smoking, eating or drinking in areas where the mixture is used.

### 7.2. Conditions for safe storage, including any incompatibilities

Keep the container tightly closed

Store ONLY in the original package.

Store between + 5 °C and + 35 °C in a dry, well ventilated place

Do not use after the expiry date mentioned on the packaging.

Keep out of the reach of children

Store away from incompatible materials (see section 10)

Splash pan for high quantities' storage

### 7.3. Specific end use(s)

For professional use only

Refer to paragraph 1 for product indication

### **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

The information in this chapter refers to the product specifically described in this document. If the product is handled and/or exposed simultaneously with other chemical agents, these must be taken into consideration when choosing personal safety equipment.

The Exposure Threshold Limit Value and the Average Exposure Value given below are quoted by the CAS number of the substance. Paragraph 3 details the chemical name corresponding to the CAS number.

#### 8.1. Control parameters

#### Occupational exposure limits:

	NRS - ED984 :2012) :					
CAS	VME-ppm:	VME-mg/m3:	VLE-ppm:	VLE-mg/m3:	Notes :	TMP No:
67-63-0	-	-	400	980	-	84
- UK / WE	L (Workplace exposur	e limits, EH40/2005, 2	007):			
CAS	TWA:	STEL:	Ceiling :	Definition:	Criteria :	
67-63-0	400 ppm	500 ppm				
	999 mg/m3	1250 mg/m3				
- Belgium	(Order of 19/05/2009,	2010) :				
CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria :	
67-63-0	200 ppm	400 ppm				
	500 mg/m3	1000 mg/m3				
- Poland (2	2014) :					
CAS	TWA:	STEL:	Ceiling:	Definition :	Criteria :	
67-63-0	900 mg/m3	1200 mg/m3				
- Spain (In	stituto Nacional de Se	guridad e Higiene en	el Trabajo (INSHT), M	ayo 2010) :		
CAS	TWA:	STEL:	Ceiling :	Definition :	Criteria :	
67-63-0	400 ppm	500 ppm				
	998 mg/m3	1250 mg/m3				
- Czech R	epublic (Regulation No	o. 361/2007) :			·	
CAS	TWA:	STEL:	Ceiling:	Definition :	Criteria :	
67-63-0	500 mg/m3	1000 mg/m3		1		
- Slovakia	(Regulation No. 300/2	007):			·	
CAS	TWA:	STEL:	Ceiling:	Definition :	Criteria :	
67-63-0	200 ppm	1000 mg/m3				
	500 mg/m3					
- Germany	- AGW (BAuA - TRG	S 900, 21/06/2010):	<del></del>	-	-	:
CAS	VME :	VME :	Excess	Notes		
67-63-0		200 ppm		2(II)		
		500 mg/m3				
- Switzerla	ind (SUVA 2015):		·	·		
CAS	VME	VLE	Valeur plafond	Notations		
67-63-0	200 ppm	400 ppm		B SSC		
	500 mg/m3	1000 mg/m3				

### 8.2. Exposure controls

### Suitable technical inspections

Ensure the rooms are well-ventilated. Atmospheric concentrations at the workplace must not exceed the limit values given for normal conditions of use.

### Personal protection measures, such as personal protective equipment

Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation,

especially in confined areas.

### - Eye / face protection

Avoid contact with eyes.

Before handling, wear safety goggles with protective sides accordance with standard EN166.

Prescription glasses are not considered as protection.

Provide eye washes in workshops.

If necessary, the nearest water supply

#### - Hand protection

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN374.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question: other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

Nitrile, latex or vinyl gloves.

Gloves must be replaced immediately if they show signs of wear and tear.

#### - Body protection

Avoid skin contact.

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

#### - Respiratory protection

In case of insufficient ventilation, with the risk of exceeding the TLVs (Threshold Limit values)/TWA, wear suitable breathing apparatus (mask which filters organic vapours - type A protection)

#### **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

### 9.1. Information on basic physical and chemical properties

#### General information:

Physical state :	Fluid liquid.
Odour:	sweet-smelling
Colour:	Blue-green

#### Important health, safety and environmental information

important nearin, safety and silvinonial information	
pH:	10.90 .
	Slightly basic.
Boiling point/boiling range :	Not specified.
Flash point interval :	Not relevant.
Vapour pressure (50°C):	Not relevant.
Density:	+/- 1.0
Water solubility :	Soluble.
Melting point/melting range :	Not specified.
Self-ignition temperature :	Not specified.
Decomposition point/decomposition range :	Not specified.

#### 9.2. Other information

The pH stated in section 9.1 is an indicative value. Below the minimum and maximum product pH:

pH pure product:	10,5 - 11,5
------------------	-------------

# **SECTION 10: STABILITY AND REACTIVITY**

# 10.1. Reactivity

No hazardous reaction if the instructions/indications for storage and handling are respected.

### 10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

## 10.3. Possibility of hazardous reactions

Cf. § 10.1, 10.2 and 10.5

# 10.4. Conditions to avoid

Avoid:

- frost

Do not mix with other products.

### 10.5. Incompatible materials

The risk of corrosion to metals concerns the concentrated product when put in contact with crude steel or an aluminium-based alloy.

At the application rate, the product is compatible with the materials encountered for the recommended uses.

Refer to the scientific folder\*: product/material compatibility table

\* available on request

# 10.6. Hazardous decomposition products

At high temperatures, dangerous decomposition products may be produced, such as fumes, carbon dioxide and carbon monoxide, nitrogen oxide.

#### **SECTION 11: TOXICOLOGICAL INFORMATION**

# 11.1. Information on toxicological effects

#### 11.1.1. Substances

Not specified

#### 11.1.2. Mixture

The toxicological data of the mixture (resulting from studies or in accordance with conventional methods) are outlined below.

#### Acute toxicity

Acute toxicity estimate (ATE)\*:

Oral ATE:

> 2000 mg/kg

\* according to the method of calculation describe in the CLP regulation (Classification, Labelling, Packaging) Part 3 Chapter 3.1 based on the data of the different components present in the product.

Ingestion may lead to irritation of the digestive system, abdominal pain, headaches and nausea.

#### Skin corrosion/skin irritation:

Skin irritation: itching, light to moderate local redness, burning sensation...

Assessment of skin corrosion (OECD 431):

The mixture is not classified as corrosive to skin.

### Serious damage to eyes/eye irritation :

Serious eyes damage.

Burns, characterized by discomfort or pain, excessive blinking, lacrimation and redness, swelling of the conjunctiva.

#### Respiratory or skin sensitisation:

Product not classified in this hazard category.

On the basis of the available data, classification criteria are not reached.

#### Germ cell mutagenicity:

Product not classified in this hazard category.

### Carcinogenicity:

Product not classified in this hazard category.

## Reproductive toxicant:

Product not classified in this hazard category.

### Specific target organ systemic toxicity - single exposure :

Product not classified in this hazard category.

## Specific target organ systemic toxicity - repeated exposure :

Product not classified in this hazard category.

#### Aspiration hazard :

Product not classified in this hazard category.

#### **SECTION 12: ECOLOGICAL INFORMATION**

Following information is based on data from the compounds.

Avoid any product release into waterways.

## 12.1. Toxicity

# 12.1.1. Substances

Not specified

# 12.1.2. Mixtures

Acute toxicity:

Very toxic to aquatic organisms.

Chronic toxicity:

Toxic to aquatic life with long lasting effects.

### 12.2. Persistence and degradability

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents.

Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

# 12.3. Bioaccumulative potential

No data available.

# 12.4. Mobility in soil

No data available.

#### 12.5. Results of PBT and vPvB assessment

No data available.

#### 12.6. Other adverse effects

No data available.

#### **SECTION 13: DISPOSAL CONSIDERATIONS**

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

The packages must not be reused.

Do not pour into waterways.

#### 13.1. Waste treatment methods

### Waste:

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

#### Soiled packaging:

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

#### Codes of wastes (Decision 2001/573/EC, Directive 2006/12/EEC, Directive 94/31/EEC on hazardous waste):

18 01 06 \* chemicals consisting of or containing dangerous substances

20 01 29 \* detergents containing dangerous substances

The following waste codes are given as guidelines only.

The waste code must be determined by the user, according to the application of the product.

For information:

18 = Wastes from human or animal health care and/or related research (except kitchen and restaurant wastes not arising from immediate health care)

20 = Municipal wastes and similar commercial, industrial and institutional wastes including separately collected fractions

## **SECTION 14: TRANSPORT INFORMATION**

Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport (ADR 2015 - IMDG 2014 - ICAO/IATA 2015).

### 14.1. UN number

1903

### 14.2. UN proper shipping name

UN1903=DISINFECTANT, LIQUID, CORROSIVE, N.O.S.

(n-(3-aminopropyl)-n-dodecylpropane-1,3-diamine, didecyldimethylammonium chloride)

### 14.3. Transport hazard class(es)

- Classification :



8

### 14.4. Packing group

Ш

### 14.5. Environmental hazards

- Environmentally hazardous material:



### 14.6. Special precautions for user

ADR/RID	Class	Code	Pack gr.	Label	Ident.	10	Provis.	FΩ	Cat	Tunnel
ADIVINID	Class	Code	rack gr.	Labei	IUCIII.	LQ	FIUVIS.	LQ	Cat.	i uillici

# SAFETY DATA SHEET (REGULATION (EC) n° 1907/2006 - REACH)

Version 5.6 (21-03-2017) - Page 8/8

SURFANIOS PREMIUM - 1917000

	8	C9	III	8	80	5 L	274	E1	3	E
IMDG	Class	2°Label	Pack gr.	LQ	EMS	Provis.	EQ			
	8	-	III	5 L	F-A,S-B	223 274	E1			
IATA	Class	2°Label	Pack gr.	Passager	Passager	Cargo	Cargo	note	EQ	
	8	-	III	852	5 L	856	60 L	A3 A803	E1	
	8	-	III	Y841	1 L	-	-	A3 A803	E1	

For limited quantities, see part 2.7 of the OACI/IATA and chapter 3.4 of the ADR and IMDG.

For excepted quantities, see part 2.6 of the OACI/IATA and chapter 3.5 of the ADR and IMDG.

### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

#### **SECTION 15: REGULATORY INFORMATION**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

- Classification and labelling information included in section 2:

The following regulations have been used:

Regulation (EC) No. 1272/2008 and its amendments.

- Labelling for detergents (EC Regulation No. 648/2004,907/2006):
  - 5 % or over but less than 15 %: nonionic surfactants
  - disinfectants
  - perfumes

### 15.2. Chemical safety assessment

Information from the chemical safety assessment of substances present in the product is included in the appropriate sections of this safety data sheet, whenever necessary.

### **SECTION 16: OTHER INFORMATION**

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture.

It is recommended that the information contained in this safety data sheet is provided to the users, if necessary in an appropriate form.

This information relates to the specifically designated product and may not be valid in combination with any another product. The product must not be used for applications other than those specified in heading 1 without having first obtained written handling instructions.

#### UPDATES SINCE PREVIOUS VERSION

- § 3
- §9
- § 11
- § 15

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture.

### Wording of the phrases mentioned in section 3 :

H225	Highly flammable liquid and vapour.
H301	Toxic if swallowed.
H314	Causes severe skin burns and eye damage.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

### Abbreviations:

ADR: European agreement concerning the international carriage of dangerous goods by Road.

IMDG: International Maritime Dangerous Goods. IATA: International Air Transport Association. ICAO: International Civil Aviation Organisation

RID: Regulations concerning the International carriage of Dangerous goods by rail.

GHS05 : Corrosion GHS09 : Environment

PBT: Persistent, bioaccumulable and toxic. vPvB: Very persistent, very bioaccumulable. SVHC: Substances of very high concern.