

Section: 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Product name : ANIOSPRAY SURF 29

Product code : 2421000

Use of the : Disinfectant, Spraying

Substance/Mixture

Recommended restrictions

Substance type: : Mixture

1.2 Relevant identified uses of the substance or mixture and uses advised against

639

on use

1.3 Details of the supplier of the safety data sheet

Company : Laboratoires ANIOS

1 rue de l'Espoir

59260 Lezennes, France Tel. + 33 (0)3 20 67 67 67

Reserved for industrial and professional use.

Fax. + 33 (0)3 20 67 67 68

fds@anios.com

Ecolab Ltd.

PO Box 11; Winnington Avenue

Northwich, Cheshire, United Kingdom CW8 4DX

+ 44 (0)1606 74488 ccs@ecolab.com

1.4 Emergency telephone number

Emergency telephone

number

: +32-(0)3-575-5555 Trans-European

Date of Compilation/Revision : 09.03.2022 version : 1.2

Section: 2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Flammable liquids, Category 3 H226

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms

118190E 1 / 13

Signal Word : Warning

Hazard Statements : H226 Flammable liquid and vapour.

Precautionary Statements : Prevention:

P210 Keep away from heat, hot surfaces, sparks,

open flames and other ignition sources. No

smoking.

2.3 Other hazards

None known.

Section: 3. COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures

Hazardous components

EC-No. REGULATION (EC) No 1272/2008 : [64-17-5 Flammable liquids Category 2; H225 >= 20 200-578-6 Serious eye damage/eye irritation						
ethanol 64-17-5 Flammable liquids Category 2; H225 >= 20 200-578-6 Serious eye damage/eye irritation	- < 25					
200-578-6 Serious eye damage/eye irritation	- < 25					
01-2119457610-43 Category 2; H319						
Serious eye damage/eye irritation						
Category 2A						
50 - 100 %						
Chlorhexidine gluconate 18472-51-0 Serious eye damage Category 1; H318 < 0) 1					
242-354-0 Acute aquatic toxicity Category 1; H400	,. i					
01-2119946568-22 Chronic aquatic toxicity Category 1; H410						
or zerroorooo zz						
M = 10						
M(Chronic) = 1						
Didecyl Dimethyl 7173-51-5 Acute toxicity Category 4; H302 < 0	0.1					
Ammonium Chloride 230-525-2 Skin corrosion Sub-category 1B; H314						
01-2119945987-15 Serious eye damage Category 1; H318						
Acute toxicity Category 2; H330						
Acute aquatic toxicity Category 1; H400						
Chronic aquatic toxicity Category 2; H411						
W-40						
M = 10						
Substances with a workplace exposure limit :						
Isopropyl Alcohol 67-63-0 Flammable liquids Category 2; H225 >= 0.5	5 - < 1					
200-661-7 Eye irritation Category 2; H319						
01-2119457558-25 Specific target organ toxicity - single						
exposure Category 3; H336						

For the full text of the H-Statements mentioned in this Section, see Section 16.

Section: 4. FIRST AID MEASURES

4.1 Description of first aid measures

In case of eye contact : Rinse with plenty of water.

118190E 2 / 13

In case of skin contact : Rinse with plenty of water.

If swallowed : Rinse mouth. Get medical attention if symptoms occur.

If inhaled : Get medical attention if symptoms occur.

4.2 Most important symptoms and effects, both acute and delayed

See Section 11 for more detailed information on health effects and symptoms.

4.3 Indication of immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

Section: 5. FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media : Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Unsuitable extinguishing

media

: High volume water jet

5.2 Special hazards arising from the substance or mixture

Specific hazards during

firefighting

: Fire Hazard

Keep away from heat and sources of ignition. Flash back possible over considerable distance.

Beware of vapours accumulating to form explosive concentrations.

Vapours can accumulate in low areas.

Hazardous combustion

products

: Depending on combustion properties, decomposition products

may include following materials:

Carbon oxides

5.3 Advice for firefighters

for firefighters

Special protective equipment : Use personal protective equipment.

Further information : Use water spray to cool unopened containers. Fire residues and

contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire and/or

explosion do not breathe fumes.

Section: 6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency

personnel

: Remove all sources of ignition. Refer to protective measures listed

in sections 7 and 8.

Advice for emergency

responders

If specialised clothing is required to deal with the spillage, take

note of any information in Section 8 on suitable and unsuitable

materials.

6.2 Environmental precautions

118190E 3/13

Environmental precautions : Do not allow contact with soil, surface or ground water.

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up : Eliminate all ignition sources if safe to do so. Stop leak if safe to

do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). For large spills, dike spilled material or otherwise contain material to ensure runoff does not

reach a waterway.

6.4 Reference to other sections

See Section 1 for emergency contact information.

For personal protection see section 8.

See Section 13 for additional waste treatment information.

Section: 7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Advice on safe handling : Handle at room temperature. Use only with adequate ventilation.

Keep away from fire, sparks and heated surfaces. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours). Wash hands thoroughly after handling. Open drum carefully as content may be under pressure. In case of mechanical malfunction, or if in contact with unknown dilution of product, wear full Personal Protective Equipment (PPE).

Hygiene measures : Handle in accordance with good industrial hygiene and safety

practice. Remove and wash contaminated clothing before re-use.

Wash face, hands and any exposed skin thoroughly after

handling.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

: Keep away from heat and sources of ignition. Keep in a cool, well-ventilated place. Keep away from oxidizing agents. Keep out of reach of children. Keep container tightly closed. Store in suitable

labeled containers.

7.3 Specific end uses

Section: 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
ethanol	64-17-5	TWA	1,000 ppm 1,920 mg/m3	UKCOSSTD
Isopropyl Alcohol	67-63-0	TWA	400 ppm 999 mg/m3	UKCOSSTD
		STEL	500 ppm	UKCOSSTD

118190E 4 / 13

1,250 mg/m3	
-------------	--

DNEL

Isopropyl Alcohol

End Use: Workers

Exposure routes: Dermal

Potential health effects: Long-term systemic effects

888 mg/kg

End Use: Workers

Exposure routes: Inhalation

Potential health effects: Long-term systemic effects

Value: 500 mg/m3

End Use: Consumers Exposure routes: Dermal

Potential health effects: Long-term systemic effects

319 mg/kg

End Use: Consumers Exposure routes: Inhalation

Potential health effects: Long-term systemic effects

Value: 89 mg/m3

End Use: Consumers Exposure routes: Ingestion

Potential health effects: Long-term systemic effects

26 mg/kg

PNEC

Isopropyl Alcohol	5.0	Fresh water
		Value: 140.9 mg/l
		Marine water
		Value: 140.9 mg/l
		Intermittent use/release
		Value: 140.9 mg/l
		F
		Fresh water Value: 552 mg/kg
		value. 332 mg/kg
		Marine sediment
		Value: 552 mg/kg
		Soil
		Value: 28 mg/kg
		Sewage treatment plant
		Value: 2251 mg/l
		managan managan da 🗸
	1 1	Oral
		Value: 160 mg/kg

8.2 Exposure controls

118190E 5 / 13

Appropriate engineering controls

Engineering measures : Effective exhaust ventilation system. Maintain air concentrations

below occupational exposure standards.

Individual protection measures

Hygiene measures : Handle in accordance with good industrial hygiene and safety

practice. Remove and wash contaminated clothing before re-use.

Wash face, hands and any exposed skin thoroughly after

handling.

Eye/face protection (EN 166) : No special protective equipment required.

Hand protection (EN 374) : For prolonged or repeated contact use protective gloves.

Neoprene gloves Nitrile rubber

Skin and body protection

(EN 14605)

: No special protective equipment required.

Respiratory protection (EN

143, 14387)

: None required if airborne concentrations are maintained below the

exposure limit listed in Exposure Limit Information. Use certified

respiratory protection equipment meeting EU

requirements(89/656/EEC, (EU) 2016/425), or equivalent, when respiratory risks cannot be avoided or sufficiently limited by technical means of collective protection or by measures, methods

or procedures of work organization.A-P

Environmental exposure controls

General advice : Consider the provision of containment around storage vessels.

Section: 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance : liquid

Colour : colourless

Odour : Not applicable and/or not determined for the mixture

pH : 4.5 - 6.5 Flash point : 32.5 °C

Odour Threshold : Not applicable and/or not determined for the mixture Melting point/freezing point : Not applicable and/or not determined for the mixture

Initial boiling point and

Relative vapour density

boiling range

: Not applicable and/or not determined for the mixture

: Not applicable and/or not determined for the mixture

Evaporation rate : Not applicable and/or not determined for the mixture

Flammability (solid, gas) : Not applicable and/or not determined for the mixture

Upper explosion limit : Not applicable and/or not determined for the mixture

Lower explosion limit : Not applicable and/or not determined for the mixture

Vapour pressure : Not applicable and/or not determined for the mixture

118190E 6 / 13

Relative density : ca. 1.0
Water solubility : soluble

Solubility in other solvents : Not applicable and/or not determined for the mixture Partition coefficient: n- : Not applicable and/or not determined for the mixture

octanol/water

Auto-ignition temperature : Not applicable and/or not determined for the mixture
Thermal decomposition : Not applicable and/or not determined for the mixture
Viscosity, kinematic : Not applicable and/or not determined for the mixture
Explosive properties : Not applicable and/or not determined for the mixture
Oxidizing properties : Not applicable and/or not determined for the mixture

9.2 Other information

Not applicable and/or not determined for the mixture

Section: 10. STABILITY AND REACTIVITY

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

No dangerous reaction known under conditions of normal use.

10.4 Conditions to avoid

Heat, flames and sparks.

10.5 Incompatible materials

None known.

10.6 Hazardous decomposition products

Depending on combustion properties, decomposition products may include following materials: Carbon oxides

Section: 11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Information on likely routes of : Inhalation, Eye contact, Skin contact

exposure

Product

Acute oral toxicity : There is no data available for this product.

118190E 7 / 13

Acute inhalation toxicity : There is no data available for this product.

Acute dermal toxicity : There is no data available for this product.

Skin corrosion/irritation : There is no data available for this product.

Serious eye damage/eye

irritation

: There is no data available for this product.

Respiratory or skin

sensitization

: There is no data available for this product.

Carcinogenicity : There is no data available for this product.

Reproductive effects : There is no data available for this product.

Germ cell mutagenicity : There is no data available for this product.

Teratogenicity : There is no data available for this product.

STOT - single exposure : There is no data available for this product.

STOT - repeated exposure : There is no data available for this product.

Aspiration toxicity : There is no data available for this product.

Components

Acute oral toxicity : ethanol LD50 rat: 10,470 mg/kg

Chlorhexidine gluconate LD50 rat: 2,135 mg/kg

Didecyl Dimethyl Ammonium Chloride LD50 rat: 329 mg/kg

Isopropyl Alcohol LD50 rat: 5,840 mg/kg

Components

Acute inhalation toxicity : ethanol 4 h LC50 rat: 117 mg/l

Test atmosphere: vapour

Chlorhexidine gluconate 4 h LC50 rat: 0.365 mg/l

Test atmosphere: dust/mist

Didecyl Dimethyl Ammonium Chloride 4 h LC50 rat: 0.07 mg/l

Test atmosphere: dust/mist

Isopropyl Alcohol 4 h LC50 rat: > 30 mg/l

Test atmosphere: vapour

Components

Acute dermal toxicity : ethanol LD50 rabbit: 15,800 mg/kg

Chlorhexidine gluconate LD50 rabbit: > 2,000 mg/kg

Didecyl Dimethyl Ammonium Chloride LD50 rabbit: 2,930 mg/kg

Isopropyl Alcohol LD50 rabbit: 12,870 mg/kg

118190E 8 / 13

Potential Health Effects

Eyes : Health injuries are not known or expected under normal use.

Skin : Health injuries are not known or expected under normal use.

Ingestion : Health injuries are not known or expected under normal use.

Inhalation : Health injuries are not known or expected under normal use.

Chronic Exposure : Health injuries are not known or expected under normal use.

Experience with human exposure

Eye contact : No symptoms known or expected.

Skin contact : No symptoms known or expected.

Ingestion : No symptoms known or expected.

Inhalation : No symptoms known or expected.

Section: 12. ECOLOGICAL INFORMATION

12.1 Toxicity

Environmental Effects : This product has no known ecotoxicological effects.

Product

Toxicity to fish : no data available

Toxicity to daphnia and other : no data available

aquatic invertebrates

Toxicity to algae : no data available

Components

Toxicity to fish : ethanol96 h LC50 Pimephales promelas (fathead minnow): > 100

mg/l

Didecyl Dimethyl Ammonium Chloride96 h LC50 Fish: > 1 mg/l

Isopropyl Alcohol96 h LC50 Pimephales promelas (fathead

minnow): 9,640 mg/l

Components

Toxicity to daphnia and other

aquatic invertebrates

: ethanol48 h EC50 Aquatic Invertebrate: 857 mg/l

Chlorhexidine gluconate48 h EC50: 0.06 mg/l

Didecyl Dimethyl Ammonium Chloride48 h EC50 Daphnia magna

(Water flea): 0.029 mg/l

Isopropyl Alcohol LC50 Daphnia magna (Water flea): > 10,000

mg/l

Components

118190E 9 / 13

Toxicity to algae : Didecyl Dimethyl Ammonium Chloride72 h EC50

Pseudokirchneriella subcapitata (algae): 0.062 mg/l

12.2 Persistence and degradability

Product

no data available

Components

Biodegradability: ethanolResult: Readily biodegradable.

Chlorhexidine gluconateResult: Readily biodegradable.

Didecyl Dimethyl Ammonium ChlorideResult: Biodegradable

Isopropyl AlcoholResult: Readily biodegradable.

12.3 Bioaccumulative potential

no data available

12.4 Mobility in soil

no data available

12.5 Results of PBT and vPvB assessment

Product

Assessment : This substance/mixture contains no components considered to be

either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or

higher.

12.6 Other adverse effects

no data available

Section: 13. DISPOSAL CONSIDERATIONS

Dispose of in accordance with the European Directives on waste and hazardous waste. Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.

13.1 Waste treatment methods

Product : Do not contaminate ponds, waterways or ditches with chemical or

used container. Where possible recycling is preferred to disposal

or incineration. If recycling is not practicable, dispose of

contents/container in accordance with local regulations Dispose of

wastes in an approved waste disposal facility.

Contaminated packaging : Dispose of as unused product. Empty containers should be taken

to an approved waste handling site for recycling or disposal. Do not re-use empty containers. Dispose of in accordance with local,

state, and federal regulations.

Guidance for Waste Code : Organic wastes containing dangerous substances. If this product

118190E 10 / 13

selection

is used in any further processes, the final user must redefine and assign the most appropriate European Waste Catalogue Code. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable European (EU Directive 2008/98/EC) and local regulations.

Section: 14. TRANSPORT INFORMATION

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

Land transport (ADR/ADN/RID)

14.1 UN number : 1170

14.2 UN proper shipping : ETHANOL SOLUTION

name

14.3 Transport hazard : 3

class(es)

14.4 Packing group : III
14.5 Environmental hazards : No
14.6 Special precautions for : None

user

Air transport (IATA)

14.1 UN number : 1170

14.2 UN proper shipping : Ethanol solution

name

14.3 Transport hazard : 3

class(es)

14.4 Packing group : III
14.5 Environmental hazards : No
14.6 Special precautions for : None

user

Sea transport (IMDG/IMO)

14.1 UN number : 1170

14.2 UN proper shipping : ETHANOL SOLUTION

name

14.3 Transport hazard : 3

class(es)

14.4 Packing group : III14.5 Environmental hazards : No14.6 Special precautions for : None

user

14.7 Transport in bulk : Not applicable.

according to Annex II of MARPOL 73/78 and the IBC

Code

Section: 15. REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso III: Directive : FLAMMABLE LIQUIDS P5c

2012/18/EU of the European Lower tier: 5,000 t
Parliament and of the Council Upper tier: 50,000 t

118190E 11 / 13

on the control of majoraccident hazards involving dangerous substances.

National Regulations

Take note of Dir 94/33/EC on the protection of young people at work.

Other regulations : The Chemicals (Hazard Information and Packaging for Supply)

Regulations.

The Control of Substances Hazardous to Health Regulations.

Health and Safety at Work Act.

15.2 Chemical Safety Assessment

Information from the chemical safety assessment of substances present in the product is included in the appropriate sections of this safety data sheet, whenever necessary.

Section: 16. OTHER INFORMATION

Procedure used to derive the classification according to REGULATION (EC) No 1272/2008

Classification	Justification
Flammable liquids 3, H226	Based on product data or assessment

Full text of H-Statements

H225	Highly flammable liquid and vapour.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H336	May cause drowsiness or dizziness.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.

Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx -Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 -Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from

118190E 12 / 13

Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Prepared by : Regulatory Affairs

Numbers quoted in the MSDS are given in the format: 1,000,000 = 1 million and 1,000 = 1 thousand. 0.1 = 1 tenth and 0.001 = 1 thousandth

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

118190E 13 / 13