

■ Pipette Tips

Table of Contents

- 52 Optifit Tips and SafetySpace™ Filter Tips
- 54 SafetySpace™ Filter Tips
- 56 Package Options
- 62 Tip Compatibility Charts



Optifit Tips and SafetySpace™ Filter Tips

The Perfect Match for Your Pipette



In liquid handling, pipetting results are not dependent on the pipette or the tip alone, but a combination of these and the comfort of the user. Our Optifit Tips and SafetySpace™ Filter Tips are designed and manufactured as a perfect fit for our pipettes, enabling maximal accuracy, precision and ergonomics. The unique Optiload mechanism of our pipettes allows tip attachment and loading with reduced force, but with complete sealing. These tips' universal design also secures compatibility with the pipettes of most other manufacturers.

Manufacturing the tips in our own production facility allows us to maintain the highest quality and purity standards, by selecting the best plastic materials and controlling the manufacturing process from beginning to end. Our quality management system follows not only ISO 9001 and ISO 14001, but also ISO 13485. Tip production also abides by the ISO 14644-1 standard, in order to fulfil ISO Class 8 cleanroom conditions for secured tip purity.



ISO Class 8 Clean Room Manufacturing

Contamination Free Tips

To avoid contamination from human contact, we have automated the entire tip manufacturing process. Pure virgin polypropylene (PP) plastic is automatically fed from silos into moulding machines. Moulding machines and robots located in isolated clean cells load the tips automatically into tip trays and packaging. HEPA filters and higher air pressure are applied for purity within the cell. All Sartorius Single Tray tip racks and Single Refill Packs are individually and automatically packed in air-tight plastic, in order to rule out any danger of contamination.

Additionally, our highly experienced and trained personnel are equipped with specially designed clothing, masks, hair nets and gloves, in order to further diminish contamination risks.

An independent laboratory checks each Single Tray and Refill Pack tip lot for RNase, DNase and endotoxins. Lot-specific purity certificates can be downloaded from www.Sartorius.com select from the navigation bars: -> Liquid Handling -> Tip Quality Certificates.



Features and Benefits

- Best fit – highest possible accuracy
- Perfect fitting and sealing with Sartorius pipettes secure the highest possible accuracy and precision
- Compatible with Optiload feature in Sartorius Picus, eLINE, mLINE and ProLine Plus pipettes enabling ergonomic and light tip attachment and ejection
- Colour coding of the tip trays allows easy matching with a suitable coloured Sartorius pipette
- Compatible with most other pipette makes (see compatibility with www.sartorius.com)

Large Variety of Packaging Options Available:

- Single Tray racks
- Refill Towers
- Single Refill Packs
- Bulk in box

Premium Quality and Purity:

- Strict quality standards, ISO 9001 and ISO 13485, followed from R&D to production and delivery
- Manufactured in ISO 8 classified clean room conditions
- DNase, RNase and endotoxin free manufacturing process:
 - Single Trays and Refill Packs certified pure by lot number
- Pre-sterilised tips are e-beam irradiated
- All tip packages, including individual racks, are lot numbered for full traceability
- The highest quality virgin polypropylene used as raw material




Fully autoclavable

SARTORIUS DUTSCHER SAS

■ SafetySpace™ Filter Tips

No Risk of the Sample Penetrating the Filter



SafetySpace™ Filter Tips leave more space between the sample and the filter than conventional filter tips. This allows pipetting any type of liquid or using any pipetting technique without the risk of the precious sample permeating the filter. In effect, this ensures full sample recovery and thus greater accuracy.

This Feature is Particularly Useful in the Following Applications

- pipetting foaming liquids such as buffers and proteins
- pipetting solvents
- multiple dispensing functions of electronic pipettes
- reverse pipetting

The filter tips are made of virgin polypropylene and feature filter (PE) barriers, in order to prevent aerosol and liquid contamination. This helps protect against the risk of cross-contamination and reduces the pipette's maintenance requirements. The filter is made of polyethylene without "self-sealing" additives to avoid any interference with the sample and results.

SafetySpace™ Filter Tips are available in multiple volumes from 10 µl to 1200 µl and are packed in colour coded Single Tray racks. They are certified DNase, RNase and endotoxin-free and are e-beam pre-sterilised. Lot-specific purity certificates can be downloaded from www.biohit.com.

The SafetySpace™ Filter Tips are

Ideal for

- molecular biology
- microbiology
- cell culture applications
- radioactive work



Package Options



SafetySpace™ Filter Tips
Pre-sterilised
Single Tray racks

- 10 racks of 96 tips
- Pre-sterilised (e-beam) and DNase, RNase and endotoxin-free certified
- Informative rack labelling improves tip identification and traceability: volume, product number, lot number
- Racks, trays and tips are 100% recyclable.
- Air-tight plastic wrapping around the rack secures purity during transport and storage (the plastic wrapping is regular waste)
- Tip trays are colour coded to indicate the matching, colour coded Sartorius pipette
- Covers a large range of tip volumes from 10 µl to 1200 µl
- Trays and racks are fully autoclavable at 121 °C for 20 minutes



Optifit Tips
Single Tray racks

- 10 racks of 96 tips
- DNase, RNase and endotoxin-free certified
- Available as e-beam pre-sterilised or non-sterilised
- Informative rack labelling improves tip identification and traceability: volume, product number, lot number
- Racks, trays and tips are 100% recyclable.
- Air-tight plastic wrapping around the rack secures purity during transport and storage (the plastic wrapping is regular waste)
- Tip trays are colour coded to indicate the matching, colour coded Sartorius pipette
- Covers a large range of tip volumes from 10 µl to 5 ml
- Fully autoclavable at 121 °C for 20 minutes

Optifit Tips



Refill Towers

- Space-saving with 10x96 tips in one tower.
- Ecological with cardboard packaging, 100% recyclable
- Tip trays to be transferred to Single Tray racks before use
- Trays are colour coded to indicate the matching, colour coded Sartorius pipette
- Covers the most used tip sizes: 10 µl, 200 µl and 350 µl
- Trays and tips are fully autoclavable at 121 °C for 20 minutes

Single Refill Packs



Single Refill Packs
Pre-sterilised Optifit Tips

- 10, 15 or 20 trays of 96 tips depending on tip volume
- DNase, RNase, endotoxin-free certified
- Available as e-beam pre-sterilised or non-sterilised
- Individually packed air-tight tip trays for maximum purity with less packaging material compared to racked tips
- Trays to be transferred to Single Tray racks before use
- Container lid with informative tip identification markings including product and lot numbers
- Tip trays are colour coded to indicate the matching, colour coded Sartorius pipette
- Covers a large range of tip volumes from 10 µl to 1200 µl
- Trays and tips are fully autoclavable at 121 °C for 20 minutes
- Apart from the container lid, material is recyclable

Bulk in a Box



Bulk in a box

- Tips made to the Sartorius quality standard in economical packaging
- Packed in releasable bags in cardboard boxes (1000, 400, 250 or 100 pcs depending on tip volume)
- 100% recyclable
- Covers a large range of tip volumes from 10 µl to 10 ml
- Tips are fully autoclavable at 121 °C for 20 minutes

 Ordering Information

Optifit Tips

Volume Range	Length	Packaging	Purity Level RNase, DNase, endotoxin- free	Pre-steri- lised	Qty/Unit	Cat. No.
● 0.1-10 µl	31.5 mm	Single Tray Single Tray Refill Tower Refill Pack Bulk in Box	• • • • •	• • • • •	10×96 790011 10×96 20×96 1000	790010 790011 790012 790013 790014
● 0.1-10 µl	Extended 46 mm	Single Tray Single Tray	• •	• •	10×96 10×96	783210 783211
● 0.5-200 µl	51 mm	Single Tray Single Tray Refill Tower Refill Pack Bulk in Box	• • • • •	• • • • •	10×96 10×96 10×96 15×96 1000	790200 790201 790202 790203 790204
● 5-350 µl	54 mm	Single Tray Single Tray Refill Tower Refill Pack Bulk in Box	• • • • •	• • • • •	10×96 10×96 10×96 15×96 1000	790350 790351 790352 790353 790354
● 10-1000 µl	71.5 mm	Single Tray Single Tray Refill Pack Refill Pack Bulk in Box Bulk in Box	• • • • • •	• • • • • •	10×96 10×96 10×96 10×96 1000 400	791000 791001 791002 791003 791004 791005
● 10-1000 µl	Wide bore tip 68.5 mm	Single Tray Single Tray Bulk in Box	• • •	• • •	10×96 10×96 1000	791020 791021 791024
● 50-1200 µl	71.5 mm	Single Tray Single Tray Refill Pack Refill Pack Bulk in Box	• • • • •	• • • • •	10×96 10×96 10×96 10×96 1000	791200 791201 791202 791203 791204
● 50-1200 µl	Extended 90 mm	Single Tray Single Tray Refill Pack Refill Pack	• • • •	• • • •	10×96 10×96 10×96 10×96	791210 791211 791212 791213

Volume Range	Length	Packaging	Purity Level RNase, DNase, endotoxin- free	Pre-steri- lised	Qty/Unit	Cat. No.
● 100-5000 µl	150 mm	Single Tray Single Tray Bulk in Carton	• • •	• • •	50 50 100 1000	780304 780305 780300 780308
● 1-10 ml	155 mm	Bulk in Box			250	LH-780316
● 0.5-10 ml	242 mm	Bulk in Box			100	780310

DOMINIQUE DÜTSCHER SAS

SafetySpace™ Filter Tips

Volume Range	Length	Packaging	Purity Level RNase, DNase, endotoxin- free	Pre-sterilised	Qty/Unit	Cat. No.
0.1-10 µl	32 mm	Single Tray	•	•	10x96	790011F
0.5-20 µl	51 mm	Single Tray	•	•	10x96	790021F
2-120 µl	51 mm	Single Tray	•	•	10x96	790101F
5-200 µl	52.5 mm	Single Tray	•	•	10x96	790201F
5-300 µl	52.5 mm	Single Tray	•	•	10x96	790301F
50-1000 µl	78 mm	Single Tray	•	•	10x96	791001F
50-1200 µl	90 mm	Single Tray	•	•	10x96	791211F

For your guidance: the tips are illustrated in the actual size.
Filter tips are not recommended to be used simultaneously with Safe-Cone Filters

Filter Tips with Regular Air Gap


Volume Range	Length	Packaging	Purity Level RNase, DNase, endotoxin- free	Pre-sterilised	Qty/Unit	Cat. No.
0.1-10 µl	46 mm	Single Tray	•	•	10x96	783201
10-500 µl	78 mm	Single Tray	•	•	10x100	783206

Empty Tip Boxes for Refill System (Tips and Trays are Not Included)

Item	Tip Type (Non-filtered Tips)	Qty/Unit	Cat. No.
Empty Tip Box for Refill System	10, 200, 350 µl	10	790910
Empty Tip Box for Refill System	1000, 1200 µl	10	790920

Tip Compatibility Charts


Mechanical Pipettes



* Extended inaccuracy and imprecision with pre-sterilized 10 µl tips

** Filter tips with regular air gap

Mechanical Pipettes



* Extended inaccuracy and imprecision with pre-sterilized 10 µl tips

** Filter tips with regular air gap

Electronic Pipettes

	Cat. No.	µl	Optifit Tips, Non-filtered			SafetySpace™ Filter Tips		
			10 Ext	1000 WB	1200 Ext	10 Ext**	100	1200
Picus 1-channel	735021	0.2-10	•	•	•	•	•	•
	735041	5-120	•	•	•	•	•	•
	735061	10-300	•	•	•	•	•	•
	735081	50-1000	•	•	•	•	•	•
	735101	100-5000	•	•	•	•	•	•
735111	500-10000	•	•	•	•	•	•	
Picus 8-channel	735321	0.2-10	•	•	•	•	•	•
	735341	5-120	•	•	•	•	•	•
	735361	10-300	•	•	•	•	•	•
735391	50-1200	•	•	•	•	•	•	
Picus 12-channel	735421	0.2-10	•	•	•	•	•	•
	735441	5-120	•	•	•	•	•	•
	735461	10-300	•	•	•	•	•	•
735491	50-1200	•	•	•	•	•	•	
eLINE 1-channel	73001X	0.1-5	•	•	•	•	•	•
	73002X	0.2-10	•	•	•	•	•	•
	73004X	5-120	•	•	•	•	•	•
	73006X	10-300	•	•	•	•	•	•
73008X	50-1000	•	•	•	•	•	•	
73010X	100-5000	•	•	•	•	•	•	
eLINE 8-channel	73032X	0.2-10	•	•	•	•	•	•
	73034X	5-120	•	•	•	•	•	•
	73036X	10-300	•	•	•	•	•	•
	73039X	50-1200	•	•	•	•	•	•
eLINE 12-channel	73042X	0.2-10	•	•	•	•	•	•
	73044X	5-120	•	•	•	•	•	•
	73046X	10-300	•	•	•	•	•	•
	73049X	50-1200	•	•	•	•	•	•

* Extended inaccuracy and imprecision with pre-sterilized 10 µl tips

** Filter tips with regular air gap

