



according to Regulation (EC) No 1907/2006

LCK 311 Chlorid/Chloride/Chlorure, Sample cuvette, 1/2

Revision date: 17.01.2022 Product code: LCK311-1 Page 1 of 12

Creation date: 04.02.2005

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

LCK 311 Chlorid/Chloride/Chlorure, Sample cuvette, 1/2 UFI: FC05-XFJN-K806-9EWY

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Water analysis

1.3. Details of the supplier of the safety data sheet

Company name: HACH LANGE GmbH
Street: Willstätterstr. 11
Place: D-40549 Düsseldorf
Telephone: +49 (0)211 5288-383
e-mail: SDS@hach.com
Internet: www.de.hach.com
Responsible Department: HACH LANGE Ltd.

5, Pacific Way

Salford Manchester M50 1DL - United Kingdom Tel. +44 (0) 161 872 1487 * Fax +44 (0) 161 848 7324

e-Mail: info-uk@hach.com

HACH LANGE Ltd.

Unit 1, Chestnut Road Western Industrial Estate

IRL-Dublin 12

Tel. +353 (0)1 4602522 e-Mail: info-ie@hach.com

1.4. Emergency telephone Poison Control Center Mainz: Tel: +49 (0) 6131 19240 - 24 hour emergency

number: service -

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories:

Flammable liquid: Flam. Liq. 3 Acute toxicity: Acute Tox. 3 Acute toxicity: Acute Tox. 3 Acute toxicity: Acute Tox. 3

Skin corrosion/irritation: Skin Corr. 1

Serious eye damage/eye irritation: Eye Dam. 1

Specific target organ toxicity - single exposure: STOT SE 1 Hazardous to the aquatic environment: Aquatic Chronic 2

Hazard Statements:

Flammable liquid and vapour.

Toxic if swallowed.

Toxic in contact with skin.

Toxic if inhaled.

Causes severe skin burns and eye damage.

Causes serious eye damage. Causes damage to organs.

Toxic to aquatic life with long lasting effects.



Be Right[™]

Safety Data Sheet

HACH LANGE GmbH

according to Regulation (EC) No 1907/2006

LCK 311 Chlorid/Chloride/Chlorure, Sample cuvette, 1/2

Revision date: 17.01.2022 Product code: LCK311-1 Page 2 of 12

Creation date: 04.02.2005

2.2. Label elements

Regulation (EC) No. 1272/2008

Hazard components for labelling

methanol Nitric acid ... %

Mercury(II) thiocyanate

Signal word: Danger

Pictograms:











Hazard statements

H226 Flammable liquid and vapour.

H301+H3311 Toxic if swallowed, in contact with skin or if inhaled.
H314 Causes severe skin burns and eye damage.

H370 Causes damage to organs.

H411 Toxic to aquatic life with long lasting effects.

Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water

or shower

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P308+P311 IF exposed or concerned: Call a POISON CENTER/doctor.

P391 Collect spillage.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

Additional advice on labelling

The product is classified as dangerous in accordance with Regulation (EC) No. 1272/2008.

2.3. Other hazards

no data available

SECTION 3: Composition/information on ingredients

3.2. Mixtures



according to Regulation (EC) No 1907/2006

LCK 311 Chlorid/Chloride/Chlorure, Sample cuvette, 1/2

Revision date: 17.01.2022 Product code: LCK311-1 Page 3 of 12

Creation date: 04.02.2005

Hazardous components

CAS No	Chemical name			Quantity	
	EC No	Index No	REACH No		
	GHS Classification				
7732-18-5	Water			< 50 %	
	231-791-2				
67-56-1	methanol				
	200-659-6	603-001-00-X	01-2119433307-44		
	Flam. Liq. 2, Acute Tox. 3, Acute Tox. 3, Acute Tox. 3, STOT SE 1; H225 H331 H311 H301 H370				
7697-37-2	Nitric acid %				
	231-714-2	007-004-00-1	01-2119487297-23		
	Ox. Liq. 2, Skin Corr. 1A; H272 H3	14 EUH071			
592-85-8	Mercury(II) thiocyanate				
	209-773-0	080-002-00-6			
	Acute Tox. 1, Acute Tox. 2, Acute Tox. 2, STOT RE 2, Aquatic Acute 1, Aquatic Chronic 1; H310 H330 H300 H373 H400 H410				

Full text of H and EUH statements: see section 16.

Specific concentration limits and M-factors

CAS No	EC No	Chemical name	Quantity
	Specific conce	entration limits and M-factors	
67-56-1	200-659-6	methanol	40-50 %
	STOT SE 1; H	370: >= 10 - 100 STOT SE 2; H371: >= 3 - < 10	
7697-37-2	231-714-2	Nitric acid %	< 6 %
		72: >= 99 - 100 Ox. Liq. 3; H272: >= 65 - < 99 Skin Corr. 1A; H314: >= 20 - 100 H314: >= 5 - < 20	
592-85-8	209-773-0	Mercury(II) thiocyanate	<0,1 %
	STOT RE 2; H	373: >= 0,1 - 100 M akut; H400: M=100 M chron.; H410: M=100	

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Take off contaminated clothing and shoes immediately. Show this safety data sheet to the doctor in attendance.

After inhalation

Move to fresh air. Consult a physician.

After contact with skin

Wash off immediately with plenty of water for at least 15 minutes.

Take off all contaminated clothing immediately.

If skin irritation persists, call a physician.

After contact with eyes

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

After ingestion

Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Consult a physician.



Be Right"

Safety Data Sheet

HACH LANGE GmbH

according to Regulation (EC) No 1907/2006

LCK 311 Chlorid/Chloride/Chlorure, Sample cuvette, 1/2

Revision date: 17.01.2022 Product code: LCK311-1 Page 4 of 12

Creation date: 04.02.2005

4.2. Most important symptoms and effects, both acute and delayed

Irritation and corrosion, Cough, Shortness of breath, Spasm.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Water, Carbon dioxide (CO2), Foam, Dry powder

Unsuitable extinguishing media

No Limit

5.2. Special hazards arising from the substance or mixture

Fire may liberate hazardous vapours.

5.3. Advice for firefighters

In the event of fire, wear self-contained breathing apparatus. In order to avoid contact with skin, keep a safety distance and wear suitable protective clothing.

Additional information

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment.

Only qualified personnel equipped with suitable protective equipment may intervene. Immediately evacuate personnel to safe areas.

Do not breathe vapours, mist or gas.

6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system.

6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material and dispose of as hazardous waste.

6.4. Reference to other sections

13. Disposal considerations

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Use only in well-ventilated areas.

Avoid contact with skin and eyes.

Do not breathe vapours/dust.

Wash thoroughly after handling.

General industrial hygiene practice.

Advice on protection against fire and explosion

See also section 5

Further information on handling

Observe label precautions.

7.2. Conditions for safe storage, including any incompatibilities





according to Regulation (EC) No 1907/2006

LCK 311 Chlorid/Chloride/Chlorure, Sample cuvette, 1/2

Revision date: 17.01.2022 Product code: LCK311-1 Page 5 of 12

Creation date: 04.02.2005

Requirements for storage rooms and vessels

Keep tightly closed in a dry, cool and well-ventilated place. Keep locked up or in an area accessible only to qualified or authorised persons.

Hints on joint storage

None known.

Further information on storage conditions

Keep refrigerated.

Storage temperature: 2 - 8°C

7.3. Specific end use(s)

Reagent for analysis

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
67-56-1	Methanol	200	266		TWA (8 h)	WEL
		250	333		STEL (15 min)	WEL
7697-37-2	Nitric acid	1	2.6		STEL (15 min)	WEL

8.2. Exposure controls

Appropriate engineering controls

The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Protective and hygiene measures

Wash hands before breaks and at the end of workday.

Smoking, eating and drinking should be prohibited in the application area.

Eye/face protection

Safety glasses with side-shields

Hand protection

Use barrier skin cream.

Chemical resistant gloves made of butyl rubber or nitrile rubber category III according to EN 374. In full contact:

Gloves material: Viton, Layer thickness: 0.70 mm, Breakthrough time: >480 min. In splash contact: Glove material: nitrile rubber, Layer thickness 0,20 mm, Breakthrough time: > 30 min

Consult your supplier if the material is to be used for special applications such as in the food industry or for hygiene, medical or surgical end-use.

Skin protection

Avoid prolonged contact with eyes, skin and clothing. Wash contaminated clothing before re-use.

Respiratory protection

Breathing apparatus only if aerosol or dust is formed.

Environmental exposure controls

Do not flush into surface water or sanitary sewer system.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: liquid

Colour: beige, pale red-brown



Be Right™

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 311 Chlorid/Chloride/Chlorure, Sample cuvette, 1/2

Revision date: 17.01.2022 Product code: LCK311-1 Page 6 of 12

Creation date: 04.02.2005

Odour: odourless

pH-Value (at 20 °C): 0,5

Changes in the physical state

Melting point: not applicable

65 °C Initial boiling point and boiling range:

Sublimation point: not applicable Softening point: not applicable

no data available

Flash point: 24 °C

Flammability

Solid: no data available

no data available Gas:

Explosive properties

no data available

no data available Lower explosion limits: no data available Upper explosion limits:

no data available Ignition temperature:

Auto-ignition temperature

Solid: no data available Gas: no data available

no data available Decomposition temperature:

Oxidizing properties

no data available

Vapour pressure: 128 hPa

(at 20 °C)

Vapour pressure: no data available Density (at 20 °C): 0.92 a/cm3 Bulk density: no data available completely miscible

Water solubility:

(at 20 °C) Solubility in other solvents

no data available

Partition coefficient: no data available Viscosity / dynamic: no data available Viscosity / kinematic: no data available

Flow time: no data available

no data available Vapour density: no data available Evaporation rate: no data available Solvent separation test:

Solvent content: no data available

9.2. Other information

Solid content: no data available

no data available



according to Regulation (EC) No 1907/2006

LCK 311 Chlorid/Chloride/Chlorure, Sample cuvette, 1/2

Revision date: 17.01.2022 Product code: LCK311-1 Page 7 of 12

Creation date: 04.02.2005

SECTION 10: Stability and reactivity

10.1. Reactivity

Corrosive to metals

10.2. Chemical stability

Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

Hazardous polymerisation does not occur.

10.4. Conditions to avoid

Extremes of temperature and direct sunlight.

Decomposes on heating.

10.5. Incompatible materials

Oxidizing agents,

Alkali metals

10.6. Hazardous decomposition products

No dangerous reaction known under conditions of normal use.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicocinetics, metabolism and distribution

No toxicology information is available.

Acute toxicity

H301 + H311 + H331 - Toxic if swallowed, in contact with skin or if inhaled.

ATEmix calculated

ATE (oral) 224,3 mg/kg; ATE (dermal) 673,0 mg/kg; ATE (inhalation vapour) 6,73 mg/l; ATE (inhalation aerosol) 1,122 mg/l

CAS No	Chemical name	Chemical name					
	Exposure route	Dose		Species	Source	Method	
67-56-1	methanol						
	oral	ATE mg/kg	100				
	dermal	ATE mg/kg	300				
	inhalation vapour	ATE	3 mg/l				
	inhalation aerosol	ATE	0,5 mg/l				
592-85-8	Mercury(II) thiocyanate						
	oral	ATE	5 mg/kg				
	dermal	ATE	5 mg/kg				
	inhalation vapour	ATE	0,5 mg/l				
	inhalation aerosol	ATE	0,05 mg/l				

Irritation and corrosivity

Causes skin and eye burns.

Sensitising effects

No known effect.

Carcinogenic/mutagenic/toxic effects for reproduction



according to Regulation (EC) No 1907/2006

LCK 311 Chlorid/Chloride/Chlorure, Sample cuvette, 1/2

Revision date: 17.01.2022 Product code: LCK311-1 Page 8 of 12

Creation date: 04.02.2005

Contains no ingredient listed as a carcinogen

STOT-single exposure

The substance or mixture is classified as specific target organ toxicant, single exposure, category 1.

STOT-repeated exposure

The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Aspiration hazard

No aspiration toxicity classification

Specific effects in experiment on an animal

No toxicology information is available.

Further information

Other dangerous properties can not be excluded. Handle in accordance with good industrial hygiene and safety practice.

SECTION 12: Ecological information

12.1. Toxicity

May cause long-term adverse effects in the aquatic environment.

Do not flush into surface water or sanitary sewer system.

CAS No	Chemical name	Chemical name					
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method
67-56-1	methanol						
	Acute fish toxicity	LC50 mg/l	15400	96 h	Lepomis macrochirus (Bluegill sunfish)		
	Acute algae toxicity	ErC50 mg/l	22000		Pseudokirchneriella subcapitata (green algae)		
	Acute crustacea toxicity	EC50 mg/l	24500	48 h	Crustaceans		
7697-37-2	Nitric acid %						
	Acute fish toxicity	LC50	72 mg/l	96 h	Gambusia affinis	IUCLID	
592-85-8	Mercury(II) thiocyanate						
	Acute fish toxicity	LC50 mg/l	0,15	96 h	Pimephales promelas (fathead minnow)		
	Acute crustacea toxicity	EC50 mg/l	0,0052	48 h	Daphnia magna (Water flea)		

12.2. Persistence and degradability

No data is available on the product itself.

12.3. Bioaccumulative potential

No data is available on the product itself.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
67-56-1	methanol	-0,77
7697-37-2	Nitric acid %	-0,21

12.4. Mobility in soil

no data available

12.5. Results of PBT and vPvB assessment

no data available





according to Regulation (EC) No 1907/2006

LCK 311 Chlorid/Chloride/Chlorure, Sample cuvette, 1/2

Revision date: 17.01.2022 Product code: LCK311-1 Page 9 of 12

Creation date: 04.02.2005

12.6. Other adverse effects

No known effect.

Discharge into the environment must be avoided.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Our local agencies will accept used cuvettes to ensure their proper disposal.

List of Wastes Code - residues/unused products

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and

discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances,

including mixtures of laboratory chemicals; hazardous waste

List of Wastes Code - used product

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and

discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances,

including mixtures of laboratory chemicals; hazardous waste

List of Wastes Code - contaminated packaging

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and

discarded chemicals: laboratory chemicals, consisting of or containing hazardous substances.

including mixtures of laboratory chemicals; hazardous waste

Contaminated packaging

Dispose of as unused product.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number: UN 3316
14.2. UN proper shipping name: Chemical kit

14.3. Transport hazard class(es):914.4. Packing group:IIHazard label:9



Classification code: M11
Special Provisions: 251 340
Limited quantity: SP251
Excepted quantity: SP340
Transport category: 2
Hazard No: Tunnel restriction code: E

Inland waterways transport (ADN)

Other applicable information (inland waterways transport)

Not tested

Marine transport (IMDG)

14.1. UN number: UN 3316

14.2. UN proper shipping name: CHEMICAL KIT

14.3. Transport hazard class(es): 9

Revision No: 3,2 GB - EN Print date: 19.01.2022



according to Regulation (EC) No 1907/2006

LCK 311 Chlorid/Chloride/Chlorure, Sample cuvette, 1/2

Revision date: 17.01.2022 Product code: LCK311-1 Page 10 of 12

Creation date: 04.02.2005

14.4. Packing group: II
Hazard label: 9

Marine pollutant:

Special Provisions: 251, 340
Limited quantity: See SP251
Excepted quantity: SP340
EmS: F-A, S-P

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number: UN 3316

14.2. UN proper shipping name: CHEMICAL KIT

14.3. Transport hazard class(es):914.4. Packing group:IIHazard label:9



Special Provisions:

Limited quantity Passenger:

1 kg

Passenger LQ:

Y960

Excepted quantity:

E0

IATA-packing instructions - Passenger:960IATA-max. quantity - Passenger:10 kgIATA-packing instructions - Cargo:960IATA-max. quantity - Cargo:10 kg

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: Yes



Danger releasing substance: Mercury(II) thiocyanate

14.6. Special precautions for user

Use personal protective equipment.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not relevant

Other applicable information

This product forms part of a kit. Information in this section relates to the kit as a whole.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 69

National regulatory information





according to Regulation (EC) No 1907/2006

LCK 311 Chlorid/Chloride/Chlorure, Sample cuvette, 1/2

Revision date: 17.01.2022 Product code: LCK311-1 Page 11 of 12

Creation date: 04.02.2005

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or

nursing mothers.

Water hazard class (D): 2 - obviously hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

Revision: 17.01.2022

Safety datasheet sections which have been updated: 14

Revision: 18.02.2021

Safety datasheet sections which have been updated: 2, 7

Revision: 11.03.2020

Safety datasheet sections which have been updated: 2

Revision: 15.08.2019

Safety datasheet sections which have been updated: 11

Revision: 12.12.2018

Safety datasheet sections which have been updated: 2, 11, 15

Revision: 24.04.2018

Safety datasheet sections which have been updated: 2, 3, 8, 11, 13, 15, 16

Revision Date 09.03.2017

Safety datasheet sections which have been updated: 14

Revision: 30.03.2016

Safety datasheet sections which have been updated: 7

Revision: 17.05.2013

Safety datasheet sections which have been updated: 4-16

Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

	uood orandanon moniod doooramig to regulation (20) ito: i2: 2: 2000 [02: 1
Classification	Classification procedure
Flam. Liq. 3; H226	On basis of test data
Acute Tox. 3; H301	Calculation method
Acute Tox. 3; H311	Calculation method
Acute Tox. 3; H331	Calculation method
Skin Corr. 1; H314	On basis of test data
Eye Dam. 1; H318	On basis of test data
STOT SE 1; H370	Calculation method
Aquatic Chronic 2; H411	Calculation method

Relevant H and EUH statements (number and full text)

H225 Highly flammable liquid and vapour.
H226 Flammable liquid and vapour.
H272 May intensify fire; oxidiser.

H300 Fatal if swallowed. H301 Toxic if swallowed.

H301+H311+H331 Toxic if swallowed, in contact with skin or if inhaled.

H310 Fatal in contact with skin. H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.



according to Regulation (EC) No 1907/2006

I CK 244	Chlorid/Chloride/Chlorure	Sample curvette	1/2
LCN 311	Chioria/Chioriae/Chiorure	. Samble cuvelle.	1/2

Revision date: 17.01.2022 Product code: LCK311-1 Page 12 of 12

H330	Fatal if inhaled.
H331	Toxic if inhaled.
H370	Causes damage to organs.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
EUH071	Corrosive to the respiratory tract.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)





Be Right™

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 311 Chlorid/Chloride/Chlorure, Zero solution, 2/2

Revision date: 17.01.2022 Product code: LCK311-2 Page 1 of 12

Creation date: 08.02.2005

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

LCK 311 Chlorid/Chloride/Chlorure, Zero solution, 2/2
UFI: FC05-XFJN-K806-9EWY

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Water analysis

1.3. Details of the supplier of the safety data sheet

Company name: HACH LANGE GmbH
Street: Willstätterstr. 11
Place: D-40549 Düsseldorf
Telephone: +49 (0)211 5288-383
e-mail: SDS@hach.com
Internet: www.de.hach.com
Responsible Department: HACH LANGE Ltd.

5, Pacific Way

Salford Manchester M50 1DL - United Kingdom Tel. +44 (0) 161 872 1487 * Fax +44 (0) 161 848 7324

e-Mail: info-uk@hach.com

HACH LANGE Ltd.

Unit 1, Chestnut Road Western Industrial Estate

IRL-Dublin 12

Tel. +353 (0)1 4602522 e-Mail: info-ie@hach.com

1.4. Emergency telephone Poison Control Center Mainz: Tel: +49 (0) 6131 19240 - 24 hour emergency

number: service -

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories:

Flammable liquid: Flam. Liq. 3 Acute toxicity: Acute Tox. 3 Acute toxicity: Acute Tox. 3 Acute toxicity: Acute Tox. 3

Skin corrosion/irritation: Skin Corr. 1

Serious eye damage/eye irritation: Eye Dam. 1

Specific target organ toxicity - single exposure: STOT SE 1 Hazardous to the aquatic environment: Aquatic Chronic 2

Hazard Statements:

Flammable liquid and vapour.

Toxic if swallowed.

Toxic in contact with skin.

Toxic if inhaled.

Causes severe skin burns and eye damage.

Causes serious eye damage. Causes damage to organs.

Toxic to aquatic life with long lasting effects.



Be Right[™]

Safety Data Sheet

HACH LANGE GmbH

according to Regulation (EC) No 1907/2006

LCK 311 Chlorid/Chloride/Chlorure, Zero solution, 2/2

Revision date: 17.01.2022 Product code: LCK311-2 Page 2 of 12

Creation date: 08.02.2005

2.2. Label elements

Regulation (EC) No. 1272/2008

Hazard components for labelling

methanol Nitric acid ... %

Mercury(II) thiocyanate

Signal word: Danger

Pictograms:











Hazard statements

H226 Flammable liquid and vapour.

H301+H3311 Toxic if swallowed, in contact with skin or if inhaled.
H314 Causes severe skin burns and eye damage.

H370 Causes damage to organs.

H411 Toxic to aquatic life with long lasting effects.

Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water

or shower

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P308+P311 IF exposed or concerned: Call a POISON CENTER/doctor.

P391 Collect spillage.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

Additional advice on labelling

The product is classified as dangerous in accordance with Regulation (EC) No. 1272/2008.

2.3. Other hazards

no data available

SECTION 3: Composition/information on ingredients

3.2. Mixtures



according to Regulation (EC) No 1907/2006

LCK 311 Chlorid/Chloride/Chlorure, Zero solution, 2/2

Revision date: 17.01.2022 Product code: LCK311-2 Page 3 of 12

Creation date: 08.02.2005

Hazardous components

CAS No	Chemical name	Chemical name				
	EC No	Index No	REACH No			
	GHS Classification					
7732-18-5	Water			< 50 %		
	231-791-2					
67-56-1	methanol					
	200-659-6	603-001-00-X	01-2119433307-44			
	Flam. Liq. 2, Acute Tox. 3, Acute	Tox. 3, Acute Tox. 3, Acute Tox. 3, STOT SE 1; H225 H331 H311 H301 H370				
7697-37-2	Nitric acid %					
	231-714-2	007-004-00-1	01-2119487297-23			
	Ox. Liq. 2, Skin Corr. 1A; H272 H314 EUH071					
592-85-8	Mercury(II) thiocyanate					
	209-773-0	080-002-00-6				
	Acute Tox. 1, Acute Tox. 2, Acute Tox. 2, STOT RE 2, Aquatic Acute 1, Aquatic Chronic 1; H310 H330 H373 H400 H410					

Full text of H and EUH statements: see section 16.

Specific concentration limits and M-factors

CAS No	EC No	Chemical name	Quantity
	Specific conce	ntration limits and M-factors	
67-56-1	200-659-6	methanol	40-50 %
	STOT SE 1; H	370: >= 10 - 100 STOT SE 2; H371: >= 3 - < 10	
7697-37-2	231-714-2	Nitric acid %	< 6 %
		72: >= 99 - 100 Ox. Liq. 3; H272: >= 65 - < 99 Skin Corr. 1A; H314: >= 20 - 100 H314: >= 5 - < 20	
592-85-8	209-773-0	Mercury(II) thiocyanate	<0,1 %
	STOT RE 2; H	373: >= 0,1 - 100 M akut; H400: M=100 M chron.; H410: M=100	

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Take off contaminated clothing and shoes immediately. Show this safety data sheet to the doctor in attendance.

After inhalation

Move to fresh air. Consult a physician.

After contact with skin

Wash off immediately with plenty of water for at least 15 minutes.

Take off all contaminated clothing immediately.

If skin irritation persists, call a physician.

After contact with eyes

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

After ingestion

Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Consult a physician.





Be Right"

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 311 Chlorid/Chloride/Chlorure, Zero solution, 2/2

Revision date: 17.01.2022 Product code: LCK311-2 Page 4 of 12

Creation date: 08.02.2005

4.2. Most important symptoms and effects, both acute and delayed

Irritation and corrosion, Cough, Shortness of breath, Spasm.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Water, Carbon dioxide (CO2), Foam, Dry powder

Unsuitable extinguishing media

No Limit

5.2. Special hazards arising from the substance or mixture

Fire may liberate hazardous vapours.

5.3. Advice for firefighters

In the event of fire, wear self-contained breathing apparatus. In order to avoid contact with skin, keep a safety distance and wear suitable protective clothing.

Additional information

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment.

6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system.

6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material and dispose of as hazardous waste.

6.4. Reference to other sections

13. Disposal considerations

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Avoid contact with skin and eyes.

Do not breathe vapours/dust.

Wash thoroughly after handling.

General industrial hygiene practice.

Advice on protection against fire and explosion

See also section 5

Further information on handling

Observe label precautions.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep tightly closed in a dry, cool and well-ventilated place. Keep locked up or in an area accessible only to qualified or authorised persons.

Hints on joint storage

None known.





Be Right"

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 311 Chlorid/Chloride/Chlorure, Zero solution, 2/2

Revision date: 17.01.2022 Product code: LCK311-2 Page 5 of 12

Creation date: 08.02.2005

Further information on storage conditions

Keep refrigerated.

Storage temperature: 2-8 °C

7.3. Specific end use(s)

Reagent for analysis

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
67-56-1	Methanol	200	266		TWA (8 h)	WEL
		250	333		STEL (15 min)	WEL
7697-37-2	Nitric acid	1	2.6		STEL (15 min)	WEL

8.2. Exposure controls

Appropriate engineering controls

The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Protective and hygiene measures

Wash hands before breaks and at the end of workday.

Smoking, eating and drinking should be prohibited in the application area.

Eye/face protection

Safety glasses with side-shields

Hand protection

Use barrier skin cream.

Chemical resistant gloves made of butyl rubber or nitrile rubber category III according to EN 374. In full contact:

Gloves material: Viton, Layer thickness: 0.70 mm, Breakthrough time: >480 min. In splash contact: Glove

material: nitrile rubber, Layer thickness 0,20 mm, Breakthrough time: > 30 min

Consult your supplier if the material is to be used for special applications such as in the food industry or for hygiene, medical or surgical end-use.

Skin protection

Avoid prolonged contact with eyes, skin and clothing. Wash contaminated clothing before re-use.

Respiratory protection

Breathing apparatus only if aerosol or dust is formed.

Environmental exposure controls

Do not flush into surface water or sanitary sewer system.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: liquid

Colour: beige, pale red-brown

Odour: odourless

pH-Value (at 20 °C): < 1

Changes in the physical state

Melting point: not applicable
Initial boiling point and boiling range: 65 °C



Be Right™

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 311 Chlorid/Chloride/Chlorure, Zero solution, 2/2

Revision date: 17.01.2022 Product code: LCK311-2 Page 6 of 12

Creation date: 08.02.2005

Sublimation point:

Softening point:

Pour point:

not applicable

no data available

no data available

Flash point: 24 °C

Flammability

Solid: no data available
Gas: no data available

Explosive properties

no data available

Lower explosion limits:

Upper explosion limits:

Ignition temperature:

no data available

no data available

Auto-ignition temperature

Solid: no data available
Gas: no data available
Decomposition temperature: no data available

Oxidizing properties

no data available

Vapour pressure: 128 hPa

(at 20 °C)

Vapour pressure:

Density (at 20 °C):

Bulk density:

No data available

results of the properties of

Solubility in other solvents

no data available

Partition coefficient: no data available Viscosity / dynamic: no data available no data available Viscosity / kinematic: Flow time: no data available no data available Vapour density: no data available Evaporation rate: Solvent separation test: no data available Solvent content: no data available

9.2. Other information

Solid content: no data available

no data available

SECTION 10: Stability and reactivity

10.1. Reactivity

Corrosive to metals

10.2. Chemical stability



according to Regulation (EC) No 1907/2006

LCK 311 Chlorid/Chloride/Chlorure, Zero solution, 2/2

Revision date: 17.01.2022 Product code: LCK311-2 Page 7 of 12

Creation date: 08.02.2005

Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

Hazardous polymerisation does not occur.

10.4. Conditions to avoid

Extremes of temperature and direct sunlight.

Decomposes on heating.

10.5. Incompatible materials

Oxidizing agents,

Alkali metals

10.6. Hazardous decomposition products

No dangerous reaction known under conditions of normal use.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicocinetics, metabolism and distribution

No toxicology information is available.

Acute toxicity

H301 + H311 + H331 - Toxic if swallowed, in contact with skin or if inhaled.

ATEmix calculated

ATE (oral) 224,3 mg/kg; ATE (dermal) 673,0 mg/kg; ATE (inhalation vapour) 6,73 mg/l; ATE (inhalation aerosol) 1,122 mg/l

CAS No	Chemical name								
	Exposure route	Dose		Species	Source	Method			
67-56-1	methanol								
	oral	ATE mg/kg	100						
	dermal	ATE mg/kg	300						
	inhalation vapour	ATE	3 mg/l						
	inhalation aerosol	ATE	0,5 mg/l						
592-85-8	Mercury(II) thiocyanate								
	oral	ATE	5 mg/kg						
	dermal	ATE	5 mg/kg						
	inhalation vapour	ATE	0,5 mg/l						
	inhalation aerosol	ATE	0,05 mg/l						

Irritation and corrosivity

Causes skin and eye burns.

Sensitising effects

No known effect.

Carcinogenic/mutagenic/toxic effects for reproduction

Contains no ingredient listed as a carcinogen

STOT-single exposure

The substance or mixture is classified as specific target organ toxicant, single exposure, category 1.

STOT-repeated exposure

The substance or mixture is not classified as specific target organ toxicant, repeated exposure.



according to Regulation (EC) No 1907/2006

LCK 311 Chlorid/Chloride/Chlorure, Zero solution, 2/2

Revision date: 17.01.2022 Product code: LCK311-2 Page 8 of 12

Creation date: 08.02.2005

Aspiration hazard

No aspiration toxicity classification

Specific effects in experiment on an animal

No toxicology information is available.

Further information

Other dangerous properties can not be excluded. Handle in accordance with good industrial hygiene and safety practice.

SECTION 12: Ecological information

12.1. Toxicity

May cause long-term adverse effects in the aquatic environment.

Do not flush into surface water or sanitary sewer system

CAS No	Chemical name								
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method		
67-56-1	methanol								
	Acute fish toxicity	LC50 mg/l	15400	96 h	Lepomis macrochirus (Bluegill sunfish)				
	Acute algae toxicity	ErC50 mg/l	22000	96 h	Pseudokirchneriella subcapitata (green algae)				
	Acute crustacea toxicity	EC50 mg/l	24500	48 h	Crustaceans				
7697-37-2	Nitric acid %								
	Acute fish toxicity	LC50	72 mg/l	96 h	Gambusia affinis	IUCLID			
592-85-8	Mercury(II) thiocyanate								
	Acute fish toxicity	LC50 mg/l	0,15	96 h	Pimephales promelas (fathead minnow)				
	Acute crustacea toxicity	EC50 mg/l	0,0052	48 h	Daphnia magna (Water flea)				

12.2. Persistence and degradability

No data is available on the product itself.

12.3. Bioaccumulative potential

No data is available on the product itself.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
67-56-1	methanol	-0,77
7697-37-2	Nitric acid %	-0,21

12.4. Mobility in soil

no data available

12.5. Results of PBT and vPvB assessment

no data available

12.6. Other adverse effects

No known effect.

Discharge into the environment must be avoided.

SECTION 13: Disposal considerations

13.1. Waste treatment methods



according to Regulation (EC) No 1907/2006

LCK 311 Chlorid/Chloride/Chlorure, Zero solution, 2/2

Revision date: 17.01.2022 Product code: LCK311-2 Page 9 of 12

Creation date: 08.02.2005

Disposal recommendations

Our local agencies will accept used cuvettes to ensure their proper disposal.

List of Wastes Code - residues/unused products

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and

discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances,

including mixtures of laboratory chemicals; hazardous waste

List of Wastes Code - used product

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and

discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances,

including mixtures of laboratory chemicals; hazardous waste

List of Wastes Code - contaminated packaging

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and

discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances,

including mixtures of laboratory chemicals; hazardous waste

Contaminated packaging

Dispose of as unused product.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number:UN 331614.2. UN proper shipping name:Chemical kit

14.3. Transport hazard class(es):914.4. Packing group:IIHazard label:9



Classification code: M11
Special Provisions: 251 340
Limited quantity: SP251
Excepted quantity: SP340
Transport category: 2
Hazard No: Tunnel restriction code: E

Inland waterways transport (ADN)

Other applicable information (inland waterways transport)

Not tested

Marine transport (IMDG)

<u>14.1. UN number:</u> UN 3316

14.2. UN proper shipping name: CHEMICAL KIT

14.3. Transport hazard class(es):914.4. Packing group:IIHazard label:9



Marine pollutant:





Be Right[™]

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 311 Chlorid/Chloride/Chlorure, Zero solution, 2/2

Revision date: 17.01.2022 Product code: LCK311-2 Page 10 of 12

Creation date: 08.02.2005

Special Provisions: 251, 340
Limited quantity: See SP251
Excepted quantity: SP340
EmS: F-A, S-P

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number: UN 3316
14.2. UN proper shipping name: CHEMICAL KIT

14.3. Transport hazard class(es):914.4. Packing group:IIHazard label:9



Special Provisions: A44 A163
Limited quantity Passenger: 1 kg
Passenger LQ: Y960
Excepted quantity: E0

IATA-packing instructions - Passenger: 960
IATA-max. quantity - Passenger: 10 kg
IATA-packing instructions - Cargo: 960
IATA-max. quantity - Cargo: 10 kg

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: Yes



Danger releasing substance: Mercury(II) thiocyanate

14.6. Special precautions for user

Use personal protective equipment.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not relevant

Other applicable information

This product forms part of a kit. Information in this section relates to the kit as a whole.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 69

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or

nursing mothers.

Water hazard class (D): 2 - obviously hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.





according to Regulation (EC) No 1907/2006

LCK 311 Chlorid/Chloride/Chlorure, Zero solution, 2/2

Revision date: 17.01.2022 Product code: LCK311-2 Page 11 of 12

Creation date: 08.02.2005

SECTION 16: Other information

Changes

Revision: 17.01.2022

Safety datasheet sections which have been updated: 14

Revision: 18.02.2021

Safety datasheet sections which have been updated: 2, 7

Revision: 11.03.2020

Safety datasheet sections which have been updated: 2

Revision: 15.08.2019

Safety datasheet sections which have been updated: 11

Revision: 12.12.2018

Safety datasheet sections which have been updated: 2, 11, 15

Revision: 24.04.2018

Safety datasheet sections which have been updated: 2, 3, 8, 11, 13, 15, 16

Revision Date 09.03.2017

Safety datasheet sections which have been updated: 14

Safety datasheet sections which have been updated: 4-16 Revision: 17.05.2013

Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

endocurrent for mixtares and desa statutation motived describing to resignation (20) from 12122000 [e21]				
Classification	Classification procedure			
Flam. Liq. 3; H226	On basis of test data			
Acute Tox. 3; H301	Calculation method			
Acute Tox. 3; H311	Calculation method			
Acute Tox. 3; H331	Calculation method			
Skin Corr. 1; H314	On basis of test data			
Eye Dam. 1; H318	On basis of test data			
STOT SE 1; H370	Calculation method			
Aquatic Chronic 2; H411	Calculation method			

Relevant H and EUH statements (number and full text)

H225 Highly flammable liquid and vapour.
H226 Flammable liquid and vapour.
H272 May intensify fire; oxidiser.

H300 Fatal if swallowed.
H301 Toxic if swallowed.

H301+H311+H331 Toxic if swallowed, in contact with skin or if inhaled.

H310 Fatal in contact with skin.
H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

H330 Fatal if inhaled. H331 Toxic if inhaled.

H370 Causes damage to organs.

H373 May cause damage to organs through prolonged or repeated exposure.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.H411 Toxic to aquatic life with long lasting effects.

EUH071 Corrosive to the respiratory tract.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of





according to Regulation (EC) No 1907/2006

LCK 311 Chlorid/Chloride/Chlorure, Zero solution, 2/2

Revision date: 17.01.2022 Product code: LCK311-2 Page 12 of 12

Creation date: 08.02.2005

product properties and establishes no contract legal rights.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)