according to Regulation (EC) No 1907/2006

LCK 303 Ammonium, Sample cuvette; 1/2

Revision date: 17.09.2019

Product code: LCK303-1

Page 1 of 9

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

LCK 303 Ammonium, Sample cuvette; 1/2

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Water analysis

1.3. Details of the supplier of the safety data sheet

Company name: Street: Place:	HACH LANGE GmbH Willstätterstr. 11 D-40549 Düsseldorf
Telephone: e-mail: Internet: Responsible Department:	+49 (0)211 5288-383 SDS@hach.com www.de.hach.com HACH LANGE Ltd. 5, Pacific Way Salford Manchester M50 1DL - United Kingdom Tel. +44 (0) 161 872 1487 * Fax +44 (0) 161 848 7324 e-Mail: info-uk@hach.com
	HACH LANGE Ltd. Unit 1, Chestnut Road Western Industrial Estate IRL-Dublin 12 Tel. +353 (0)1 4602522 e-Mail: info-ie@hach.com
<u>1.4. Emergency telephone</u> number:	Poison Control Center Mainz: Tel: +49 (0) 6131 19240 - 24 hour emergency service -

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories: Skin corrosion/irritation: Skin Corr. 1 Serious eye damage/eye irritation: Eye Dam. 1 Hazard Statements: Causes severe skin burns and eye damage. Causes serious eye damage.

2.2. Label elements

Regulation (EC) No. 1272/2008

Hazard components for labelling Sodium salicylate

Signal word:

Pictograms:



Hazard statements H314

Causes severe skin burns and eye damage.

according to Regulation (EC) No 1907/2006

LCK 303 Ammonium, Sample cuvette; 1/2

Revision date: 17.09.2019

Product code: LCK303-1

Page 2 of 9

Precautionary statements

P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301+P330+P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water
	or shower.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.

Additional advice on labelling

The product is classified as dangerous in accordance with Regulation (EC) No. 1272/2008.

2.3. Other hazards

no data available

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name					
	EC No	Index No		REACH No		
	GHS Classification					
7732-18-5	Water				>95 %	
	231-791-2					
54-21-7	Sodium salicylate					
	200-198-0					
	Acute Tox. 4, Eye Irrit. 2; H302 H	1319				
1310-73-2	sodium hydroxide; caustic soda				<0,2 %	
	215-185-5	011-002-00-6				
	Skin Corr. 1A; H314					

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Take off all contaminated clothing immediately.

After inhalation

Move to fresh air.

After contact with skin

Wash off immediately with plenty of water.

After contact with eyes

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

After ingestion

Clean mouth with water and drink afterwards plenty of water. Consult a physician.

4.2. Most important symptoms and effects, both acute and delayed

Irritation and corrosion

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

according to Regulation (EC) No 1907/2006

LCK 303 Ammonium, Sample cuvette; 1/2

Revision date: 17.09.2019

Product code: LCK303-1

Page 3 of 9

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. The product itself does not burn.

Unsuitable extinguishing media

No Limit

5.2. Special hazards arising from the substance or mixture

Fire may liberate hazardous vapours.

5.3. Advice for firefighters

In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

Additional information

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment.

6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system.

6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material and dispose of as hazardous waste.

6.4. Reference to other sections

13. Disposal considerations

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Use only in well-ventilated areas. Avoid contact with skin and eyes.

Advice on protection against fire and explosion

See also section 5

Further information on handling

Observe label precautions.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep refrigerated. (2-8 °C)

Hints on joint storage

None known.

7.3. Specific end use(s)

Reagent for analysis

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

according to Regulation (EC) No 1907/2006

LCK 303 Ammonium, Sample cuvette; 1/2

Revision date: 17.09.2019

Product code: LCK303-1

Page 4 of 9

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
1310-73-2	Sodium hydroxide	-	2		STEL (15 min)	WEL

Additional advice on limit values

None known.

8.2. Exposure controls

Appropriate engineering controls

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

Protective and hygiene measures

Wash hands before breaks and after work.

General industrial hygiene practice.

Eye/face protection

Safety glasses with side-shields

Hand protection

Use barrier skin cream.

Chemical resistant gloves made of butyl rubber or nitrile rubber category III according to EN 374. In full contact: Gloves material: Viton, Layer thickness: 0.70 mm, Breakthrough time: >480 min. In splash contact: Glove material: nitrile rubber, Layer thickness 0,20 mm, Breakthrough time: > 30 min

Skin protection

Remove and wash contaminated clothing before re-use.

Respiratory protection

Breathing apparatus only if aerosol or dust is formed. Recommended Filter type: ABEK-filter

Environmental exposure controls

Do not flush into surface water or sanitary sewer system.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Colour:	liquid colourless	
Odour:	odourless	
pH-Value (at 20 °C):		12,5
Changes in the physical state		
Melting point:		no data available
Initial boiling point and boiling range:		100 °C
Sublimation point:		not applicable
Softening point:		not applicable
Pour point:		no data available
		no data available
Flash point:		not applicable
Flammability		
Solid:		no data available
Gas:		no data available
Explosive properties		
no data available		

according to Regulation (EC) No 1907/2006

	LCK 303 Ammonium, Sample cuvette; 1/2	
Revision date: 17.09.2019	Product code: LCK303-1	Page 5 of 9
Lower explosion limits:	not applicable	
Upper explosion limits:	not applicable	
Ignition temperature:	no data available	
Auto-ignition temperature Solid: Gas:	no data available no data available	
Decomposition temperature:	no data available	
Oxidizing properties no data available		
Vapour pressure:	no data available	
Vapour pressure:	no data available	
Density (at 20 °C):	1,02 g/cm ³	
Bulk density:	no data available	
Water solubility:	completely soluble	
Solubility in other solvents no data available		
Partition coefficient:	no data available	
Viscosity / dynamic:	no data available	
Viscosity / kinematic:	no data available	
Flow time:	no data available	
Vapour density:	no data available	
Evaporation rate:	no data available	
Solvent separation test:	no data available	
Solvent content:	no data available	
9.2. Other information		
Solid content:	no data available	
no data available		

SECTION 10: Stability and reactivity

10.1. Reactivity

No dangerous reaction known under conditions of normal use.

10.2. Chemical stability

Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

Hazardous polymerisation does not occur.

10.4. Conditions to avoid

Extremes of temperature and direct sunlight.

10.5. Incompatible materials

None known.

10.6. Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

according to Regulation (EC) No 1907/2006

LCK 303 Ammonium, Sample cuvette; 1/2

Revision date: 17.09.2019

Product code: LCK303-1

Page 6 of 9

Toxicocinetics, metabolism and distribution

No toxicology information is available.

Acute toxicity

No data is available on the product itself.

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	Method
54-21-7	Sodium salicylate					
		LD50 9 mg/kg	930	Ratte	RTECS	

Irritation and corrosivity

Causes skin and eye burns.

Sensitising effects

No known effect.

Carcinogenic/mutagenic/toxic effects for reproduction

Contains no ingredient listed as a carcinogen

STOT-single exposure

The substance or mixture is not classified as specific target organ toxicant, single exposure.

STOT-repeated exposure

The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Aspiration hazard

No aspiration toxicity classification

Specific effects in experiment on an animal

No data is available on the product itself.

Further information

Other dangerous properties can not be excluded. Handle in accordance with good industrial hygiene and safety practice.

SECTION 12: Ecological information

12.1. Toxicity

No data is available on the product itself.

Do not flush into surface water or sanitary sewer system.

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method
54-21-7	Sodium salicylate						
	Acute fish toxicity	LC50 mg/l	1760	96 h			
1310-73-2	sodium hydroxide; cau	stic soda					
	Acute fish toxicity	LC50 mg/l	45,4		Onchorhynchus mykiss		

12.2. Persistence and degradability

No data is available on the product itself.

12.3. Bioaccumulative potential

No data is available on the product itself.

12.4. Mobility in soil

no data available

12.5. Results of PBT and vPvB assessment

no data available

Page 7 of 9

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 303 Ammonium, Sample cuvette; 1/2

Revision date: 17.09.2019

Product code: LCK303-1

12.6. Other adverse effects

Discharge into the environment must be avoided.

Further information

no data available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Our local agencies will accept used cuvettes to ensure their proper disposal. In accordance with local and national regulations.

List of Wastes Code - residues/unused products

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

List of Wastes Code - used product

WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and 160506 discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

SECTION 14: Transport information

Land transport (ADR/RID)

<u>14.1. UN number:</u>	UN 3316
14.2. UN proper shipping name:	Chemical kit
14.3. Transport hazard class(es):	9
14.4. Packing group:	П
Hazard label:	9
Classification code:	M11
Special Provisions:	251 340
Limited quantity:	SP251
Excepted quantity:	SP340
Transport category:	2
Hazard No:	-
Tunnel restriction code:	E
Inland waterways transport (ADN)	
Other applicable information (inland wa Not tested	terways transport)
Marine transport (IMDG)	
<u>14.1. UN number:</u>	UN 3316
14.2. UN proper shipping name:	CHEMICAL KIT
14.3. Transport hazard class(es):	9
14.4. Packing group:	II
Hazard label:	9

according to Regulation (EC) No 1907/2006

	according to Regulation (EC) No 1907/2006	
L	CK 303 Ammonium, Sample cuvette; 1/2	
Revision date: 17.09.2019	Product code: LCK303-1	Page 8 of 9
	ę	
Marine pollutant:	-	
Special Provisions:	251, 340	
Limited quantity:	See SP251	
Excepted quantity:	SP340	
EmS:	F-A, S-P	
Air transport (ICAO-TI/IATA-DGR)		
<u>14.1. UN number:</u>	UN 3316	
14.2. UN proper shipping name:	CHEMICAL KIT	
14.3. Transport hazard class(es):	9	
14.4. Packing group:	II Contraction of the second sec	
Hazard label:	9	
	9	
Special Provisions:	A44 A163	
Limited quantity Passenger:	1 kg	
Passenger LQ:	Y960 E0	
Excepted quantity:	960	
IATA-packing instructions - Passenger: IATA-max. quantity - Passenger:	960 10 kg	
IATA-packing instructions - Cargo:	960	
IATA-max. quantity - Cargo:	10 kg	
14.5. Environmental hazards		
ENVIRONMENTALLY HAZARDOUS:	no	
14.6. Special precautions for user		
Use personal protective equipment.		
14.7. Transport in bulk according to Ann		
Not relevant		
Other applicable information		
These transport data apply to the en	ntire pack	
SECTION 15: Regulatory information		
15.1. Safety, health and environmental re	gulations/legislation specific for the substance or mixture	
National regulatory information		
Water contaminating class (D):	not water contaminating	
15.2. Chemical safety assessment		
	ubstances in this mixture were not corried out	
	ubstances in this mixture were not carried out.	
SECTION 16: Other information		
Changes		
Revision Date 17.09.2019		
Safety datasheet sections which ha	ve been updated: 2, 15, 16	
Revision Date 09.03.2017	ve been undeted: 14	

Safety datasheet sections which have been updated: 14

according to Regulation (EC) No 1907/2006

LCK 303 Ammonium, Sample cuvette; 1/2

Revision date: 17.09.2019

Product code: LCK303-1

Page 9 of 9

Revision: 17.03.2016 Safety datasheet sections which have been updated: 14 Revision: 2.09.2015 Safety datasheet sections which have been updated: 2, 4, 11 Revision: 26.01.2015 Safety datasheet sections which have been updated: 14 Revision: 26.08.2013

Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

Classification	Classification procedure
Skin Corr. 1; H314	On basis of test data
Eye Dam. 1; H318	On basis of test data

Relevant H and EUH statements (number and full text)

H302 Harmful if swallowed.

- H314 Causes severe skin burns and eye damage.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)

according to Regulation (EC) No 1907/2006

LCK 303 Ammonium, DosiCapZip; 2/2

Revision date: 17.09.2019

Product code: LCK303-2

Page 1 of 9

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

LCK 303 Ammonium, DosiCapZip; 2/2

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Water analysis

1.3. Details of the supplier of the safety data sheet

Company name: Street: Place:	HACH LANGE GmbH Willstätterstr. 11 D-40549 Düsseldorf
Telephone: e-mail: Internet: Responsible Department:	+49 (0)211 5288-383 SDS@hach.com www.de.hach.com HACH LANGE Ltd. 5, Pacific Way Salford Manchester M50 1DL - United Kingdom Tel. +44 (0) 161 872 1487 * Fax +44 (0) 161 848 7324 e-Mail: info-uk@hach.com
	HACH LANGE Ltd. Unit 1, Chestnut Road Western Industrial Estate IRL-Dublin 12 Tel. +353 (0)1 4602522 e-Mail: info-ie@hach.com
<u>1.4. Emergency telephone</u> number:	Poison Control Center Mainz: Tel: +49 (0) 6131 19240 - 24 hour emergency service -

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories: Acute toxicity: Acute Tox. 4 Serious eye damage/eye irritation: Eye Irrit. 2 Hazardous to the aquatic environment: Aquatic Chronic 2 Hazard Statements: Harmful if swallowed. Causes serious eye irritation. Toxic to aquatic life with long lasting effects.

2.2. Label elements

Regulation (EC) No. 1272/2008

Hazard components for labelling troclosene sodium, dihydrate

Sodium nitroprusside dihydrate

Signal word:

Pictograms:



according to Regulation (EC) No 1907/2006

LCK 303 Ammonium, DosiCapZip; 2/2

Revision date: 17.09.2019

Product code: LCK303-2

Page 2 of 9

Hazard statements

H302	Harmful if swallowed.
H319	Causes serious eye irritation.
H411	Toxic to aquatic life with long lasting effects.

Precautionary statements

Wear protective gloves/protective clothing/eye protection/face protection.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
present and easy to do. Continue rinsing.
If eye irritation persists: Get medical advice/attention.

Special labelling of certain mixtures

EUH031

Contact with acids liberates toxic gas.

Additional advice on labelling

The product is classified as dangerous in accordance with Regulation (EC) No. 1272/2008.

2.3. Other hazards

None known.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name				
	EC No	Index No	REACH No		
	GHS Classification		•		
69-65-8	D(-)-Mannitol			76 %	
	200-711-8				
13755-38-9	Sodium nitroprusside dil	12 %			
	238-373-9				
	Acute Tox. 3; H301		•		
51580-86-0	troclosene sodium, dihy	drate		12 %	
	220-767-7	613-030-01-7			
	Acute Tox. 4, Eye Irrit. 2 H410 EUH031	, STOT SE 3, Aquatic Acute 1, Aqua	tic Chronic 1; H302 H319 H335 H400		

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Take off all contaminated clothing immediately.

After inhalation

Move to fresh air.

After contact with skin

Wash off immediately with plenty of water.

After contact with eyes

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

After ingestion

Clean mouth with water and drink afterwards plenty of water. Consult a physician.

according to Regulation (EC) No 1907/2006

LCK 303 Ammonium, DosiCapZip; 2/2

Revision date: 17.09.2019

Product code: LCK303-2

Page 3 of 9

4.2. Most important symptoms and effects, both acute and delayed

Harmful if swallowed.

Contact with acids liberates toxic gas.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. The product itself does not burn.

5.2. Special hazards arising from the substance or mixture

Fire may liberate hazardous vapours.

5.3. Advice for firefighters

In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

Additional information

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment.

6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system.

6.3. Methods and material for containment and cleaning up

Use mechanical handling equipment.

6.4. Reference to other sections

13. Disposal considerations

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Use only in well-ventilated areas.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep refrigerated. (2-8 °C)

7.3. Specific end use(s)

Reagent for analysis

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Additional advice on limit values

None known.

8.2. Exposure controls

Appropriate engineering controls

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

according to Regulation (EC) No 1907/2006

LCK 303 Ammonium, DosiCapZip; 2/2

Revision date: 17.09.2019

Product code: LCK303-2

Page 4 of 9

Protective and hygiene measures

The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace. Wash hands before breaks and after work.

Eye/face protection

Safety glasses with side-shields

Hand protection

Use barrier skin cream.

Chemical resistant gloves made of butyl rubber or nitrile rubber category III according to EN 374. In full contact: Gloves material: Viton, Layer thickness: 0.70 mm, Breakthrough time: >480 min. In splash contact: Glove material: nitrile rubber, Layer thickness 0,20 mm, Breakthrough time: > 30 min

Skin protection

Avoid contact with skin, eyes and clothing.

Respiratory protection

Provide adequate ventilation.

Environmental exposure controls

Do not flush into surface water or sanitary sewer system.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Colour:	lyophilised cake beige	
Odour:	odourless	
pH-Value (at 20 °C):		7 (5 % solution)
Changes in the physical state		
Melting point:		no data available
Initial boiling point and boiling range:		not applicable
Sublimation point:		no data available
Softening point:		no data available
Pour point:		not applicable
:		no data available
Flash point:		not applicable
Flammability		
Solid:		no data available
Gas:		no data available
Explosive properties no data available		
Lower explosion limits:		not applicable
Upper explosion limits:		not applicable
Ignition temperature:		@N09.00602560 °C
Auto-ignition temperature		
Solid:		no data available
Gas:		no data available
Decomposition temperature:		no data available
Oxidizing properties not applicable		
Vapour pressure:		no data available

according to Regulation (EC) No 1907/2006

	LCK 303 Ammonium, DosiCapZip; 2/2	
Revision date: 17.09.2019	Product code: LCK303-2	Page 5 of 9
Vapour pressure:	no data available	
Density:	no data available	
Bulk density:	no data available	
Water solubility: (at 20 °C)	160 g/L	
Solubility in other solvents no data available		
Partition coefficient:	not applicable	
Viscosity / dynamic:	not applicable	
Viscosity / kinematic:	not applicable	
Flow time:	not applicable	
Vapour density:	not applicable	
Evaporation rate:	not applicable	
Solvent separation test:	not applicable	
Solvent content:	not applicable	
9.2. Other information		
Solid content:	not applicable	
no data available		

SECTION 10: Stability and reactivity

10.1. Reactivity

No dangerous reaction known under conditions of normal use.

10.2. Chemical stability

Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

Hazardous polymerisation does not occur.

10.4. Conditions to avoid

No dangerous reaction known under conditions of normal use.

10.5. Incompatible materials

May develop chlorine if mixed with acidic solutions.

10.6. Hazardous decomposition products

Carbon monoxide

May develop chlorine if mixed with acidic solutions.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

Harmful if swallowed.

according to Regulation (EC) No 1907/2006

LCK 303 Ammonium, DosiCapZip; 2/2

Revision date: 17.09.2019

Product code: LCK303-2

Page 6 of 9

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
69-65-8	D(-)-Mannitol				
	oral	LD50 135000 mg/kg	Ratte		
13755-38-9	Sodium nitroprusside dihydrate				
	oral	LD50 99 mg/kg	rat		
51580-86-0	troclosene sodium, dihyd	rate			
	oral	ATE 500 mg/kg			

Irritation and corrosivity

May cause eye irritation.

Sensitising effects

No known effect.

Carcinogenic/mutagenic/toxic effects for reproduction

Contains no ingredient listed as a carcinogen

STOT-single exposure

The substance or mixture is not classified as specific target organ toxicant, single exposure.

STOT-repeated exposure

The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Aspiration hazard

No aspiration toxicity classification

Specific effects in experiment on an animal

No toxicology information is available.

Additional information on tests

None known.

Practical experience

Observations relevant to classification

Harmful if swallowed.

Further information

Other dangerous properties can not be excluded. Handle in accordance with good industrial hygiene and safety practice.

SECTION 12: Ecological information

12.1. Toxicity

No data is available on the product itself.

Do not flush into surface water or sanitary sewer system.

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method
51580-86-0	troclosene sodium, dihydr	ate					
	Acute fish toxicity	LC50 mg/l	0,46	96 h			
	Acute crustacea toxicity	EC50 mg/l	0,17	48 h			

12.2. Persistence and degradability

No data is available on the product itself.

Page 7 of 9

Safety Data Sheet

according to Regulation (EC) No 1907/2006

LCK 303 Ammonium, DosiCapZip; 2/2

Revision date: 17.09.2019

Product code: LCK303-2

12.3. Bioaccumulative potential

No data is available on the product itself.

12.4. Mobility in soil

no data available

12.5. Results of PBT and vPvB assessment

no data available

12.6. Other adverse effects

Discharge into the environment must be avoided.

Further information

Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Our local agencies will accept used cuvettes to ensure their proper disposal. In accordance with local and national regulations.

List of Wastes Code - residues/unused products

160506	WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and
	discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances,
	including mixtures of laboratory chemicals; hazardous waste


List of Wastes Code - used product

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals; hazardous waste

SECTION 14: Transport information

Land transport (ADR/RID)	
<u>14.1. UN number:</u>	UN 3316
14.2. UN proper shipping name:	Chemical kit
14.3. Transport hazard class(es):	9
14.4. Packing group:	II
Hazard label:	9
Classification code:	M11
Special Provisions:	251 340
Limited quantity:	SP251
Excepted quantity:	SP340
Transport category:	2
Hazard No:	-
Tunnel restriction code:	E
Inland waterways transport (ADN)	
Other applicable information (inland v Not tested	vaterways transport)
Marine transport (IMDG)	
14.1. UN number:	UN 3316
14.2. UN proper shipping name:	CHEMICAL KIT

according to Regulation (EC) No 1907/2006



according to Regulation (EC) No 1907/2006

LCK 303 Ammonium, DosiCapZip; 2/2

Revision date: 17.09.2019

Product code: LCK303-2

Page 9 of 9

SECTION 16: Other information

Changes

Revision Date 17.09.2019 Safety datasheet sections which have been updated: 2, 8, 11, 15, 16 Revision Date 09.03.2017 Safety datasheet sections which have been updated: 14 Revision: 10.11.2016 This data sheet contains changes from the previous version in section(s): 12 Revision: 23.01.2015 This data sheet contains changes from the previous version in section(s): 14 Revision: 26.08.2013

Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

Classification	Classification procedure
Acute Tox. 4; H302	Calculation method
Eye Irrit. 2; H319	Calculation method
Aquatic Chronic 2; H411	Calculation method

Relevant H and EUH statements (number and full text)

H301	Toxic if swallowed.
H302	Harmful if swallowed.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
EUH031	Contact with acids liberates toxic gas.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)