according to Regulation (EC) No 1907/2006

LCK 329 Kupfer/Copper/Cuivre; 1/1

Revision date: 15.01.2018 Product code: LCK329 Page 1 of 8

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

LCK 329 Kupfer/Copper/Cuivre; 1/1

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Reagent for analysis

1.3. Details of the supplier of the safety data sheet

Company name: HACH LANGE GmbH
Street: Willstätterstr. 11
Place: D-40549 Düsseldorf
Telephone: +49 (0)211 5288-383
e-mail: SDS@hach.com
Internet: www.de.hach.com
Responsible Department: HACH LANGE Ltd.
5, Pacific Way

Salford Manchester M50 1DL - United Kingdom Tel. +44 (0) 161 872 1487 * Fax +44 (0) 161 848 7324

e-Mail: info-uk@hach.com

HACH LANGE Ltd.

Unit 1, Chestnut Road Western Industrial Estate

IRL-Dublin 12

Tel. +353 (0)1 4602522 e-Mail: info-ie@hach.com

1.4. Emergency telephone Poison Control Center Mainz: Tel: +49 (0) 6131 19240 - 24 hour emergency

number: service -

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

This mixture is not classified as hazardous in accordance with Regulation (EC) No. 1272/2008.

2.2. Label elements

Additional advice on labelling

The product is not classified as dangerous according to Regulation (EC) No. 1272/2008.

2.3. Other hazards

no data available

SECTION 3: Composition/information on ingredients

3.2. Mixtures

according to Regulation (EC) No 1907/2006

LCK 329 Kupfer/Copper/Cuivre; 1/1

Revision date: 15.01.2018 Product code: LCK329 Page 2 of 8

Hazardous components

CAS No	Chemical name					
	EC No	Index No	REACH No			
	GHS Classification		<u> </u>			
6132-04-3	tri-Sodium citrate dihydrate					
	200-675-3					
50-81-7	Ascorbic acid					
	200-066-2					
		-				
5949-29-1	Citric acid monohydrate					
	201-069-1					
	Skin Irrit. 2, Eye Irrit. 2; H315 H319					
52698-84-7	Bathocuproinedisulfonic acid disodium salt					
	258-111-7					

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Take off contaminated clothing and shoes immediately .

Show this safety data sheet to the doctor in attendance.

After inhalation

Move to fresh air.

If symptoms persist, call a physician.

After contact with skin

Wash off immediately with plenty of water for at least 15 minutes.

If skin irritation persists, call a physician.

After contact with eyes

Immediately flush eye(s) with plenty of water.

If eye irritation persists, consult a specialist.

After ingestion

Clean mouth with water and drink afterwards plenty of water.

4.2. Most important symptoms and effects, both acute and delayed

No known effect.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

The product itself does not burn.

Unsuitable extinguishing media

No Limit

according to Regulation (EC) No 1907/2006

LCK 329 Kupfer/Copper/Cuivre; 1/1

Revision date: 15.01.2018 Product code: LCK329 Page 3 of 8

5.2. Special hazards arising from the substance or mixture

Fire may liberate hazardous vapours.

5.3. Advice for firefighters

In order to avoid contact with skin, keep a safety distance and wear suitable protective clothing. In the case of respirable dust and/or fumes, use self-contained breathing apparatus and dust impervious protective suit.

Additional information

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment.

Only qualified personnel equipped with suitable protective equipment may intervene. Immediately evacuate personnel to safe areas.

For personal protection see section 8.

6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system.

6.3. Methods and material for containment and cleaning up

Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local/national regulations (see section 13).

6.4. Reference to other sections

13. Disposal considerations

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Avoid contact with skin and eyes.

Do not breathe vapours/dust.

Wash thoroughly after handling.

General industrial hygiene practice.

Advice on protection against fire and explosion

See also section 5

Further information on handling

Avoid contact with skin, eyes and clothing.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed in a dry and well-ventilated place.

Hints on joint storage

None known.

Further information on storage conditions

no data available

7.3. Specific end use(s)

Reagent for analysis

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

according to Regulation (EC) No 1907/2006

LCK 329 Kupfer/Copper/Cuivre; 1/1

Revision date: 15.01.2018 Product code: LCK329 Page 4 of 8

Additional advice on limit values

None known.

8.2. Exposure controls

Appropriate engineering controls

The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

Handle in accordance with good industrial hygiene and safety practice.

Protective and hygiene measures

Wash hands before breaks and after work.

General industrial hygiene practice.

Eye/face protection

Safety glasses with side-shields

Hand protection

Use barrier skin cream.

Chemical resistant gloves made of butyl rubber or nitrile rubber category III according to EN 374. In full contact: Gloves material: Viton, Layer thickness: 0.70 mm, Breakthrough time: >480 min. In splash contact: Glove material: nitrile rubber, Layer thickness 0,20 mm, Breakthrough time: > 30 min

Skin protection

Avoid contact with skin, eyes and clothing.

Respiratory protection

Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction.

Environmental exposure controls

Do not flush into surface water or sanitary sewer system.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: solid (lyophilised)

Colour: white Odour: odourless

pH-Value: no data available

Changes in the physical state

Melting point:

In data available
Initial boiling point and boiling range:

Sublimation point:

Softening point:

Pour point:

In data available

no data available

no data available

not applicable

In data available

no data available

no data available

no data available

no data available

Flammability

Solid: no data available
Gas: no data available

Explosive properties

no data available

Lower explosion limits: no data available

according to Regulation (EC) No 1907/2006

LCK 329 Kupfer/Copper/Cuivre;	1/1
-------------------------------	-----

Revision date: 15.01.2018 Product code: LCK329 Page 5 of 8

Upper explosion limits:

Ignition temperature:

no data available

no data available

Auto-ignition temperature

Solid: not applicable
Gas: not applicable
Decomposition temperature: no data available

Oxidizing properties

no data available

Vapour pressure:

Vapour pressure:

Density:

Bulk density:

Water solubility:

(at 20 °C)

no data available

no data available

not applicable

soluble

Solubility in other solvents

no data available

Partition coefficient: no data available Viscosity / dynamic: not applicable Viscosity / kinematic: not applicable Flow time: not applicable Vapour density: no data available Evaporation rate: no data available Solvent separation test: not applicable Solvent content: not applicable

9.2. Other information

Solid content: not applicable

no data available

SECTION 10: Stability and reactivity

10.1. Reactivity

No dangerous reaction known under conditions of normal use.

10.2. Chemical stability

The product is chemically stable.

10.3. Possibility of hazardous reactions

Hazardous polymerisation does not occur.

10.4. Conditions to avoid

Extremes of temperature and direct sunlight.

10.5. Incompatible materials

None known.

10.6. Hazardous decomposition products

No decomposition if stored and applied as directed.

Further information

Stable under recommended storage conditions.

SECTION 11: Toxicological information

according to Regulation (EC) No 1907/2006

LCK 329 Kupfer/Copper/Cuivre; 1/1

Revision date: 15.01.2018 Product code: LCK329 Page 6 of 8

11.1. Information on toxicological effects

Toxicocinetics, metabolism and distribution

No toxicology information is available.

Acute toxicity

No data is available on the product itself.

CAS No	Chemical name							
	Exposure route	Dose		Species	Source	Method		
6132-04-3	tri-Sodium citrate dihydrate							
	oral	LD50 >8 mg/kg	3000	rat				
50-81-7	Ascorbic acid							
	oral	LD50 11 mg/kg	1900	rat	RTECS			
5949-29-1	Citric acid monohydrate							
	oral	LD50 30 mg/kg	000	Ratte				

Irritation and corrosivity

No known effect.

Sensitising effects

No known effect.

Carcinogenic/mutagenic/toxic effects for reproduction

Contains no ingredient listed as a carcinogen

STOT-single exposure

The substance or mixture is not classified as specific target organ toxicant, single exposure.

STOT-repeated exposure

The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Aspiration hazard

No aspiration toxicity classification

Specific effects in experiment on an animal

No toxicology information is available.

Additional information on tests

None known.

Practical experience

Observations relevant to classification

None known.

Other observations

None known.

Further information

Other dangerous properties can not be excluded. Handle in accordance with good industrial hygiene and safety practice.

SECTION 12: Ecological information

12.1. Toxicity

No information on ecology is available. No data is available on the product itself.

according to Regulation (EC) No 1907/2006

LCK 329 Kupfer/Copper/Cuivre; 1/1

Revision date: 15.01.2018 Product code: LCK329 Page 7 of 8

CAS No	Chemical name							
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method	
6132-04-3	tri-Sodium citrate dihydrate							
	Acute crustacea toxicity	EC50	736 mg/l	48 h				
5949-29-1	Citric acid monohydrate	Citric acid monohydrate						
	Acute fish toxicity	LC50 mg/l	440-760	96 h				
	Acute crustacea toxicity	EC50	160 mg/l	48 h				

12.2. Persistence and degradability

No data is available on the product itself.

12.3. Bioaccumulative potential

no data available

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
5949-29-1	Citric acid monohydrate	-1,57

12.4. Mobility in soil

no data available

12.5. Results of PBT and vPvB assessment

no data available

12.6. Other adverse effects

No known effect.

Further information

No known effect.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

In accordance with local and national regulations.

Our local agencies will accept used cuvettes to ensure their proper disposal. (nur bei Küvettentest, nicht Hach und GE)

List of Wastes Code - residues/unused products

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and

discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances,

including mixtures of laboratory chemicals; hazardous waste

List of Wastes Code - used product

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and

discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances,

including mixtures of laboratory chemicals; hazardous waste

List of Wastes Code - contaminated packaging

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and

discarded chemicals; laboratory chemicals, consisting of or containing hazardous substances,

including mixtures of laboratory chemicals; hazardous waste

Contaminated packaging

Dispose of as unused product.

SECTION 14: Transport information

Land transport (ADR/RID)

according to Regulation (EC) No 1907/2006

LCK 329 Kupfer/Copper/Cuivre; 1/1

Revision date: 15.01.2018 Product code: LCK329 Page 8 of 8

Other applicable information (land transport)

Not subject to transport regulations.

Inland waterways transport (ADN)

Other applicable information (inland waterways transport)

Not tested

Marine transport (IMDG)

Other applicable information (marine transport)

Not subject to transport regulations.

Air transport (ICAO-TI/IATA-DGR)

Other applicable information (air transport)

Not subject to transport regulations.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

14.6. Special precautions for user

no data available

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Additional Information: This product may be shipped as part of a chemical kit composed of various compatible dangerous goods for analytical or testing purposes. This kit would have the following classification: Proper Shipping Name: Chemical Kit, Hazard Class: 9, UN Number3316, Package group II, EMS Code: F-A, S-P

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulatory information

Water contaminating class (D): 2 - clearly water contaminating

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

Revision: 15.01.2018

Safety datasheet sections which have been updated: 11

Revision: 05.04.2015

Safety datasheet sections which have been updated: 2

Revision: 16.07.2013

Relevant H and EUH statements (number and full text)

H315 Causes skin irritation.

H319 Causes serious eye irritation.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)