# Honeywell Fluka<sup>™</sup>

### Ammonium molybdate tetrahydrate

### 09880-500G

Version 2.0

Revision Date 15.04.2021

Supersedes 1

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

| 1.1. Product identifier   |   |              |
|---|---|--------------|
| Product name  | Ammonium molybdate tetrahydrate   |              |
| SDS-number  | 00000020218   |              |
| Type of product   | Substance   |              |
| Remarks   | Document according to Art. 32 of Regulation (EC)  | ) 1907/2006. |
| Chemical name   | hexa-Ammonium heptamolybdate-4-hydrate  |              |
| CAS-No.   | 12054-85-2  |              |
| REACH Registration<br>Number  | no data available   |              |
| 1.2. Relevant identified us   | of the substance or mixture and uses advised a  | gainst       |
| Use of the Substance/Mixture  | Laboratory chemicals  |              |
| Uses advised against  | none  |              |
| 1.3. Details of the supplie   | he safety data sheet  |              |
| Company   | Honeywell International Inc.Honeywell Intern115 Tabor Road115 Tabor Road07950-2546 Morris PlainsMorris Plains, NJUSAUSA |              |
| Telephone<br>For further information,<br>please contact:                | SafetyDataSheet@Honeywell.com   |              |
| 1.4. Emergency telephone  | nber  |              |
| Emergency telephone<br>number<br>Country based Poison<br>Control Center | +1-703-527-3887 (ChemTrec-Transport)<br>+1-303-389-1414 (Medical)<br>see chapter 15.1                                   |              |

## Honeywell Fluka

### Ammonium molybdate tetrahydrate

### 09880-500G

Version 2.0

Revision Date 15.04.2021

Supersedes 1

### **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture REGULATION (EC) No 1272/2008

Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.

### 2.2. Label elements

### REGULATION (EC) No 1272/2008

Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.

### 2.3. Other hazards

None known. Results of PBT and vPvB assessment, see chapter 12.5.

### **SECTION 3: Composition/information on ingredients**

### 3.1. Substance

| Chemical name                                 | CAS-No.<br>Index-No.<br>REACH Registration<br>Number<br>EC-No. | Classification 1272/2008 | Concentration | Remarks |
|---|--|--------------------------|---------------|---------|
| hexa-Ammonium<br>heptamolybdate-4-<br>hydrate | 12054-85-2<br>234-722-4  |                          | 100 %         | N.C.*   |

N.C.\* - Non-hazardous substance - for information only

### 3.2. Mixture

Not applicable

Occupational Exposure Limit(s), if available, are listed in Section 8. For the full text of the H-Statements mentioned in this Section, see Section 16.



### Ammonium molybdate tetrahydrate

### 09880-500G

Version 2.0

Revision Date 15.04.2021

Supersedes 1

### **SECTION 4: First aid measures**

### 4.1 Description of first aid measures

### General advice:

First aider needs to protect himself. Move out of dangerous area. Take off all contaminated clothing immediately.

Inhalation:

If inhaled, remove to fresh air. Call a physician if irritation develops or persists.

### Skin contact:

After contact with skin, wash immediately with plenty of water. Call a physician if irritation develops or persists.

Eye contact:

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Protect unharmed eye. Remove contact lenses. Call a physician immediately.

Ingestion:

Clean mouth with water and drink afterwards plenty of water. Call a physician immediately.

### 4.2. Most important symptoms and effects, both acute and delayed

No data available

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

See Section 11 for more detailed information on health effects and symptoms.

## Honeywell Fluka<sup>\*\*</sup>

### Ammonium molybdate tetrahydrate

### 09880-500G

Version 2.0

Revision Date 15.04.2021

Supersedes 1

### **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

Suitable extinguishing media: Water spray Foam Carbon dioxide (CO2) Dry powder

*Extinguishing media which shall not be used for safety reasons:* High volume water jet

### 5.2. Special hazards arising from the substance or mixture

In case of fire hazardous decomposition products may be produced such as: Ammonia Molybdenum oxide Nitrogen oxides (NOx)

### 5.3. Advice for firefighters

In the event of fire, wear self-contained breathing apparatus. No unprotected exposed skin areas. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.Do not use a solid water stream as it may scatter and spread fire.

#### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Keep people away from and upwind of spill/leak. Provide adequate ventilation. Avoid dust formation. Avoid contact with skin, eyes and clothing.

### 6.2. Environmental precautions

Prevent further leakage or spillage if safe to do so. Should not be released into the environment.

### 6.3. Methods and materials for containment and cleaning up

Use mechanical handling equipment. Pick for disposal in tightly closed containers

### 6.4. Reference to other sections

Page 4 / 16

## Honeywell Fluka

### Ammonium molybdate tetrahydrate

09880-500G

Version 2.0

Revision Date 15.04.2021

Supersedes 1

For personal protection see section 8.

### **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

Advice on safe handling: Wear personal protective equipment. Use with local exhaust ventilation. Avoid dust formation.

Advice on protection against fire and explosion: Normal measures for preventive fire protection.

*Hygiene measures:* General industrial hygiene practice.

#### 7.2. Conditions for safe storage, including any incompatibilities

Advice on common storage: Do not store together with: Strong oxidizing agents Nitrites

### 7.3. Specific end use(s)

no additional data available

### **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

#### Occupational exposure limits:

| Components                                 | Basis /<br>Value type | Value /<br>Form of exposure | Exceeding<br>Factor | Remarks |
|--|-----------------------|-----------------------------|---------------------|---------|
| hexa-Ammonium heptamolybdate-4-<br>hydrate | EH40 WEL<br>TWA       | 5 mg/m3                     |                     |         |
| ,  |                       | as Mo                       |                     |         |
| hexa-Ammonium heptamolybdate-4-<br>hydrate | EH40 WEL<br>STEL      | 10 mg/m3                    |                     |         |
|  |                       | as Mo                       |                     |         |
| hexa-Ammonium heptamolybdate-4-<br>hydrate | EH40 WEL<br>STEL      | 10 mg/m3                    | 15 minutes          |         |
|  |                       | as Mo                       |                     |         |

TWA - Time weighted average

# Honeywell Fluka

### Ammonium molybdate tetrahydrate

09880-500G

Version 2.0

Revision Date 15.04.2021

Supersedes 1

STEL - Short term exposure limit

### **DNEL/ PNEC-Values**

| Component                                 | End-<br>use/impact                              | Exposure duration | Value             | Exposure routes | Remarks |
|---|---|-------------------|-------------------|-----------------|---------|
| hexa-Ammonium<br>heptamolybdate-4-hydrate | Workers /<br>Long-term<br>systemic<br>effects   |                   | 19,36<br>mg/m3    | Inhalation      |         |
| hexa-Ammonium<br>heptamolybdate-4-hydrate | Consumers /<br>Long-term<br>systemic<br>effects |                   | 5,77 mg/m3        | Inhalation      |         |
| hexa-Ammonium<br>heptamolybdate-4-hydrate | Consumers /<br>Long-term<br>systemic<br>effects |                   | 5,89mg/kg<br>bw/d | Ingestion       |         |

| Component                                  | Environmental compartment /<br>Value | Remarks                  |
|--|--------------------------------------|--------------------------|
| hexa-Ammonium heptamolybdate-4-<br>hydrate | Fresh water: 22,01 mg/l              |                          |
| hexa-Ammonium heptamolybdate-4-<br>hydrate | Marine water: 3,94 mg/l              |                          |
| hexa-Ammonium heptamolybdate-4-<br>hydrate | Sewage treatment plant: 37,61 mg/l   | Assessment factor:<br>10 |
| hexa-Ammonium heptamolybdate-4-<br>hydrate | Fresh water sediment: 39170 mg/kg dw |                          |
| hexa-Ammonium heptamolybdate-4-<br>hydrate | Marine sediment: 4090 mg/kg dw       |                          |
| hexa-Ammonium heptamolybdate-4-<br>hydrate | Soil: 16,46 mg/kg dw                 |                          |

## Honeywell Fluka

### Ammonium molybdate tetrahydrate

### 09880-500G

Version 2.0

Revision Date 15.04.2021

Supersedes 1

### 8.2. Exposure controls

### **Occupational exposure controls**

The Personal Protective Equipment must be in accordance with EN standards:respirator EN 136, 140, 149; safety glasses EN 166; protective suit: EN 340, 463, 468, 943-1, 943-2; gloves EN 374, 511; safety shoes EN-ISO 20345. Ensure that evewash stations and safety showers are close to the workstation location.

Ensure that eyewash stations and safety showers are close to the workstation location. Avoid contact with skin, eyes and clothing.

### Personal protective equipment

Respiratory protection: In the case of dust or aerosol formation use respirator with an approved filter. Recommended Filter type: Half mask with a particle filter P2 (EN 143)

Hand protection: Glove material: Natural Latex Break through time: > 480 min Glove thickness: 0,6 mm Lapren®706 Gloves must be inspected prior to use. Replace when worn. Remarks:Supplementary note: The specifications are based on information and tests from similar substances by analogy. Due to varying conditions (e.g.temperature or other strains) it must be considered that the usage of a chemical protective glove in practice may be much shorter than the permeation time determined in accordance with EN 374. Since actual conditions of practical use often deviate from standardised conditions according EN 374 the glove manufacturer reccomends to use the chemical protective glove in practice not longer than 50% of the recomended permeation time. Manufacturer's directions for use should be observed because of great diversity of types . Suitable gloves tested according EN 374 are supplied e.g. from KCL GmbH, D-36124 Eichenzell,

Eye protection: Safety glasses with side-shields

*Skin and body protection:* Protective suit

Vertrieb@kcl.de

## Honeywell Fluka

### Ammonium molybdate tetrahydrate

### 09880-500G

Version 2.0

Revision Date 15.04.2021

Supersedes 1

### **Environmental exposure controls**

Handle in accordance with local environmental regulations and good industrial practices.

### **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

| Physical state                             | : | solid                         |
|--|---|-------------------------------|
| Colour                                     | : | white                         |
| Odour                                      | : | odourless                     |
|  | : | No data available             |
| Flammability                               | : | The product is not flammable. |
| Upper explosion limit                      | : | Not applicable                |
| Lower explosion limit                      | : | Not applicable                |
| Flash point                                | : | Not applicable                |
| Auto-ignition temperature                  | : | No data available             |
| Decomposition temperature                  | : | 190 °C                        |
| рН   | : | 5,35<br>Saturated solution    |
| Viscosity, kinematic                       | : | No data available             |
| Water solubility                           | : | soluble                       |
| Partition coefficient: n-<br>octanol/water | : | No data available             |
| Vapour pressure                            | : | No data available             |
| Bulk density                               | : | ca. 1.400 kg/m3               |
| Relative vapour density                    | : | No data available             |

Page 8 / 16



### Ammonium molybdate tetrahydrate

### 09880-500G

Version 2.0

Revision Date 15.04.2021

Supersedes 1

### 9.2 Other Information

Evaporation rate : No data available

Viscosity, dynamic : No data available

### **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

Stable under normal conditions.

### 10.2. Chemical stability

190 °C Decomposition temperature Loss of water of crystallization on heating.

### 10.3. Possibility of hazardous reactions

None known.

### 10.4. Conditions to avoid

Temperatures greater than recommended storage temperature.

### 10.5. Incompatible materials

Nitrites Chlorates

### 10.6. Hazardous decomposition products

No decomposition if stored and applied as directed.

### **SECTION 11: Toxicological information**

### 11.1. Information on toxicological effects

Acute oral toxicity: LD50 Species: Rat Value: 4.233 mg/kg

Page 9 / 16



### Ammonium molybdate tetrahydrate

09880-500G

Version 2.0

Revision Date 15.04.2021

Supersedes 1

Method: OECD Test Guideline 401 Test substance: REACH dossier "read-across"

Acute dermal toxicity: LD50 Species: Rat Value: > 2.000 mg/kg Method: OECD Test Guideline 402 Test substance: REACH dossier "read-across"

Acute inhalation toxicity: LC50 Species: Rat Value: > 5,84 mg/l Exposure time: 4 h Method: OECD Test Guideline 403 Test substance: REACH dossier "read-across"

Skin irritation: Species: Rabbit Classification: non-irritant Method: OECD Test Guideline 404 Test substance: REACH dossier "read-across"

*Eye irritation:* Species: rabbit eye Classification: non-irritant Method: OECD Test Guideline 405 Test substance: REACH dossier "read-across"

Respiratory or skin sensitisation: Maximisation Test Route of exposure: Dermal Species: Guinea pig Classification: non-sensitizing Method: OECD Test Guideline 406 Test substance: REACH dossier "read-across"

Germ cell mutagenicity: Test Method: In vitro gene mutation study in mammalian cells Cell type: Mouse lymphoma cells Metabolic activation: with and without metabolic activation Result: negative Method: OECD Test Guideline 476 Test substance: REACH dossier "read-across"

Page 10 / 16



### Ammonium molybdate tetrahydrate

### 09880-500G

Version 2.0

### Revision Date 15.04.2021

Supersedes 1

Test Method: Ames test Metabolic activation: with and without metabolic activation Result: negative Method: OECD Test Guideline 471 Test substance: REACH dossier "read-across"

Test Method: Micronucleus test Cell type: Human lymphocytes Metabolic activation: with and without metabolic activation Result: negative Test substance: REACH dossier "read-across"

Reproductive toxicity: Method: OECD Test Guideline 414 Species: Rat Route of Application: Oral General Toxicity Maternal: NOAEL: > 40 mg/kg bw/d Developmental Toxicity: NOAEL: > 40 mg/kg bw/d Remarks: REACH dossier "read-across" Aspiration hazard:

No data available

### 11.2. Information on other hazards

Endocrine disrupting properties No data available

Other information: No data available

### **SECTION 12: Ecological information**

### 12.1. Toxicity

Toxicity to fish: LC50 semi-static test Species: Oncorhynchus mykiss (rainbow trout) Value: 420 mg/l Exposure time: 96 h Method: OECD Test Guideline 203 Test substance: REACH dossier "read-across"

Toxicity to aquatic plants:

Page 11 / 16



### Ammonium molybdate tetrahydrate

09880-500G

Version 2.0

Revision Date 15.04.2021

Supersedes 1

No data available

Toxicity to Microorganisms: EC50 Respiration inhibition Species: activated sludge Value: 820 mg/l Exposure time: 3 h Method: OECD 209 Test substance: REACH dossier "read-across"

Toxicity to aquatic invertebrates: EC50 static test Species: Daphnia magna (Water flea) Value: 79 mg/l Exposure time: 48 h Method: OECD Test Guideline 202 Test substance: REACH dossier "read-across"

### 12.2. Persistence and degradability

*Biodegradability*: The methods for determining biodegradability are not applicable to inorganic substances.

### 12.3. Bioaccumulative potential

Bioaccumulation is unlikely.

### 12.4. Mobility in soil

No data available

### 12.5. Results of PBT and vPvB assessment

No data available

### 12.6. Endocrine disrupting properties

No data available

### 12.7. Other adverse effects

No data available

Page 12 / 16

## Honeywell Fluka

### Ammonium molybdate tetrahydrate

### 09880-500G

Version 2.0

Revision Date 15.04.2021

Supersedes 1

### **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

*Product:* Dispose according to legal requirements.

Packaging: Legal requirements are to be considered in regard of reuse or disposal of used packaging materials

*Further information:* Provisions relating to waste: EC Directive 2006/12/EC; 2008/98/EEC Regulation No. 1013/2006

For personal protection see section 8.

### **SECTION 14: Transport information**

**14.1 UN number** ADR/RID:Not dangerous goods IMDG:Not dangerous goods

IATA:Not dangerous goods

**14.2 UN proper shipping name** ADR/RID:Not dangerous goods IMDG:Not dangerous goods IATA:Not dangerous goods

### 14.3 Transport hazard class(es)

### 14.4 Packaging group

## **14.5 Environmental hazards** ADR/RID:no

Marine pollutant: no

**14.6 Special precautions for user** No data available

#### **14.7 Maritime transport in bulk according to IMO instruments** No data available

### **SECTION 15: Regulatory information**

## 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Page 13 / 16



### Ammonium molybdate tetrahydrate

09880-500G

Version 2.0

Revision Date 15.04.2021

Supersedes 1

| Basis  | Value | Remarks   |
|--|-------|---|
| Directive 2012/18/EC<br>SEVESO III           |       | Not applicable  |
| Substances of very high concern (SVHC)       |       | This product does not contain<br>substances of very high concern<br>according to Regulation (EC) No<br>Article 57 above the respective<br>regulatory 1907/2006 (REACH),<br>concentration limit of $\geq$ 0.1 % (w/w). |
| Regulation (EC) No. 1907/2006, Annex<br>XVII |       | This product contains an ingredient according to Annex XVII of the REACH Regulation1907/2006/EC.  |

### **Poison Control Center**

| Country        | Phone Number                 |
|----------------|------------------------------|
| Austria        | +4314064343                  |
| Belgium        | 070 245245                   |
| Bulgaria       | (+)35929154233               |
| Croatia        | (+3851)23-48-342             |
| Cyprus         | +357 2240 5611               |
| Czech Republic | +420224919293; +420224915402 |
| Denmark        | 82121212                     |
| Estonia        | 16662; (+372)6269390         |
| Finland        | 9471977                      |
| France         | +33(0)145425959              |
| Greece         | +30 210 779 3777             |
| Hungary        | (+36-80)201-199              |
| Iceland        | 5432222                      |
| Ireland        | +353(1)8092166               |
| Italy          | 0382 24444                   |
| Germany        | Berlin : 030/19240           |

| Country         | Phone Number                                |
|-----------------|---|
| Liechtenstein   | +41 442515151                               |
| Lithuania       | +370532362052                               |
| Luxembourg      | 070245245; (+352)80002-5500                 |
| Malta           | +356 2395 2000                              |
| Netherlands     | 030-2748888                                 |
| Norway          | 22591300                                    |
| Poland          | +48 42 25 38 400                            |
| Portugal        | 808250250                                   |
| Romania         | +40 21 318 3606                             |
| Slovakia (NTIC) | +421 2 54 774 166                           |
| Slovenia        | +386 1 400 6051                             |
| Spain           | +34915620420                                |
| Sweden          | 112 (begär<br>Giftinformation);+46104566786 |
| Switzerland     | 145   |
| United Kingdom  | (+44) 844 892 0111                          |

Page 14 / 16



### Ammonium molybdate tetrahydrate

### 09880-500G

Version 2.0

### Revision Date 15.04.2021

Supersedes 1

|        | Bonn : 0228/19240      |  |
|--------|------------------------|--|
|        | Erfurt : 0361/730730   |  |
|        | Freiburg : 0761/19240  |  |
|        | Göttingen : 0551/19240 |  |
|        | Homburg : 06841/19240  |  |
|        | Mainz : 06131/19240    |  |
|        | Munich : 089/19240     |  |
| Latvia | +37167042473           |  |

### Other inventory information

US. Toxic Substances Control Act On TSCA Inventory

Australia. Industrial Chemical (Notification and Assessment) Act On the inventory, or in compliance with the inventory

Canada. Canadian Environmental Protection Act (CEPA). Domestic Substances List (DSL) All components of this product are on the Canadian DSL

Japan. Kashin-Hou Law List On the inventory, or in compliance with the inventory

Korea. Existing Chemicals Inventory (KECI) On the inventory, or in compliance with the inventory

Philippines. Inventory of Chemicals and Chemical Substances (PICCS) On the inventory, or in compliance with the inventory

China. Inventory of Existing Chemical Substances (IECSC) On the inventory, or in compliance with the inventory

New Zealand. Inventory of Chemicals (NZIoC), as published by ERMA New Zealand On the inventory, or in compliance with the inventory

### 15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

Page 15 / 16



### Ammonium molybdate tetrahydrate

09880-500G

Version 2.0

Revision Date 15.04.2021

Supersedes 1

### **SECTION 16: Other information**

### **Further information**

All directives and regulations refer to amended versions. Vertical lines in the left hand margin indicate a relevant amendment from the previous version.

Abbreviations:

EC European Community CAS Chemical Abstracts Service DNEL Derived no effect level PNEC Predicted no effect level vPvB Very persistent and very biaccumulative substance PBT Persistent, bioaccmulative und toxic substance

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. Final determination of suitability of any material is the sole responsibility of the user.

This information should not constitute a guarantee for any specific product properties.

Page 16 / 16