

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 19.11.2018

Version number 2

Revision: 31.08.2018

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· **1.1 Product identifier**

· **Trade name:** Acrylamide/Bis Solution, 29:1



· **Article number:** 10687

· **1.2 Relevant identified uses of the substance or mixture and uses advised against**

No further relevant information available.

· **Application of the substance / the mixture** Laboratory chemicals

· **1.3 Details of the supplier of the safety data sheet**

· **Manufacturer/Supplier:**

SERVA Electrophoresis GmbH

Carl-Benz-Str. 7

D-69115 Heidelberg

Tel.: +49 6221 13840-0

FAX: +49 6221 13840-10

msds.info@serva.de

· **Information department:** Product Safety department Tel.: +49 6221 13840-35

· **1.4 Emergency telephone number:**

Medical Emergency Information in case of poisoning:

Poison Information Center Mainz - Phone: +49 (0) 6131 19240

(advisory service in German or English language)

SECTION 2: Hazards identification

· **2.1 Classification of the substance or mixture**

· **Classification according to Regulation (EC) No 1272/2008**



GHS08

Muta. 1B H340 May cause genetic defects.

Carc. 1B H350 May cause cancer.

Repr. 2 H361f Suspected of damaging fertility.

STOT RE 1 H372 Causes damage to organs through prolonged or repeated exposure.



GHS07

Acute Tox. 4 H302 Harmful if swallowed.

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

· **2.2 Label elements**

· **Labelling according to Regulation (EC) No 1272/2008**

The product is classified and labelled according to the CLP regulation.

· **Hazard pictograms** GHS07, GHS08

· **Signal word** Danger

· **Hazard-determining components of labelling:**

acrylamide

N,N'-methylenediacrylamide

· **Hazard statements**

H302 Harmful if swallowed.

H315 Causes skin irritation.

(Contd. on page 2)

GB

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 19.11.2018

Version number 2

Revision: 31.08.2018

Trade name: Acrylamide/Bis Solution, 29:1

(Contd. of page 1)

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

H340 May cause genetic defects.

H350 May cause cancer.

H361f Suspected of damaging fertility.

H372 Causes damage to organs through prolonged or repeated exposure.

- **Precautionary statements**

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P321 Specific treatment (see on this label).

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P330 Rinse mouth.

P362+P364 Take off contaminated clothing and wash it before reuse.

- **Labelling of packages where the contents do not exceed 125 ml**

- **Hazard pictograms** GHS07, GHS08

- **Signal word** Danger

- **Hazard-determining components of labelling:**

acrylamide

N,N'-methylenediacrylamide

- **Hazard statements**

H317 May cause an allergic skin reaction.

H340 May cause genetic defects.

H350 May cause cancer.

H361 Suspected of damaging fertility or the unborn child.

H372 Causes damage to organs through prolonged or repeated exposure.

- **Precautionary statements**

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

- **2.3 Other hazards**

- **Results of PBT and vPvB assessment**

- **PBT:** PBT - assessment not available.

- **vPvB:** vPvB - assessment not available.

SECTION 3: Composition/information on ingredients

- **3.2 Chemical characterisation: Mixtures**

- **Description:** Mixture of the substances listed below with harmless additions.

- **Dangerous components:**

CAS: 79-06-1 EINECS: 201-173-7 Reg.nr.: 01-2119463260-48	acrylamide ☠ Acute Tox. 3, H301; ☠ Muta. 1B, H340; ☠ Carc. 1B, H350; Repr. 2, H361f; STOT RE 1, H372; ☠ Acute Tox. 4, H312; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317	20-40%
CAS: 110-26-9 EINECS: 203-750-9	N,N'-methylenediacrylamide ☠ Acute Tox. 4, H302	2-4%

- **SVHC** CAS 79-06-1 Acrylamide

- **Additional information** For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- **4.1 Description of first aid measures**

- **General information**

Take affected persons out into the fresh air.

(Contd. on page 3)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 19.11.2018

Version number 2

Revision: 31.08.2018

Trade name: Acrylamide/Bis Solution, 29:1

(Contd. of page 2)

Remove contaminated clothing.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

· **After inhalation** Supply fresh air and to be sure call for a doctor.

· **After skin contact**

Immediate wash with copious amounts of water and soap; rinse thoroughly; seek medical advice.

· **After eye contact**

Rinse opened eye for several minutes under running water. Remove present contact lenses, if easy to do, and continue rinsing. Consult ophthalmologist immediately.

· **After swallowing**

Wash out mouth instantly. Drink copious amounts of water and provide fresh air. Call for doctor immediately.

· **4.2 Most important symptoms and effects, both acute and delayed**

No further relevant information available.

· **4.3 Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

SECTION 5: Firefighting measures

· **5.1 Extinguishing media**

· **Suitable extinguishing agents**

CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· **5.2 Special hazards arising from the substance or mixture** No further relevant information available.

· **5.3 Advice for firefighters**

· **Protective equipment:** Wear self-contained respiratory protective device.

SECTION 6: Accidental release measures

· **6.1 Personal precautions, protective equipment and emergency procedures**

Wear protective clothing.

Ensure adequate ventilation

· **6.2 Environmental precautions:** Do not allow to enter sewers/ surface or ground water.

· **6.3 Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

· **6.4 Reference to other sections**

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· **7.1 Precautions for safe handling**

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Prevent formation of aerosols.

· **Information about protection against explosions and fires:**

The product is not flammable

Keep respiratory protective device available.

· **7.2 Conditions for safe storage, including any incompatibilities**

· **Storage**

· **Requirements to be met by storerooms and receptacles:**

Store at +2 to +8 °C

Store only in unopened original receptacles.

· **Information about storage in one common storage facility:** Store away from oxidising agents.

(Contd. on page 4)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 19.11.2018

Version number 2

Revision: 31.08.2018

Trade name: Acrylamide/Bis Solution, 29:1

(Contd. of page 3)

- **Further information about storage conditions:**
Store under lock and key and with access restricted to technical experts or their assistants only.
Keep receptacle tightly sealed and store in dry conditions.
- **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.

- **8.1 Control parameters**

- DMELs

- DMEL (Acrylamide, CAS No. 79-06-1) systemic long-term effects by inhalation: 0,07 mg/m³

- DMEL (Acrylamide, CAS No. 79-06-1) systemic long-term effects, dermal: 0,1 mg/kg/day

- **Components with limit values that require monitoring at the workplace:**

- 79-06-1 acrylamide (20-40%)**

WEL	Long-term value: 0.3 mg/m ³
	Carc; Sk

- **PNECs**

- PNEC (Acrylamide, CAS No. 79-06-1) fresh water for permanent discharge: 0,03 mg/l

- PNEC (Acrylamide, CAS No. 79-06-1) fresh water for occasional discharge: 0,3 mg/l

- PNEC (Acrylamide, CAS No. 79-06-1) sewage treatment plant: 0,2 mg/l

- **Additional information:** The lists that were valid during the creation were used as basis.

- **8.2 Exposure controls**

- **Personal protective equipment**

- **General protective and hygienic measures**

- Keep away from foodstuffs, beverages and feed.

- Immediately remove all soiled and contaminated clothing

- Wash hands before breaks and at the end of work.

- Store protective clothing separately.

- Avoid contact with the eyes and skin.

- **Breathing equipment:**

- Short term filter device:

- Filter A/P3

- **Protection of hands:**

- PVC gloves

- Neoprene gloves

- The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

- Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

- Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- PVC (0.5 mm) Butyl (0.5 mm)

- max. 8 h

- **Material of gloves**

- The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

- **Penetration time of glove material**

- The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- **For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:**

- PVC gloves

- Neoprene gloves

- **Eye protection:** Tightly sealed goggles.

(Contd. on page 5)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 19.11.2018

Version number 2

Revision: 31.08.2018

Trade name: Acrylamide/Bis Solution, 29:1

(Contd. of page 4)

· **Body protection:** Protective work clothing.

SECTION 9: Physical and chemical properties

· **9.1 Information on basic physical and chemical properties**· **General Information**· **Appearance:**

· Form:	Solution
· Colour:	Colourless
· Odour:	Characteristic

· **pH-value at 20 °C:** 6.0 - 8.0· **Change in condition**

· Melting point/freezing point:	undetermined
· Initial boiling point and boiling range:	undetermined

· **Flash point:** Not applicable· **Self igniting:** Product is not selfigniting.· **Explosive properties:** Product does not present an explosion hazard.· **Density at 20 °C:** 1.04 g/cm³· **Solubility in / Miscibility with**· **Water:** Fully miscible· **Solvent content:**

· Organic solvents:	0.0 %
· VOC %:	0.00 %

· **Solids content:** 30.0 %· **9.2 Other information** No further relevant information available.

SECTION 10: Stability and reactivity

· **10.1 Reactivity** No further relevant information available.· **10.2 Chemical stability**· **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.· **10.3 Possibility of hazardous reactions** No further relevant informations available.· **10.4 Conditions to avoid** No further relevant information available.· **10.5 Incompatible materials:** No further relevant information available.· **10.6 Hazardous decomposition products:** No further relevant informations available.

SECTION 11: Toxicological information

· **11.1 Information on toxicological effects**· **Acute toxicity**

Harmful if swallowed.

· **LD/LC50 values that are relevant for classification:****79-06-1 acrylamide**

Oral	LD50	124 mg/kg (rat)
Dermal	LD50	1141 mg/kg (rat)

· **Primary irritant effect:**· **Skin corrosion/irritation**

Causes skin irritation.

(Contd. on page 6)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 19.11.2018

Version number 2

Revision: 31.08.2018

Trade name: Acrylamide/Bis Solution, 29:1

(Contd. of page 5)

- **Serious eye damage/irritation**
Causes serious eye irritation.
- **Respiratory or skin sensitisation**
May cause an allergic skin reaction.
- **Other information (about experimental toxicology):**
Acrylamide, EC Number: 201-173-7, CAS number: 79-06-1, is identified as a carcinogenic and mutagenic substance according to Article 57 (a) and (b) of Regulation (EC) No 1907/2006 (REACH). This corresponds to a classification as carcinogen (1B) and mutagen (1B) in Annex VI, part 3, Table 3.1 of Regulation (EC) No 1272/2008 (list of harmonised classification and labelling of hazardous substances). (ECHA SVHC Support Document - Acrylamide; Page 2)
- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**
- **Germ cell mutagenicity**
May cause genetic defects.
- **Carcinogenicity**
May cause cancer.
- **Reproductive toxicity**
Suspected of damaging fertility.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure**
Causes damage to organs through prolonged or repeated exposure.
- **Aspiration hazard** Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- **12.1 Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**
Water danger class 3 (German Regulation) (Self-assessment): extremely hazardous for water.
Do not allow product to reach ground water, water course or sewage system.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** PBT - assessment not available.
- **vPvB:** vPvB - assessment not available.
- **12.6 Other adverse effects** No further relevant information available.

SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation**
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
Disposal must be made according to official regulations.
- **Uncleaned packagings:**
- **Recommendation:**
Disposal of uncleaned packagings must be made according to official regulations in the same manner as the product.
- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

GB

(Contd. on page 7)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 19.11.2018


Version number 2

Revision: 31.08.2018

Trade name: Acrylamide/Bis Solution, 29:1

(Contd. of page 6)

SECTION 14: Transport information

· 14.1 UN-Number · ADR, IMDG, IATA	UN3426
· 14.2 UN proper shipping name · ADR · IMDG · IATA	3426 ACRYLAMIDE SOLUTION ACRYLAMIDE SOLUTION Acrylamide solution
· 14.3 Transport hazard class(es) · ADR, IMDG, IATA	
	
· Class · Label	6.1 Toxic substances. 6.1
· 14.4 Packing group · ADR, IMDG, IATA	III
· 14.5 Environmental hazards: · Marine pollutant:	No
· 14.6 Special precautions for user · Danger code (Kemler): · EMS Number: · Stowage Category · Stowage Code · Handling Code	Warning: Toxic substances. 60 F-A,S-A A SW1 Protected from sources of heat. H2 Keep as cool as reasonably practicable
· 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code	Not applicable.
· Transport/Additional information:	
· ADR · Limited quantities (LQ) · Excepted quantities (EQ)	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· Transport category · Tunnel restriction code	2 E
· IMDG · Limited quantities (LQ) · Excepted quantities (EQ)	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· UN "Model Regulation":	UN3426, ACRYLAMIDE SOLUTION, 6.1, III

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
· REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3, 28, 29, 60

(Contd. on page 8)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 19.11.2018

Version number 2

Revision: 31.08.2018

Trade name: Acrylamide/Bis Solution, 29:1

(Contd. of page 7)

· **National regulations**· **Technical instructions (air):**

Class	Share in %
II	20-40

· **Water hazard class:** Water danger class 3 (Self-assessment): extremely hazardous for water.· **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.**SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Relevant phrases**

H301 Toxic if swallowed.

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H340 May cause genetic defects.

H350 May cause cancer.

H361f Suspected of damaging fertility.

H372 Causes damage to organs through prolonged or repeated exposure.

· **Department issuing SDS:** Product safety department· **Contact:** +49 6221 13840-35· **Abbreviations and acronyms:**

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

PBT: persistent, bioaccumulative, toxic substance (REACH)

vPvB: very persistent, very bioaccumulative substance (REACH)

REACH: Regulation concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals

CLP: Regulation on classification, labelling and packaging of substances and mixtures

bw: body weight

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 3: Acute toxicity – Category 3

Acute Tox. 4: Acute toxicity – Category 4

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Skin Sens. 1: Skin sensitisation – Category 1

Muta. 1B: Germ cell mutagenicity – Category 1B

Carc. 1B: Carcinogenicity – Category 1B

Repr. 2: Reproductive toxicity – Category 2

STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1

· *** Data compared to the previous version altered.**