

Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

Page 1/14

Printing date 13.09.2024

Revision: 13.09.2024

Version number 14.08 (replaces version 14.07)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· **1.1 Product identifier**

· **Trade name:** Hydrogen peroxide 30 %

· **Article number:** 1076

· **Registration number** A registration number is not available for this substance as it is a mixture.

· **UFI:** EK80-H0AJ-R00H-Y1KM

· **1.2 Relevant identified uses of the substance or mixture and uses advised against**

· **Sector of Use**

SU1 Agriculture, forestry, fishery

SU3 Industrial uses: Uses of substances as such or in preparations at industrial sites

SU4 Manufacture of food products

SU5 Manufacture of textiles, leather, fur

SU8 Manufacture of bulk, large scale chemicals (including petroleum products)

SU9 Manufacture of fine chemicals

SU10 Formulation [mixing] of preparations and/or re-packaging (excluding alloys)

SU11 Manufacture of rubber products

SU12 Manufacture of plastics products, including compounding and conversion

SU14 Manufacture of basic metals, including alloys

SU15 Manufacture of fabricated metal products, except machinery and equipment

SU16 Manufacture of computer, electronic and optical products, electrical equipment

SU17 General manufacturing, e.g. machinery, equipment, vehicles, other transport equipment

· **Product category**

PC0 Other

PC1 Adhesives, sealants

PC2 Adsorbents

PC8 Biocidal products

PC9a Coatings and paints, thinners, paint removers

PC12 Fertilisers

PC14 Metal surface treatment products

PC15 Non-metal-surface treatment products

PC20 Processing aids such as pH-regulators, flocculants, precipitants, neutralization agents

PC21 Laboratory chemicals

PC23 Leather treatment products

PC24 Lubricants, greases, release products

PC25 Metal working fluids

PC26 Paper and board treatment products

PC27 Plant protection products

PC29 Pharmaceuticals

PC31 Polishes and wax blends

PC32 Polymer preparations and compounds

(Contd. on page 2)

EU

Trade name: Hydrogen peroxide 30 %

(Contd. of page 1)

- PC33 Semiconductors
- PC34 Textile dyes, and impregnating products
- PC35 Washing and cleaning products (including solvent based products)
- PC37 Water treatment chemicals
- PC39 Cosmetics, personal care products

· **Process category**

- PROC1 Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions.
- PROC2 Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions
- PROC3 Manufacture or formulation in the chemical industry in closed batch processes with occasional controlled exposure or processes with equivalent containment condition
- PROC4 Chemical production where opportunity for exposure arises
- PROC5 Mixing or blending in batch processes
- PROC7 Industrial spraying
- PROC8a Transfer of substance or mixture (charging and discharging) at non-dedicated facilities
- PROC8b Transfer of substance or mixture (charging and discharging) at dedicated facilities
- PROC9 Transfer of substance or mixture into small containers (dedicated filling line, including weighing)
- PROC11 Non industrial spraying
- PROC12 Use of blowing agents in manufacture of foam
- PROC13 Treatment of articles by dipping and pouring
- PROC14 Tableting, compression, extrusion, pelletisation, granulation
- PROC15 Use as laboratory reagent
- PROC19 Manual activities involving hand contact
- PROC21 Low energy manipulation and handling of substances bound in/on materials or articles

· **Environmental release category**

- ERC1 Manufacture of the substance
- ERC2 Formulation into mixture
- ERC4 Use of non-reactive processing aid at industrial site (no inclusion into or onto article)
- ERC6a Use of intermediate
- ERC6b Use of reactive processing aid at industrial site (no inclusion into or onto article)
- ERC6c Use of monomer in polymerisation processes at industrial site (inclusion or not into/onto article)
- ERC6d Use of reactive process regulators in polymerisation processes at industrial site (inclusion or not into/onto article)
- ERC8a Widespread use of non-reactive processing aid (no inclusion into or onto article, indoor)
- ERC8b Widespread use of reactive processing aid (no inclusion into or onto article, indoor)
- ERC8d Widespread use of non-reactive processing aid (no inclusion into or onto article, outdoor)
- ERC8e Widespread use of reactive processing aid (no inclusion into or onto article, outdoor)

· **Application of the substance / the mixture**

- Chemical for various applications
- Laboratory chemicals

· **1.3 Details of the supplier of the safety data sheet**

· **Manufacturer/Supplier:**

PANREAC QUIMICA S.L.U.
C/Garraf 2
Polígono Pla de la Bruguera
E-08211 Castellar del Vallès (Barcelona)

Tel. (+34) 937 489 400
Fax. (+34) 937 489 401
e-mail: product.safety@itwreagents.com

· **Further information obtainable from:** email: product.safety@panreac.com

· **1.4 Emergency telephone number:**

Single telephone number for emergency calls: 112 (EU)
Tel.: (+34) 937 489 499

EU

(Contd. on page 3)

Trade name: Hydrogen peroxide 30 %

(Contd. of page 2)

SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**

Acute Tox. 4 H302 Harmful if swallowed.

Eye Dam. 1 H318 Causes serious eye damage.

- **2.2 Label elements**

- **Labelling according to Regulation (EC) No 1272/2008**

The product is classified and labelled according to the CLP regulation.

- **Hazard pictograms**



GHS05 GHS07

- **Signal word** Danger

- **Hazard-determining components of labelling:**

hydrogen peroxide solution

- **Hazard statements**

H302 Harmful if swallowed.

H318 Causes serious eye damage.

- **Precautionary statements**

P280 Wear eye protection / face protection.

P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

P330 Rinse mouth.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- **2.3 Other hazards**

- **Results of PBT and vPvB assessment**

- **PBT:** Not applicable.

- **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

- **3.2 Mixtures**

- **Description:** aqueous solution

(Contd. on page 4)

Trade name: Hydrogen peroxide 30 %

(Contd. of page 3)

· Dangerous components:

CAS: 7722-84-1 EINECS: 231-765-0 Index number: 008-003-00-9 Reg.nr.: 01-2119485845-22-XXXX	hydrogen peroxide solution Ox. Liq. 1, H271; Skin Corr. 1A, H314; Acute Tox. 4, H302; Acute Tox. 4, H332 Specific concentration limits: Ox. Liq. 1; H271: C ≥ 70 % Ox. Liq. 2; H272: 50 % ≤ C < 70 % Skin Corr. 1A; H314: C ≥ 70 % Skin Corr. 1B; H314: 50 % ≤ C < 70 % Skin Irrit. 2; H315: 35 % ≤ C < 50 % Eye Dam. 1; H318: C ≥ 8 % Eye Irrit. 2; H319: 5 % ≤ C < 8 % STOT SE 3; H335: C ≥ 35 %	>15-<35%
---	---	----------

· Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

· General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

Involve doctor immediately.

· After inhalation: Supply fresh air.

· After skin contact: Call a doctor immediately.

· After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.

· After swallowing:

make victim drink water (maximum of 2 drinking glasses)

Call a doctor immediately.

· 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

· Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· 5.2 Special hazards arising from the substance or mixture Non-combustible.

· 5.3 Advice for firefighters

· Protective equipment: Wear self-contained respiratory protective device.

· Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

Contain escaping vapours with water.

EU

(Contd. on page 5)

Trade name: Hydrogen peroxide 30 %

(Contd. of page 4)

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**
Avoid substance contact.
Do not inhale steams/aerosols.
- **6.2 Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **6.3 Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Dispose contaminated material as waste according to section 13.
Ensure adequate ventilation.
Clean up affected area.
- **6.4 Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**
Protect from light.
Ensure good ventilation/exhaustion at the workplace.
Prevent formation of aerosols.
- **Information about fire - and explosion protection:** The product is not flammable.
- **7.2 Conditions for safe storage, including any incompatibilities**
 - **Storage:**
 - **Requirements to be met by storerooms and receptacles:**
Close containers in such a way to enable internal pressure to escape (e.g. excess pressure valva).
 - **Information about storage in one common storage facility:** Not required.
 - **Further information about storage conditions:**
Open receptacle only under localised extractor facilities.
Store under lock and key and with access restricted to technical experts or their assistants only.
Keep container sealed.
 - **Recommended storage temperature:** Room Temperature
 - **Storage class:** 5.1 B
- **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

- **8.1 Control parameters**
- **Ingredients with limit values that require monitoring at the workplace:**
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- **Additional information:** The lists valid during the making were used as basis.
- **8.2 Exposure controls**
- **Appropriate engineering controls** No further data; see section 7.
- **Individual protection measures, such as personal protective equipment**
- **General protective and hygienic measures:**
Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing
Wash hands before breaks and at the end of work.
Avoid contact with the eyes.

(Contd. on page 6)

Trade name: Hydrogen peroxide 30 %

(Contd. of page 5)

· **Respiratory protection:**

Filter NO

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Use suitable respiratory protective device only when aerosol or mist is formed.

· **Hand protection**

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **For the permanent contact gloves made of the following materials are suitable:**

Natural rubber, NR

Recommended thickness of the material: ≥ 0.6 mm

Value for the permeation: Level ≥ 480 min

· **As protection from splashes gloves made of the following materials are suitable:**

Nitrile rubber, NBR

Recommended thickness of the material: ≥ 0.11 mm

Value for the permeation: Level ≥ 30 min

· **Eye/face protection**



Gauze goggles

· **Body protection:** Use protective suit.

SECTION 9: Physical and chemical properties

· **9.1 Information on basic physical and chemical properties**

· **General Information**

· **Physical state**

Fluid

· **Colour:**

Colourless

· **Odour:**

slightly pungent

· **Odour threshold:**

Not determined.

· **Melting point/freezing point:**

Undetermined.

· **Boiling point or initial boiling point and boiling range**

Undetermined.

· **Flammability**

Not applicable.

· **Lower and upper explosion limit**

· **Lower:**

Not determined.

· **Upper:**

Not determined.

· **Flash point:**

Not applicable.

· **Decomposition temperature:**

>100 °C

· **pH at 20 °C**

<3.5

· **Viscosity:**

· **Kinematic viscosity**

Not determined.

(Contd. on page 7)

Trade name: Hydrogen peroxide 30 %

(Contd. of page 6)

- **Dynamic:** Not determined.
- **Solubility**
- **water:** Fully miscible.
- **Partition coefficient n-octanol/water (log value)** Not determined.
- **Vapour pressure at 20 °C:** 23 hPa
- **Density and/or relative density**
- **Density:** Not determined.
- **Relative density** Not determined.
- **Vapour density** Not determined.

- **9.2 Other information**
- **Appearance:**
- **Form:** Fluid
- **Important information on protection of health and environment, and on safety.**
- **Ignition temperature:** Product is not selfigniting.
- **Explosive properties:** Product does not present an explosion hazard.
- **Solvent content:**
- **Water:** 65.5 %
- **Change in condition**
- **Evaporation rate** Not determined.

- **Information with regard to physical hazard classes**
- **Explosives** Void
- **Flammable gases** Void
- **Aerosols** Void
- **Oxidising gases** Void
- **Gases under pressure** Void
- **Flammable liquids** Void
- **Flammable solids** Void
- **Self-reactive substances and mixtures** Void
- **Pyrophoric liquids** Void
- **Pyrophoric solids** Void
- **Self-heating substances and mixtures** Void
- **Substances and mixtures, which emit flammable gases in contact with water** Void
- **Oxidising liquids** Void
- **Oxidising solids** Void
- **Organic peroxides** Void
- **Corrosive to metals** Void
- **Desensitised explosives** Void

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:** Heating
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:**
Risk of ignition or formation of inflammable gases or vapors with:
alkali metals

(Contd. on page 8)

Trade name: Hydrogen peroxide 30 %

(Contd. of page 7)

- alkali salts
- alkali hydroxides
- alkaline earth metals
- metallic oxides
- metals in powder form
- nonmetals
- nonmetallic oxides
- Aldehyde
- alcohols
- Amines
- ammonia
- hydrazines
- hydrides
- combustible substances
- oxidizing agent
- organic substances
- peroxides
- permanganates
- organic solvents
- organic nitro compounds

- **10.6 Hazardous decomposition products:** In the event of fire: See chapter 5
- **Additional information:** light sensitive

SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity** Harmful if swallowed.
- **LD/LC50 values relevant for classification:**
Quantitative data on the toxicological effect of this product are not available.

· **Components** **Type** **Value** **Species**

Oral	LD50	1,193-1,270 mg/kg (rat)	
------	------	-------------------------	--

7722-84-1 hydrogen peroxide solution

Oral	LD50	1,200 mg/kg (rat)
Dermal	LD50	6,500 mg/kg (rat)
Inhalative	LC50/4 h	2,000 mg/l (rat)

- **Skin corrosion/irritation** Based on available data, the classification criteria are not met.
- **Serious eye damage/irritation** Causes serious eye damage.
- **After inhalation:** No irritant effect.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.
- **11.2 Information on other hazards**

· **Endocrine disrupting properties**

None of the ingredients is listed.

Trade name: Hydrogen peroxide 30 %

(Contd. of page 8)

SECTION 12: Ecological information

- **12.1 Toxicity**
- **Aquatic toxicity:** No further relevant information available.

Type of test	Effective concentration	Method	Assessment
--------------	-------------------------	--------	------------

7722-84-1 hydrogen peroxide solution			
--------------------------------------	--	--	--

EC50	35 mg/l (fish)		
------	----------------	--	--

- **12.2 Persistence and degradability** The product is easily biodegradable.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Endocrine disrupting properties**
The product does not contain substances with endocrine disrupting properties.
- **12.7 Other adverse effects**
- **Additional ecological information:**
- **General notes:**
Do not allow product to reach ground water, water course or sewage system.
Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation**
Chemicals must be disposed of in compliance with the respective national regulations.
Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packaging:**
- **Recommendation:**
Disposal must be made according to official regulations.
Packagings that may not be cleansed are to be disposed of in the same manner as the product.

SECTION 14: Transport information

- **14.1 UN number or ID number**

- **ADR, IMDG, IATA** UN2014

- **14.2 UN proper shipping name**

- **ADR, IMDG, IATA** HYDROGEN PEROXIDE, AQUEOUS SOLUTION

- **14.3 Transport hazard class(es)**

- **ADR**



- **Class**

5.1 (OC1) Oxidising substances.

(Contd. on page 10)

Trade name: Hydrogen peroxide 30 %

(Contd. of page 9)

· Label	5.1+8
· IMDG	
· Class	5.1 Oxidising substances.
· Label	5.1/8
· IATA	
· Class	5.1 Oxidising substances.
· Label	5.1 (8)
· 14.4 Packing group	
· ADR, IMDG, IATA	II
· 14.5 Environmental hazards:	Not applicable.
· 14.6 Special precautions for user	Warning: Oxidising substances.
· Hazard identification number (Kemler code):	58
· EMS Number:	F-H,S-Q
· Segregation groups	(SGG16) Peroxides
· Stowage Category	B
· Stowage Code	SW2 Clear of living quarters.
· 14.7 Maritime transport in bulk according to IMO instruments	Not applicable.
· Transport/Additional information:	
· ADR	
· Limited quantities (LQ)	1L
· Excepted quantities (EQ)	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· Transport category	2
· Tunnel restriction code	E
· IMDG	
· Limited quantities (LQ)	1L
· Excepted quantities (EQ)	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· UN "Model Regulation":	UN 2014 HYDROGEN PEROXIDE, AQUEOUS SOLUTION, 5.1 (8), II

EU

(Contd. on page 11)

Trade name: Hydrogen peroxide 30 %

(Contd. of page 10)

SECTION 15: Regulatory information· **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**· **Directive 2012/18/EU**· **Named dangerous substances - ANNEX I** None of the ingredients is listed.· **REGULATION (EU) 2019/1021 on persistent organic pollutants (POP)**

None of the ingredients is listed.

· **REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3· **DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II**

None of the ingredients is listed.

· **REGULATION (EU) 2019/1148**· **Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))**

7722-84-1 | hydrogen peroxide solution

Limit value: >12-≤35 % | >15-<35%

· **Annex II - REPORTABLE EXPLOSIVES PRECURSORS**

None of the ingredients is listed.

· **Regulation (EC) No 273/2004 on drug precursors**

None of the ingredients is listed.

· **Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors**

None of the ingredients is listed.

· **National regulations:**· **Other regulations, limitations and prohibitive regulations**· **Substances of very high concern (SVHC) according to REACH, Article 57**

None of the ingredients is listed.

· **15.2 Chemical safety assessment:** A Chemical Safety Assessment has been carried out.**SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Relevant phrases**

H271 May cause fire or explosion; strong oxidiser.

H272 May intensify fire; oxidiser.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H335 May cause respiratory irritation.

· **Date of previous version:** 19.05.2021· **Version number of previous version:** 14.07· **Abbreviations and acronyms:**

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

(Contd. on page 12)

EU

Trade name: Hydrogen peroxide 30 %

(Contd. of page 11)

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
 IMDG: International Maritime Code for Dangerous Goods
 IATA: International Air Transport Association
 GHS: Globally Harmonised System of Classification and Labelling of Chemicals
 EINECS: European Inventory of Existing Commercial Chemical Substances
 ELINCS: European List of Notified Chemical Substances
 CAS: Chemical Abstracts Service (division of the American Chemical Society)
 LC50: Lethal concentration, 50 percent
 LD50: Lethal dose, 50 percent
 PBT: Persistent, Bioaccumulative and Toxic
 SVHC: Substances of Very High Concern
 vPvB: very Persistent and very Bioaccumulative
 Ox. Liq. 1: Oxidizing liquids – Category 1
 Acute Tox. 4: Acute toxicity – Category 4
 Skin Corr. 1A: Skin corrosion/irritation – Category 1A
 Eye Dam. 1: Serious eye damage/eye irritation – Category 1

* **Data compared to the previous version altered.**

Annex: Exposure scenario

- **Short title of the exposure scenario** Formulation and packing/repacking of substances and mixtures
- **Sector of Use**
 - SU1 Agriculture, forestry, fishery
 - SU3 Industrial uses: Uses of substances as such or in preparations at industrial sites
 - SU4 Manufacture of food products
 - SU5 Manufacture of textiles, leather, fur
 - SU8 Manufacture of bulk, large scale chemicals (including petroleum products)
 - SU9 Manufacture of fine chemicals
 - SU10 Formulation [mixing] of preparations and/or re-packaging (excluding alloys)
 - SU11 Manufacture of rubber products
 - SU12 Manufacture of plastics products, including compounding and conversion
 - SU14 Manufacture of basic metals, including alloys
 - SU15 Manufacture of fabricated metal products, except machinery and equipment
 - SU16 Manufacture of computer, electronic and optical products, electrical equipment
 - SU17 General manufacturing, e.g. machinery, equipment, vehicles, other transport equipment
 - SU3 Industrial uses: Uses of substances as such or in preparations at industrial sites
 - SU1 Agriculture, forestry, fishery
 - SU4 Manufacture of food products
 - SU5 Manufacture of textiles, leather, fur
 - SU8 Manufacture of bulk, large scale chemicals (including petroleum products)
 - SU10 Formulation [mixing] of preparations and/or re-packaging (excluding alloys)
 - SU11 Manufacture of rubber products
- **Product category**
 - PC0 Other
 - PC1 Adhesives, sealants
 - PC2 Adsorbents
 - PC8 Biocidal products
 - PC9a Coatings and paints, thinners, paint removers
 - PC12 Fertilisers
 - PC14 Metal surface treatment products
 - PC15 Non-metal-surface treatment products
 - PC20 Processing aids such as pH-regulators, flocculants, precipitants, neutralization agents
 - PC21 Laboratory chemicals
 - PC23 Leather treatment products
 - PC24 Lubricants, greases, release products
 - PC25 Metal working fluids
 - PC26 Paper and board treatment products
 - PC27 Plant protection products

(Contd. on page 13)

Trade name: Hydrogen peroxide 30 %

(Contd. of page 12)

- PC29 Pharmaceuticals
- PC31 Polishes and wax blends
- PC32 Polymer preparations and compounds
- PC33 Semiconductors
- PC34 Textile dyes, and impregnating products
- PC35 Washing and cleaning products (including solvent based products)
- PC37 Water treatment chemicals
- PC39 Cosmetics, personal care products

- **Process category**

- PROC1 Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions.
- PROC2 Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions
- PROC3 Manufacture or formulation in the chemical industry in closed batch processes with occasional controlled exposure or processes with equivalent containment condition
- PROC4 Chemical production where opportunity for exposure arises
- PROC5 Mixing or blending in batch processes
- PROC7 Industrial spraying
- PROC8a Transfer of substance or mixture (charging and discharging) at non-dedicated facilities
- PROC8b Transfer of substance or mixture (charging and discharging) at dedicated facilities
- PROC9 Transfer of substance or mixture into small containers (dedicated filling line, including weighing)
- PROC11 Non industrial spraying
- PROC12 Use of blowing agents in manufacture of foam
- PROC13 Treatment of articles by dipping and pouring
- PROC14 Tableting, compression, extrusion, pelletisation, granulation
- PROC15 Use as laboratory reagent
- PROC19 Manual activities involving hand contact
- PROC21 Low energy manipulation and handling of substances bound in/on materials or articles

- **Environmental release category**

- ERC1 Manufacture of the substance
- ERC2 Formulation into mixture
- ERC4 Use of non-reactive processing aid at industrial site (no inclusion into or onto article)
- ERC6a Use of intermediate
- ERC6b Use of reactive processing aid at industrial site (no inclusion into or onto article)
- ERC6c Use of monomer in polymerisation processes at industrial site (inclusion or not into/onto article)
- ERC6d Use of reactive process regulators in polymerisation processes at industrial site (inclusion or not into/onto article)
- ERC8a Widespread use of non-reactive processing aid (no inclusion into or onto article, indoor)
- ERC8b Widespread use of reactive processing aid (no inclusion into or onto article, indoor)
- ERC8d Widespread use of non-reactive processing aid (no inclusion into or onto article, outdoor)
- ERC8e Widespread use of reactive processing aid (no inclusion into or onto article, outdoor)

- **Description of the activities / processes covered in the Exposure Scenario**

See section 1 of the annex to the Safety Data Sheet.

- **Conditions of use**

- **Duration and frequency** 5 workdays/week.

- **Physical parameters**

- **Physical state** Fluid

- **Concentration of the substance in the mixture** The substance is main component.

- **Used amount per time or activity** ≤ 1 tons per day

- **Other operational conditions**

- **Other operational conditions affecting environmental exposure** No special measures required.

- **Other operational conditions affecting worker exposure**

Avoid contact with eyes.

Indoor application.

Outdoor application.

(Contd. on page 14)

Trade name: Hydrogen peroxide 30 %

(Contd. of page 13)

- **Other operational conditions affecting consumer exposure** No special measures required.
- **Other operational conditions affecting consumer exposure during the use of the product**
Not applicable.
- **Risk management measures**
- **Worker protection**
- **Organisational protective measures** No special measures required.
- **Technical protective measures** Ensure that suitable extractors are available on processing machines
- **Personal protective measures**
Do not inhale gases / fumes / aerosols.
Avoid contact with the eyes.
Tightly sealed goggles
- **Measures for consumer protection** Ensure adequate labelling.
- **Environmental protection measures**
- **Water** No special measures required.
- **Disposal measures** Ensure that waste is collected and contained.
- **Disposal procedures**
Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- **Waste type** Partially emptied and uncleaned packaging
- **Exposure estimation**
- **Consumer** Not relevant for this Exposure Scenario.
- **Guidance for downstream users** No further relevant information available.