Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 11.07.2025
Revision: 11.07.2025
Version number 1.05 (replaces version 1.04)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· **1.1 Product identifier**

· **Trade name: hydroxylammonium chloride**

· **Article number:** 1914
· **CAS Number:**
5470-11-1
· **EC number:**
226-798-2
· **Index number:**
612-123-00-2
· **Registration number**
A registration number for this substance is not available because the substance or its use is exempted from registration according to Article 2 of REACH Regulation (EC) No 1907/2006, the annual tonnage does not require registration, the registration is foreseen for a later date or it is a mixture.
· **1.2 Relevant identified uses of the substance or mixture and uses advised against**
No further relevant information available.
· **Application of the substance / the mixture** Laboratory chemicals

· **1.3 Details of the supplier of the safety data sheet**
· **Manufacturer/Supplier:**
PANREAC QUIMICA S.L.U.
C/Garraf 2
Polígono Pla de la Bruguera
E-08211 Castellar del Vallès (Barcelona)
Tel. (+34) 937 489 400
Fax. (+34) 937 489 401
e-mail: product.safety@itwreagents.com

· **Further information obtainable from:** email: product.safety@panreac.com
· **1.4 Emergency telephone number:**
Single telephone number for emergency calls: 112 (EU)
Tel.: (+34) 937 489 499

SECTION 2: Hazards identification

· **2.1 Classification of the substance or mixture**
· **Classification according to Regulation (EC) No 1272/2008**

Met. Corr.1	H290 May be corrosive to metals.
Acute Tox. 4	H302 Harmful if swallowed.
Acute Tox. 4	H312 Harmful in contact with skin.
Skin Irrit. 2	H315 Causes skin irritation.

(Contd. on page 2)

Trade name: hydroxylammonium chloride

(Contd. of page 1)

Eye Irrit. 2	H319 Causes serious eye irritation.
Skin Sens. 1	H317 May cause an allergic skin reaction.
Carc. 2	H351 Suspected of causing cancer.
STOT RE 2	H373 May cause damage to organs through prolonged or repeated exposure.
Aquatic Acute 1	H400 Very toxic to aquatic life.

· **2.2 Label elements**
· **Labelling according to Regulation (EC) No 1272/2008**
The substance is classified and labelled according to the CLP regulation.
· **Hazard pictograms**



GHS05 GHS07 GHS08 GHS09

· **Signal word** Warning
· **Hazard statements**

H290	May be corrosive to metals.
H302+H312	Harmful if swallowed or in contact with skin.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H317	May cause an allergic skin reaction.
H351	Suspected of causing cancer.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.

· **Precautionary statements**

P273	Avoid release to the environment.
P281	Use personal protective equipment as required.
P302+P352	IF ON SKIN: Wash with plenty of soap and water.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308+P313	IF exposed or concerned: Get medical advice/attention.

· **2.3 Other hazards**
· **Results of PBT and vPvB assessment**
· **PBT:** Not applicable.
· **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

· **3.1 Substances**
· **CAS No. Description**
5470-11-1 hydroxylammonium chloride
· **Identification number(s)**
· **EC number:** 226-798-2
· **Index number:** 612-123-00-2

SECTION 4: First aid measures

· **4.1 Description of first aid measures**
· **General information:**
Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

(Contd. on page 3)

Trade name: hydroxylammonium chloride

(Contd. of page 2)

Involve doctor immediately.
· **After inhalation:**
Supply fresh air and to be sure call for a doctor.
In case of unconsciousness place patient stably in side position for transportation.
· **After skin contact:**
Call a doctor immediately.
Immediately wash with water and soap and rinse thoroughly.
· **After eye contact:** Call a doctor immediately.
· **After swallowing:** Call a doctor immediately.
· **4.2 Most important symptoms and effects, both acute and delayed**
No further relevant information available.
· **4.3 Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

SECTION 5: Firefighting measures

· **5.1 Extinguishing media**
· **Suitable extinguishing agents:** Use fire extinguishing methods suitable to surrounding conditions.
· **5.2 Special hazards arising from the substance or mixture**
In case of fire, the following can be released:
Nitrogen oxides (NOx)
Hydrogen chloride (HCl)
Phosgene gas
Non-combustible.
· **5.3 Advice for firefighters**
· **Protective equipment:** Wear self-contained respiratory protective device.
· **Additional information**
Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

SECTION 6: Accidental release measures

· **6.1 Personal precautions, protective equipment and emergency procedures**
Avoid formation of dust.
Avoid substance contact.
Ensure adequate ventilation
· **6.2 Environmental precautions:**
Inform respective authorities in case of seepage into water course or sewage system.
Do not allow to enter sewers/ surface or ground water.
· **6.3 Methods and material for containment and cleaning up:**
Pick up mechanically.
Avoid formation of dust.
Dispose contaminated material as waste according to section 13.
Clean up affected area.
· **6.4 Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

SECTION 7: Handling and storage

· **7.1 Precautions for safe handling** Any unavoidable deposit of dust must be regularly removed.
· **Information about fire - and explosion protection:** The product is not flammable.

(Contd. on page 4)

(Contd. of page 3)

· **7.2 Conditions for safe storage, including any incompatibilities**
· **Storage:**
· **Requirements to be met by storerooms and receptacles:**
Provide acid-resistant floor.
Prevent any seepage into the ground.
· **Information about storage in one common storage facility:** Store away from metals.
· **Further information about storage conditions:**
Keep container tightly sealed.
Open receptacle only under localised extractor facilities.
Store under lock and key and with access restricted to technical experts or their assistants only.
· **Recommended storage temperature:** Room Temperature
· **Storage class:** 13
· **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

· **8.1 Control parameters**
· **Ingredients with limit values that require monitoring at the workplace:** Not required.
· **Additional information:** The lists valid during the making were used as basis.

· **8.2 Exposure controls**
· **Appropriate engineering controls** No further data; see section 7.
· **Individual protection measures, such as personal protective equipment**
· **General protective and hygienic measures:**
Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing
Wash hands before breaks and at the end of work.
Vacuum clean contaminated clothing. Do not blow or brush off contamination.
Avoid contact with the eyes and skin.
· **Respiratory protection:**
Not required.
In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.
Required when dusts are generated.
· **Hand protection**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
· **Material of gloves**
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.
· **Penetration time of glove material**
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
· **For the permanent contact gloves made of the following materials are suitable:**
Recommended thickness of the material: ≥ 0.11 mm
Value for the permeation: Level ≥ 480 min
· **As protection from splashes gloves made of the following materials are suitable:**
Recommended thickness of the material: ≥ 0.11 mm
Value for the permeation: Level ≥ 480 min

(Contd. on page 5)

Trade name: hydroxylammonium chloride

(Contd. of page 4)

· **Eye/face protection**



Tightly sealed goggles

· **Body protection:** Use protective suit.

SECTION 9: Physical and chemical properties

· **9.1 Information on basic physical and chemical properties**	
· **General Information**	
· **Physical state**	Solid
· **Colour:**	Colourless
· **Odour:**	Like chlorine
· **Odour threshold:**	Not determined.
· **Melting point/freezing point:**	159 °C
· **Boiling point or initial boiling point and boiling range**	Undetermined.
· **Flammability**	Not determined. Not applicable.
· **Lower and upper explosion limit**	
· **Lower:**	Not determined.
· **Upper:**	Not determined.
· **Flash point:**	Not applicable.
· **Decomposition temperature:**	Not determined.
· **pH**	2.5-3.5
· **Viscosity:**	
· **Kinematic viscosity**	Not applicable.
· **Dynamic:**	Not applicable.
· **Solubility**	
· **water at 20 °C:**	830 g/l
· **Partition coefficient n-octanol/water (log value)**	Not determined.
· **Vapour pressure:**	Not applicable.
· **Density and/or relative density**	
· **Density at 20 °C:**	1.67 g/cm³
· **Relative density**	Not determined.
· **Bulk density:**	900 kg/m³
· **Vapour density**	Not applicable.
· **Particle characteristics**	See section 3.

· **9.2 Other information**	
· **Appearance:**	
· **Form:**	Solid
· **Important information on protection of health and environment, and on safety.**	
· **Ignition temperature:**	Not determined.
· **Explosive properties:**	Product does not present an explosion hazard.
· **Molecular weight**	69.49 g/mol
· **Change in condition**	
· **Evaporation rate**	Not applicable.

(Contd. on page 6)

Trade name: hydroxylammonium chloride

(Contd. of page 5)

· **Information with regard to physical hazard classes**	
· **Explosives**	Void
· **Flammable gases**	Void
· **Aerosols**	Void
· **Oxidising gases**	Void
· **Gases under pressure**	Void
· **Flammable liquids**	Void
· **Flammable solids**	Void
· **Self-reactive substances and mixtures**	Void
· **Pyrophoric liquids**	Void
· **Pyrophoric solids**	Void
· **Self-heating substances and mixtures**	Void
· **Substances and mixtures, which emit flammable gases in contact with water**	Void
· **Oxidising liquids**	Void
· **Oxidising solids**	Void
· **Organic peroxides**	Void
· **Corrosive to metals**	May be corrosive to metals.
· **Desensitised explosives**	Void

SECTION 10: Stability and reactivity

· **10.1 Reactivity** No further relevant information available.
· **10.2 Chemical stability**
· **Thermal decomposition / conditions to be avoided:**
No decomposition if used according to specifications.
· **10.3 Possibility of hazardous reactions** No dangerous reactions known.
· **10.4 Conditions to avoid** No further relevant information available.
· **10.5 Incompatible materials:** No further relevant information available.
· **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

SECTION 11: Toxicological information

· **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
· **Acute toxicity** Harmful if swallowed or in contact with skin.
· **LD/LC50 values relevant for classification:**
Quantitative data on the toxicological effect of this product are not available.

· **Components**	**Type**	**Value**	**Species**
Oral	LD50	141 mg/kg (rat)	
Dermal	LD50	1,100 mg/kg (ATE)	

· **Primary irritant effect:**
· **Skin corrosion/irritation** Causes skin irritation.
· **Serious eye damage/irritation** Causes serious eye irritation.
· **After inhalation:** Irritant to skin and mucous membranes.
· **Respiratory or skin sensitisation** May cause an allergic skin reaction.
· **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
· **Carcinogenicity** Suspected of causing cancer.
· **Reproductive toxicity** Based on available data, the classification criteria are not met.
· **STOT-single exposure** Based on available data, the classification criteria are not met.

(Contd. on page 7)

Trade name: hydroxylammonium chloride

(Contd. of page 6)

· **STOT-repeated exposure** May cause damage to organs through prolonged or repeated exposure.
· **Aspiration hazard** Based on available data, the classification criteria are not met.
· **11.2 Information on other hazards**
· **Endocrine disrupting properties** Substance is not listed.

SECTION 12: Ecological information

· **12.1 Toxicity**
· **Aquatic toxicity:** No further relevant information available.
· **12.2 Persistence and degradability** No further relevant information available.
· **12.3 Bioaccumulative potential** No further relevant information available.
· **12.4 Mobility in soil** No further relevant information available.
· **12.5 Results of PBT and vPvB assessment**
· **PBT:** Not applicable.
· **vPvB:** Not applicable.
· **12.6 Endocrine disrupting properties**
The product does not contain substances with endocrine disrupting properties.
· **12.7 Other adverse effects**
· **Remark:** Very toxic for fish
· **Additional ecological information:**
· **General notes:**
Water hazard class 3 (German Regulation) (Assessment by list): extremely hazardous for water
Do not allow product to reach ground water, water course or sewage system, even in small quantities.
Danger to drinking water if even extremely small quantities leak into the ground.
Also poisonous for fish and plankton in water bodies.
Very toxic for aquatic organisms

SECTION 13: Disposal considerations

· **13.1 Waste treatment methods**
· **Recommendation**
Chemicals must be disposed of in compliance with the respective national regulations.
Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· **Uncleaned packaging:**
· **Recommendation:**
Disposal must be made according to official regulations.
Packagings that may not be cleansed are to be disposed of in the same manner as the product.

SECTION 14: Transport information

· **14.1 UN number or ID number**	
· **ADR, IMDG, IATA**	UN1759
· **14.2 UN proper shipping name**	
· **ADR**	CORROSIVE SOLID, N.O.S. (hydroxylammonium chloride), ENVIRONMENTALLY HAZARDOUS
· **IMDG**	CORROSIVE SOLID, N.O.S. (hydroxylammonium chloride), MARINE POLLUTANT
· **IATA**	CORROSIVE SOLID, N.O.S. (hydroxylammonium chloride)

(Contd. on page 8)

Trade name: hydroxylammonium chloride

(Contd. of page 7)

· **14.3 Transport hazard class(es)**

· **ADR**



· **Class**	8 (CT2) Corrosive substances.
· **Label**	8

· **IMDG**



· **Class**	8 Corrosive substances.
· **Label**	8

· **IATA**



· **Class**	8 Corrosive substances.
· **Label**	8

· **14.4 Packing group**	
· **ADR, IMDG, IATA**	III
· **14.5 Environmental hazards:**	Environmentally hazardous substance, solid; Marine Pollutant
· **Marine pollutant:**	Symbol (fish and tree)
· **Special marking (ADR):**	Symbol (fish and tree)
· **14.6 Special precautions for user**	Warning: Corrosive substances.
· **Hazard identification number (Kemler code):**	86
· **EMS Number:**	F-A,S-B
· **Stowage Category**	B
· **Stowage Code**	SW2 Clear of living quarters.
· **14.7 Maritime transport in bulk according to IMO instruments**	Not applicable.
· **Transport/Additional information:**	
· **ADR**	
· **Limited quantities (LQ)**	5 kg
· **Excepted quantities (EQ)**	Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g
· **IMDG**	
· **Limited quantities (LQ)**	5 kg

(Contd. on page 9)

Trade name: hydroxylammonium chloride

(Contd. of page 8)

· **Excepted quantities (EQ)**	Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g
· **UN "Model Regulation":**	UN 1759 CORROSIVE SOLID, N.O.S. (HYDROXYLAMMONIUM CHLORIDE), 8, III, ENVIRONMENTALLY HAZARDOUS

SECTION 15: Regulatory information

· **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

· **Directive 2012/18/EU**
· **Named dangerous substances - ANNEX I** Substance is not listed.
· **Seveso category** E1 Hazardous to the Aquatic Environment
· **Qualifying quantity (tonnes) for the application of lower-tier requirements** 100 t
· **Qualifying quantity (tonnes) for the application of upper-tier requirements** 200 t
· **REGULATION (EU) 2019/1021 on persistent organic pollutants (POP)** Substance is not listed.
· **REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 65, 75
· **DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II**
Substance is not listed.
· **REGULATION (EU) 2019/1148**
· **Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))**
Substance is not listed.
· **Annex II - REPORTABLE EXPLOSIVES PRECURSORS** Substance is not listed.
· **Regulation (EC) No 273/2004 on drug precursors** Substance is not listed.
· **Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors**
Substance is not listed.
· **REGULATION (EU) 2024/590 on substances that deplete the ozone layer** Substance is not listed.

· **National regulations:**

· **Other regulations, limitations and prohibitive regulations**
· **Substances of very high concern (SVHC) according to REACH, Article 57** Substance is not listed.
· **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

*

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Date of previous version:** 17.06.2021
· **Version number of previous version:** 1.04
· **Abbreviations and acronyms:**
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic

(Contd. on page 10)

Trade name: hydroxylammonium chloride

(Contd. of page 9)

SVHC: Substances of Very High Concern
vPvB: very Persistent and very Bioaccumulative
ATE: Acute toxicity estimate values
Met. Corr.1: Corrosive to metals – Category 1
Acute Tox. 4: Acute toxicity – Category 4
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
Skin Sens. 1: Skin sensitisation – Category 1
Carc. 2: Carcinogenicity – Category 2
STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1
· *** Data compared to the previous version altered.**