

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 31.03.2016

Version number 2

Revision: 31.03.2016

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· **1.1 Product identifier**

· **Trade name:** Preservative solution

SERVA
Electrophoresis

· **Article number:** msds-10

· **1.2 Relevant identified uses of the substance or mixture and uses advised against**

No further relevant information available.

· **Application of the substance / the mixture** Laboratory chemicals

· **1.3 Details of the supplier of the safety data sheet**

· **Manufacturer/Supplier:**

SERVA Electrophoresis GmbH

Carl-Benz-Str. 7

D-69115 Heidelberg

Tel.: +49 6221 13840-0

FAX: +49 6221 13840-10

msds.info@serva.de

· **Information department:** Product Safety department Tel.: +49 6221 13840-35

· **1.4 Emergency telephone number:**

Medical Emergency Information in case of poisoning:

Poison Information Center Mainz - Phone: +49 (0) 6131 19240

(advisory service in German or English language)

SECTION 2: Hazards identification

· **2.1 Classification of the substance or mixture**

· **Classification according to Regulation (EC) No 1272/2008**



GHS02

Flam. Liq. 3 H226 Flammable liquid and vapour.



GHS07

Eye Irrit. 2 H319 Causes serious eye irritation.

· **2.2 Label elements**

· **Labelling according to Regulation (EC) No 1272/2008**

The product is classified and labelled according to the CLP regulation.

· **Hazard pictograms** GHS02, GHS07

· **Signal word** Warning

· **Hazard statements**

H226 Flammable liquid and vapour.

H319 Causes serious eye irritation.

· **Precautionary statements**

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P264 Wash thoroughly after handling.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P337+P313 If eye irritation persists: Get medical advice/attention.

(Contd. on page 2)

GB

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 31.03.2016

Version number 2

Revision: 31.03.2016

Trade name: Preservative solution

(Contd. of page 1)

- **2.3 Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** PBT - assessment not available.
- **vPvB:** vPvB - assessment not available.

SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

· Description:

Preservative solution. For microbiological growth prevention. Solution contains 30 % ethanol and 1mM EDTA in deionised water.

Mixture of the substances listed below with harmless additions.

· Dangerous components:

CAS: 64-17-5	ethanol	⚠ Flam. Liq. 2, H225; ⚠ Eye Irrit. 2, H319	20-40%
EINECS: 200-578-6			

- **Additional information** For the wording of the listed risk phrases refer to section 16.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

- **After inhalation** Supply fresh air; consult doctor in case of complaints.
- **After skin contact** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact**
Rinse opened eye for several minutes under running water. Remove present contact lenses, if easy to do, and continue rinsing. Consult doctor In case of complaints.
- **After swallowing** Wash out mouth. Seek medical advice if discomfort occurs.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

· Suitable extinguishing agents

CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· 5.2 Special hazards arising from the substance or mixture

In case of fire, the following can be formed, but not limited to:

Carbon monoxide and carbon dioxide

· 5.3 Advice for firefighters

- **Protective equipment:** Wear self-contained respiratory protective device.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective clothing.

Ensure adequate ventilation

Keep away from ignition sources

· 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

· 6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

(Contd. on page 3)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 31.03.2016

Version number 2

Revision: 31.03.2016

Trade name: Preservative solution

(Contd. of page 2)

See Section 13 for disposal information.

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling** No special precautions are necessary if used correctly.
- **Information about protection against explosions and fires:** Keep ignition sources away - Do not smoke.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and receptacles:**
No special requirements.
Store at +2 to +8 °C
- **Information about storage in one common storage facility:** Store away from oxidising agents.
- **Further information about storage conditions:** Keep receptacle tightly sealed and store in dry conditions.
- **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.

· **8.1 Control parameters**

- **Components with limit values that require monitoring at the workplace:**

64-17-5 ethanol (20-40%)WEL Long-term value: 1920 mg/m³, 1000 ppm

- **Additional information:** The lists that were valid during the creation were used as basis.

· **8.2 Exposure controls**· **Personal protective equipment**· **General protective and hygienic measures**

Keep away from foodstuffs, beverages and feed.

Store protective clothing separately.

Immediately remove all soiled and contaminated clothing

Avoid contact with the eyes and skin.

Wash hands before breaks and at the end of work.

· **Breathing equipment:**

Short term filter device:

Filter A/P2.

· **Protection of hands:**

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- **For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:**

Nitrile rubber, NBR

Chloroprene rubber, CR

(Contd. on page 4)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 31.03.2016

Version number 2

Revision: 31.03.2016

Trade name: Preservative solution

(Contd. of page 3)

- **Eye protection:** Tightly sealed goggles.
- **Body protection:** Protective work clothing.

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

· Appearance:

· Form:	Solution
· Colour:	Colourless
· Odour:	Alcohol-like
· Odour threshold:	Not determined.

· **pH-value:** Not determined.

· Change in condition

· Melting point/Melting range:	undetermined
· Boiling point/Boiling range:	undetermined

· **Flash point:** not determined

· **Flammability (solid, gaseous)** Not applicable.

· **Ignition temperature:** 425 °C

· **Decomposition temperature:** Not determined.

· **Self igniting:** Product is not selfigniting.

· **Danger of explosion:** Not determined.

· Explosion limits:

· Lower:	3,4 Vol %
· Upper:	15,0 Vol %

· **Vapour pressure at 20 °C:** 59 hPa

· **Density:** Not determined

· **Relative density** Not determined.

· **Vapour density** Not determined.

· **Evaporation rate** Not determined.

· Solubility in / Miscibility with

· **Water:** Fully miscible

· **Partition coefficient (n-octanol/water):** Not determined.

· Viscosity:

· **dynamic:** Not determined.

· **kinematic:** Not determined.

· Solvent content:

· Organic solvents:	30,0 %
· VOC %:	30.00 %
· VOC g/l:	300.0 g/l
· 9.2 Other information	No further relevant information available.

SECTION 10: Stability and reactivity

· **10.1 Reactivity** No further relevant information available.

· **10.2 Chemical stability**

· **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.

· **10.3 Possibility of hazardous reactions** No further relevant informations available.

(Contd. on page 5)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 31.03.2016

Version number 2

Revision: 31.03.2016

Trade name: Preservative solution

(Contd. of page 4)

- **10.4 Conditions to avoid** heat, flames and sparks
- **10.5 Incompatible materials:** Avoid contact with strong oxidizers.
- **10.6 Hazardous decomposition products:** In case of fire: See Section 5

SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**
- **Acute toxicity** Based on available data, the classification criteria are not met.
- **Primary irritant effect:**
- **Skin corrosion/irritation** Based on available data, the classification criteria are not met.
- **Serious eye damage/irritation**
Causes serious eye irritation.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- **12.1 Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**
Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water.
Do not allow product to reach ground water, water course or sewage system.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** PBT - assessment not available.
- **vPvB:** vPvB - assessment not available.
- **12.6 Other adverse effects** No further relevant information available.

SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation**
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
Disposal must be made according to official regulations.
- **Uncleaned packagings:**
- **Recommendation:**
Disposal of uncleaned packagings must be made according to official regulations in the same manner as the product.
- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

SECTION 14: Transport information

- **14.1 UN-Number**
- **ADR, IMDG, IATA** UN1170

(Contd. on page 6)

GB

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 31.03.2016

Version number 2

Revision: 31.03.2016

Trade name: Preservative solution

(Contd. of page 5)

· **14.2 UN proper shipping name**
· **ADR** 1170 ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)
· **IMDG** ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)
· **IATA** Ethanol solution

· **14.3 Transport hazard class(es)**
· **ADR, IMDG, IATA**



· **Class** 3 Flammable liquids.
· **Label** 3

· **14.4 Packing group**
· **ADR, IMDG, IATA** III

· **14.5 Environmental hazards:** Not applicable.

· **14.6 Special precautions for user** Warning: Flammable liquids.
· **Danger code (Kemler):** 30
· **EMS Number:** F-E,S-D

· **14.7 Transport in bulk according to Annex II of Marpol and the IBC Code** Not applicable.

· **Transport/Additional information:**

· **ADR**
· **Limited quantities (LQ)** 5L
· **Excepted quantities (EQ)** Code: E1
Maximum net quantity per inner packaging: 30 ml
Maximum net quantity per outer packaging: 1000 ml
· **Transport category** 3
· **Tunnel restriction code** D/E

· **IMDG**
· **Limited quantities (LQ)** 1L
· **Excepted quantities (EQ)** Code: E2
Maximum net quantity per inner packaging: 30 ml
Maximum net quantity per outer packaging: 500 ml

· **UN "Model Regulation":** UN1170, ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION), 3, III

SECTION 15: Regulatory information

· **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

· **Directive 2012/18/EU**
· **Named dangerous substances - ANNEX I** None of the ingredients is listed.

· **National regulations**

· **Technical instructions (air):**

Class	Share in %
NK	20-40

· **Water hazard class:** Water hazard class 1 (Self-assessment): slightly hazardous for water.

(Contd. on page 7)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 31.03.2016

Version number 2

Revision: 31.03.2016

Trade name: Preservative solution

(Contd. of page 6)

· **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.**SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Relevant phrases**

H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation.

· **Department issuing MSDS:** Product safety department· **Contact:** +49 6221 13840-35· **Abbreviations and acronyms:**

PBT: persistent, bioaccumulative, toxic substance (REACH)

vPvB: very persistent, very bioaccumulative substance (REACH)

REACH: Regulation concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals

CLP: Regulation on classification, labelling and packaging of substances and mixtures

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 2: Flammable liquids, Hazard Category 2

Flam. Liq. 3: Flammable liquids, Hazard Category 3

Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2

· *** Data compared to the previous version altered.**

GB