Printing date 03.05.2018 Version number 3 Revision: 03.05.2018

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: Murashige and Skoog minimal organic powder medium



· Article number: 47515

• 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.

- · Application of the substance / the mixture Laboratory chemicals
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

SERVA Electrophoresis GmbH

Carl-Benz-Str. 7 D-69115 Heidelberg Tel.: +49 6221 13840-0 FAX: +49 6221 13840-10 msds.info@serva.de

- · Information department: Product Safety department Tel.: +49 6221 13840-35
- · 1.4 Emergency telephone number:

Medical Emergency Information in case of poisoning:

Poison Information Center Mainz - Phone: +49 (0) 6131 19240

(advisory service in German or English language)

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



GHS03

Ox. Sol. 3 H272 May intensify fire; oxidiser.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

- · Hazard pictograms GHS03
- · Signal word Warning
- · Hazard statements

H272 May intensify fire; oxidiser.

· Precautionary statements

P210 Keep away from heat. - No smoking.

P220 Keep/Store away from clothing/combustible materials.
P221 Take any precaution to avoid mixing with combustibles.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P370+P378 In case of fire: Use for extinction: CO2, powder or water spray.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.

CP

Printing date 03.05.2018 Version number 3 Revision: 03.05.2018

Trade name: Murashige and Skoog

minimal organic powder medium

(Contd. of page 1)

SECTION 3: Composition/information on ingredients

- · 3.2 Chemical characterisation: Mixtures
- · Description: Mixture of the substances listed below with harmless additions.

| · Dangerous components: | | | | |
|-------------------------------------|-------------------|--------------------|--------|--|
| CAS: 7757-79-1 EINECS: 231-818-8 | potassium nitrate | � Ox. Sol. 3, H272 | 40-70% | |
| CAS: 6484-52-2 EINECS: 229-347-8 | ammonium nitrate | � Ox. Sol. 3, H272 | 30-50% | |

[·] Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · After inhalation Supply fresh air; consult doctor in case of complaints.
- · After skin contact Immediately rinse with water.
- · After eye contact Rinse opened eye for several minutes under running water.
- · After swallowing

Rinse out mouth and then drink plenty of water.

If symptoms persist consult doctor.

· 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents

CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· 5.2 Special hazards arising from the substance or mixture

In case of fire, the following can be formed, but not limited to:

Nitrogen oxides (NOx)

Carbon monoxide and carbon dioxide

- · 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Wear protective clothing.
- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · 6.3 Methods and material for containment and cleaning up:

Pick up mechanically.

Dispose contaminated material as waste according to item 13.

· 6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling Prevent formation of dust.

(Contd. on page 3)

Printing date 03.05.2018 Version number 3 Revision: 03.05.2018

Trade name: Murashige and Skoog

minimal organic powder medium

(Contd. of page 2)

· Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect from heat.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Store away from flammable substances.
- · Further information about storage conditions:

Protect from heat and direct sunlight.

Keep receptacle tightly sealed.

· 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · 8.1 Control parameters
- · Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists that were valid during the creation were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment
- · General protective and hygienic measures Wash hands before breaks and at the end of work.
- · Breathing equipment: Suitable respiratory protective device recommended.
- · Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:

Natural rubber, NR Nitrile rubber, NBR

· Eye protection: Safety glasses

· **Body protection:** Protective work clothing.

SECTION 9: Physical and chemical properties

- · 9.1 Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Powder
Colour: Whitish

(Contd. on page 4)

Printing date 03.05.2018 Version number 3 Revision: 03.05.2018

Trade name: Murashige and Skoog

minimal organic powder medium

| | (Contd. of page |
|---|---|
| · Odour: | Characteristic |
| · pH-value at 20 °C: | 3.8 - 4.5 |
| · Change in condition Melting point/freezing point: Initial boiling point and boiling ran | undetermined nge: undetermined |
| · Flash point: | Not applicable |
| · Flammability (solid, gaseous) | Contact with combustible material may cause fire. |
| · Self igniting: | Product is not selfigniting. |
| · Explosive properties: | Explosive when mixed with combustible material. |
| · Density: | Not determined |
| · Solubility in / Miscibility with Water at 20 °C: | 4.5 g/l |
| · Solvent content: Organic solvents: · VOC %: | 0.0 % 0.00 % |
| · Solids content: · 9.2 Other information | 100.0 % There are no more data available. |

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.

| · LD/LC50 values that are relevant for classification: | | | | |
|--|-----------------------------|---------------------|--|--|
| 6484-52-2 ammonium nitrate | | | | |
| Oral | LD50 | 2217 mg/kg (rat) | | |
| Inhalative | LC50/4h | > 88.8 mg/l (rat) | | |
| 7757-79-1 | 7757-79-1 potassium nitrate | | | |
| Oral | | 3540 mg/kg (rat) | | |
| | LC50/96h | 1378 mg/l (Forelle) | | |

- · Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.

(Contd. on page 5)

Printing date 03.05.2018 Version number 3 Revision: 03.05.2018

Trade name: Murashige and Skoog

minimal organic powder medium

(Contd. of page 4)

- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity:

6484-52-2 ammonium nitrate

EC50/48h > 111 mg/l (Daphnia magna)

EC50/72h > 22 mg/l (Scenedesmus subspicatus)

- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water.

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · 12.5 Results of PBT and vPvB assessment
- · PBT: PBT assessment not available.
- · vPvB: vPvB assessment not available.
- 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

| · 14.1 UN-Number | |
|--------------------------------|--|
| · ADR, IMDG, IATA | UN1479 |
| · 14.2 UN proper shipping name | |
| $\cdot ADR$ | 1479 OXIDIZING SOLID, N.O.S. (POTASSIUM |
| | NITRATE, AMMONIUM NITRATE) |
| \cdot <i>IMDG</i> | OXIDIZING SOLID, N.O.S. (POTASSIUM NITRATE |
| | AMMONIUM NITRATE) |
| \cdot IATA | Oxidizing solid, n.o.s. (Potassium nitrate, Ammoniun |
| | nitrate) |

(Contd. on page 6)

Printing date 03.05.2018 Version number 3 Revision: 03.05.2018

Trade name: Murashige and Skoog

minimal organic powder medium

(Contd. of page 5)

| · 14.3 Transport | hazard ci | lass(es) |
|------------------|-----------|----------|
|------------------|-----------|----------|

· ADR, IMDG, IATA



| 51 | | |
|---|---|--|
| · Class | 5.1 Oxidising substances. | |
| · Label | 5.1 | |
| · 14.4 Packing group | | |
| · ADR, IMDĞ, IATA | III | |
| · 14.5 Environmental hazards: | Not applicable. | |
| · Marine pollutant: | No | |
| · 14.6 Special precautions for user | Warning: Oxidising substances. | |
| · Danger code (Kemler): | 50 | |
| · EMS Number: | F- A , S - Q | |
| · Segregation groups | Ammonium compounds | |
| · 14.7 Transport in bulk according to Annex II of | | |
| Marpol and the IBC Code | Not applicable. | |
| · Transport/Additional information: | | |
| · ADR | | |
| · Limited quantities (LQ) | 5 kg | |
| · Transport category | 3 | |
| · Tunnel restriction code | E | |
| · UN ''Model Regulation'': | UN1479, OXIDIZING SOLID, N.O.S., 5.1, III | |

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 65
- · National regulations
- · Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H272 May intensify fire; oxidiser.

- · Department issuing SDS: Product safety department
- · Contact: +49 6221 13840-35
- · Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

PBT: persistent, bioaccumulative, toxic substance (REACH)

vPvB: very persistent, very bioaccumulative substance (REACH)

REACH: Regulation concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals

(Contd. on page 7)

Printing date 03.05.2018 Version number 3 Revision: 03.05.2018

Trade name: Murashige and Skoog

minimal organic powder medium

(Contd. of page 6)

 ${\it CLP: Regulation \ on \ classification, \ labelling \ and \ packaging \ of \ substances \ and \ mixtures}$

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International

Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

 $LC50: Lethal\ concentration,\ 50\ percent$

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Ox. Sol. 3: Oxidizing solids – Category 3

* Data compared to the previous version altered.

GB