

Page 1/12

Safety data sheet according to 1907/2006/EC, Article 31

revised on: 17.02.2023

Version number 8 (replaces version 7)

Creation Date: 01.10.2015

(Contd. on page 2)

E

SECTION 1: Identification of the substance/mixture and of the company/undertaking
· 1.1 Product identifier
· Trade name: Sodium nitrate
 Article number: 1309 CAS Number: 7631-99-4 EC number: 231-554-3 Registration number 01-2119488221-41-XXXX 1.2 Relevant identified uses of the substance or mixture and uses advised against
 Sector of Use SU3 Industrial uses: Uses of substances as such or in preparations at industrial sites SU9 Manufacture of fine chemicals
SU10 Formulation [mixing] of preparations and/or re-packaging (excluding alloys) SU24 Scientific research and development
 Product category PC19 Intermediate PC20 Processing aids such as pH-regulators, flocculants, precipitants, neutralization agents PC21 Laboratory chemicals PC29 Pharmaceuticals PC39 Cosmetics, personal care products
PC40 Extraction agents • Process category PROC1 Chemical production or refinery in closed process without likelihood of exposure or processes with
equivalent containment conditions. PROC2 Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions PROC3 Manufacture or formulation in the chemical industry in closed batch processes with occasional
controlled exposure or processes with equivalent containment condition PROC4 Chemical production where opportunity for exposure arises PROC5 Mixing or blending in batch processes PROC9 Transfer of substance or mixture into small containers (dedicated filling line, including weighing)
PROC15 Use as laboratory reagent • Environmental release category ERC1 Manufacture of the substance
ERC1 Manufacture of the substance ERC2 Formulation into mixture ERC3 Formulation into solid matrix ERC6a Use of intermediate • Application of the substance / the mixture
Laboratory chemicals Reagent for analysis Industrial use
 • 1.3 Details of the supplier of the safety data sheet • Manufacturer/Supplier: Th. Geyer GmbH & Co. KG Dornierstr. 4 – 6 D-71272 Renningen
Tel.: +49(0)7159-1637-0, Fax:+49 (0)7159/18417 www.thgeyer.de
sicherheitsdatenblaetter@thgeyer.de (Contd. on page 2)

revised on: 17.02.2023

Version number 8 (replaces version 7)

Creation Date: 01.10.2015

Trade name: Sodium nitrate

	(Contd. of page 1)
· Further inform	ation obtainable from: Product management department
National Poison City Hospital Dudley Road Birmingham B1 Tel.:Emergency Members of the	r: (00 44) 87 06 00 62 66 public seeking specific information on poisons should contact: Wales: NHS 111 - dial 111
SECTION 2:	Hazards identification
	on of the substance or mixture according to Regulation (EC) No 1272/2008
GHS0	3 flame over circle
Ox. Sol. 2 H27	2 May intensify fire; oxidiser.
GHS0	7
Eye Irrit. 2 H31	9 Causes serious eye irritation.
	rding to Regulation (EC) No 1272/2008 is classified and labelled according to the GB CLP regulation.
GHS03 GHS	07
	ents sify fire; oxidiser. erious eye irritation. statements Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No
P220 P221 P280 P305+P351+P3 P501	 smoking. Keep away from clothing and other combustible materials. Take any precaution to avoid mixing with combustibles. Wear protective gloves/protective clothing/eye protection/face protection. 38 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Dispose of contents/container in accordance with local/regional/national/international
 Additional info 2.3 Other haza Results of PB1 	regulations. rmation: For professional users only. rds and vPvB assessment
 • PBT: Not applic • vPvB: Not appl 	

· PBT: Not app **vPvB:** Not applicable.

revised on: 17.02.2023

Version number 8 (replaces version 7)

Creation Date: 01.10.2015

Trade name: Sodium nitrate

(Contd. of page 2)

SECTION 3: Composition/information on ingredients

· 3.1 Substances

· CAS No. Description

- CAS: 7631-99-4 Sodium nitrate
- · Identification number(s)
- EC number: 231-554-3

SECTION 4: First aid measures

 4.1 Description of first aid measures General information: First aider needs to protect himself. Immediately remove any clothing soiled by the product. Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.
First aider needs to protect himself. Immediately remove any clothing soiled by the product. Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.
Immediately remove any clothing soiled by the product. Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.
Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.
Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.
after the accident.
· After inhalation:
Supply fresh air.
If symptoms occur or in case of doubt, seek medical advice.
· After skin contact:
Wash off with plenty of water.
Immediately remove any clothing soiled by the product.
Consult a doctor if symptoms persist.
After eye contact:
Protect unharmed eye.
Rinse opened eye for several minutes under running water. Then consult a doctor.
Remove contact lenses
Continue rinsing.
Seek medical treatment.
· After swallowing:
Rinse out mouth and then drink plenty of water.
Seek medical treatment.
· Information for doctor: Please observe safety data sheet/label.
• 4.2 Most important symptoms and effects, both acute and delayed
Gastric or intestinal disorders
Cramp
Vertigo
Disorientation
Methaemoglobinaemia
Profuse sweating
Hazards
Danger of pneumonia.
Danger of pulmonary oedema.
Danger of circulatory collapse.
 • 4.3 Indication of any immediate medical attention and special treatment needed Symptomatic treatment.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- · For safety reasons unsuitable extinguishing agents: Water with full jet.
- 5.2 Special hazards arising from the substance or mixture

The product is oxidising.

In case of fire, the following can be released: Carbon dioxides (CO, CO□) Nitrogen oxides (NOx) Sodium oxide

revised on: 17.02.2023

Version number 8 (replaces version 7)

Creation Date: 01.10.2015

Trade name: Sodium nitrate

(Conti. of page 3) Formation of toxic gases is possible during heating or in case of fire. • 5.3 Advice for firefighters Protective equipment: Wear fully protective suit. Mout respiratory protective device. • 6.4 Advitional information Does of fire debris and contaminating surface water or the ground water system. SECTION 6: Accidental release measures 6.1 Prosonal procautions, protective equipment and emergency procedures Ensure adequate venitation. Prevent fire exclusions, protective equipment and emergency procedures Ensure adequate venitation. Avoid formation Government and the equipment and the effects of fumes/dust/aerosol. Mount respiratory protective device. 6.2 Environmental for contaminating surface or ground water. 6.3 Methods and material for contaminating surface or ground water. 6.3 Methods and material for contaminating surface or ground water. 6.3 Methods and material for contaminating surface or ground water. 6.3 Methods and material for contaminating surface or ground water. 6.3 Methods and material for containment and cleaning up: Cover drains. Prevent fire sections See Section 7 for information on safe handling. See Section 8 for information on safe handling. See Section 9 for i		
 A Personal precautions, protective equipment and emergency procedures Evacuate the danger area. Ensure adequate ventilation. Avoid formation of dust. Avoid formation of dust. Avoid formation of dust. Avoid formation of dust. Use respiratory protective device. S. 2 Environmental precautions: Do not allow to enter sewers/surface or ground water. S. 3 Methods and material for containment and cleaning up: Cover drains. Pick up mechanically. Dispose contaminated material as waste according to item 13. Dispose of the material collected according to regulations. Set Section 7 for information on personal protection equipment. See Section 7 for information on personal protection equipment. See Section 13 for disposal information. Section 7 for information on personal protection equipment. See Section 13 for disposal information. Section 7 for information on personal protection equipment. See Section 13 for disposal information. Section 7 for information on personal protection equipment. Sec Section 13 for disposal information. Section 7 for information and protection equipment. Sec Section 13 for disposal information. Sec Section 7 for information protection: Requirements for safe handling Store in cool, dry place in tightly closed receptacles. Keep away from heat and direct sunlight. Apply the general protection and hygiene measures for the handling with chemicals. Prevent formation of dust. information about fire - and explosion protection: Keep respiratory protective device available. Conditiones for safe storage, including	 Formation of toxic gases is possible during heating or in case of fire. 5.3 Advice for firefighters Protective equipment: Wear fully protective suit. Mouth respiratory protective device. Wear self-contained respiratory protective device. Do not inhale explosion gases or combustion gases. Additional information Cool endangered receptacles with water spray. Dispose of fire debris and contaminated fire fighting water in accordance with official regulati 	ons.
 6.1 Personal precautions, protective equipment and emergency procedures Evacuate the danger area. Ensure adequate ventilation. Avoid formation of dust. Avoid formation of dust. Do not inhale dust. Use respiratory protective device. 6.2 Environmental precautions: Do not allow to enter sewers/surface or ground water. 6.3 Methods and material for containment and cleaning up: Cover drains. Pick up mechanically. Dispose contaminated material as waste according to item 13. Dispose of the material collected according to regulations. 6.4 Reference to other sections See Section 7 for information on personal protection equipment. See Section 7 for information on personal protection equipment. See Section 13 for disposal information. Section 7 for information on personal protection equipment. See Section 13 for disposal information. Section 7 for information on personal protection equipment. See Section 13 for disposal information. Section 7 for information on personal protection equipment. Section 13 for disposal information. Section 13 for disposal information. Section 7 for information on personal protection: Ree away from heat and direct sunlight. Apply the general protection and hygiene measures for the handling with chemicals. Prevent formation of dust. Information about fire - and explosion protection: Keep respiratory protective device available. Storage: Requirements to be met by storerooms and receptacles: Reeway from fimmable substances. Store away from fimmable about storage conditions: Protect fior humidity and water. Keep constance tightly sealed. Store away f		
 A Personal precautions, protective equipment and emergency procedures Evacuate the danger area. Ensure adequate ventilation. Avoid formation of dust. Avoid formation of dust. Avoid formation of dust. Avoid formation of dust. Use respiratory protective device. S. 2 Environmental precautions: Do not allow to enter sewers/surface or ground water. S. 3 Methods and material for containment and cleaning up: Cover drains. Pick up mechanically. Dispose contaminated material as waste according to item 13. Dispose of the material collected according to regulations. Set Section 7 for information on personal protection equipment. See Section 7 for information on personal protection equipment. See Section 13 for disposal information. Section 7 for information on personal protection equipment. See Section 13 for disposal information. Section 7 for information on personal protection equipment. See Section 13 for disposal information. Section 7 for information on personal protection equipment. Sec Section 13 for disposal information. Section 7 for information and protection equipment. Sec Section 13 for disposal information. Sec Section 7 for information protection: Requirements for safe handling Store in cool, dry place in tightly closed receptacles. Keep away from heat and direct sunlight. Apply the general protection and hygiene measures for the handling with chemicals. Prevent formation of dust. information about fire - and explosion protection: Keep respiratory protective device available. Conditiones for safe storage, including	SECTION 6: Accidental release measures	
 7.1 Precautions for safe handling Store in cool, dry place in tightly closed receptacles. Keep away from heat and direct sunlight. Apply the general protection and hygiene measures for the handling with chemicals. Prevent formation of dust. Information about fire - and explosion protection: Keep respiratory protective device available. 7.2 Conditions for safe storage, including any incompatibilities Storage: Requirements to be met by storerooms and receptacles: Prevent any seepage into the ground. Store only in the original receptacle. Information about storage in one common storage facility: Store away from flammable substances. Store away from reducing agents. Further information about storage conditions: Protect from humidity and water. Keep container tightly sealed. Storage class: 5.1B 	 Evacuate the danger area. Ensure adequate ventilation. Avoid formation of dust. Avoid contact with eyes and skin. Do not inhale dust. Use respiratory protective device against the effects of fumes/dust/aerosol. Mount respiratory protective device. 6.2 Environmental precautions: Do not allow to enter sewers/surface or ground water. 6.3 Methods and material for containment and cleaning up: Cover drains. Pick up mechanically. Dispose contaminated material as waste according to item 13. Dispose of the material collected according to regulations. 6.4 Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. 	
 7.1 Precautions for safe handling Store in cool, dry place in tightly closed receptacles. Keep away from heat and direct sunlight. Apply the general protection and hygiene measures for the handling with chemicals. Prevent formation of dust. Information about fire - and explosion protection: Keep respiratory protective device available. 7.2 Conditions for safe storage, including any incompatibilities Storage: Requirements to be met by storerooms and receptacles: Prevent any seepage into the ground. Store only in the original receptacle. Information about storage in one common storage facility: Store away from flammable substances. Store away from reducing agents. Further information about storage conditions: Protect from humidity and water. Keep container tightly sealed. Storage class: 5.1B 		
 Store in cool, dry place in tightly closed receptacles. Keep away from heat and direct sunlight. Apply the general protection and hygiene measures for the handling with chemicals. Prevent formation of dust. Information about fire - and explosion protection: Keep respiratory protective device available. 7.2 Conditions for safe storage, including any incompatibilities Storage: Requirements to be met by storerooms and receptacles: Prevent any seepage into the ground. Store only in the original receptacle. Information about storage in one common storage facility: Store away from flammable substances. Store away from flammable substances. Further information about storage conditions: Protect from humidity and water. Keep container tightly sealed. Storage class: 5.1B 	SECTION 7: Handling and storage	
(Contd. on page 5)	 Store in cool, dry place in tightly closed receptacles. Keep away from heat and direct sunlight. Apply the general protection and hygiene measures for the handling with chemicals. Prevent formation of dust. Information about fire - and explosion protection: Keep respiratory protective device ava 7.2 Conditions for safe storage, including any incompatibilities Storage: Requirements to be met by storerooms and receptacles: Prevent any seepage into the ground. Store only in the original receptacle. Information about storage in one common storage facility: Store away from flammable substances. Store away from reducing agents. Further information about storage conditions: 	ilable.

revised on: 17.02.2023

Version number 8 (replaces version 7)

Creation Date: 01.10.2015

Trade name: Sodium nitrate

• 7.3 Specific end use(s) No further relevant information available.

(Contd. of page 4)

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace: Not required.
- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- Appropriate engineering controls No further data; see item 7.
- Individual protection measures, such as personal protective equipment
- General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed.
- Immediately remove all soiled and contaminated clothing
- Wash hands before breaks and at the end of work.
- Avoid contact with the eyes.
- Avoid contact with the eyes and skin.

Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device. If air-purifying respiratory protection is required according to the risk assessment, wear a respirator with full-face mask with combination filter (US) or with filter type ABEK (EN 14387) filter cartridge. If the respirator is the only protective measure, an ambient air self-contained breathing apparatus with afull face mask must be worn. Respirators and components must be approved to appropriate government standards (for example, NIOSH (US) or CEN (EU)).Translated with www.DeepL.com/Translator (free version)

Hand protection



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Labsolute®protective

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

NBR: acrylonitrile-butadiene rubber

Material thickness > 0.11 mm

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

level 6 for application > 480 min

Eye/face protection



Tightly sealed goggles

Body protection:



Protective work clothing (e. g. safety shoes EN ISO 20345, long-sleeved protective working garments).

(Contd. on page 6)

revised on: 17.02.2023

*

Version number 8 (replaces version 7)

Creation Date: 01.10.2015

Trade name: Sodium nitrate

(Contd. of page 5)

SECTION 9: Physical and chemical proper	ties
• 9.1 Information on basic physical and chemical pro	perties
· General Information	•
· Physical state	Solid
	Colourless
	Odourless
	312 °C
· Boiling point or initial boiling point and boiling	512 6
	>600 °C
0	
· Lower and upper explosion limit	Contact with combustible material may cause fire.
	Net determined
	Not determined.
	Not determined.
	Not applicable.
• •	Not determined.
	5.5
· Viscosity:	
	Not applicable.
	Not applicable.
Solubility	
· water:	874 g/l
· Partition coefficient n-octanol/water (log value)	Not determined.
· Vapour pressure:	Not applicable.
Density and/or relative density	
	2.26 g/cm ³
	Not determined.
	Not determined.
	Not applicable.
	See item 3.
• 9.2 Other information	
· Appearance:	
· Form:	Crystalline
· Important information on protection of health and	
environment, and on safety.	
Auto-ignition temperature:	Not determined.
· Explosive properties:	Product does not present an explosion hazard.
	84.99 g/mol
[·] Change in condition	
	Not applicable.
•	
Information with regard to physical hazard classes	
	Void
5	Void
	Void
· Oxidising gases	Void
	Void
-	Void
•	Void
	VOID
 Self-reactive substances and mixtures 	Void Void
 Self-reactive substances and mixtures Pyrophoric liquids 	Void
 Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids 	Void Void
 Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids Self-heating substances and mixtures 	Void
 Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids Self-heating substances and mixtures Substances and mixtures, which emit flammable 	Void Void Void
 Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids Self-heating substances and mixtures Substances and mixtures, which emit flammable gases in contact with water 	Void Void Void
 Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids Self-heating substances and mixtures Substances and mixtures, which emit flammable gases in contact with water Oxidising liquids 	Void Void Void

Е

revised on: 17.02.2023

Version number 8 (replaces version 7)

Creation Date: 01.10.2015

Trade name: Sodium nitrate

		(Contd. of page 6)
Organic peroxides	Void	
Corrosive to metals	Void	
Desensitised explosives	Void	

SECTION 10: Stability and reactivity

• **10.1 Reactivity** No further relevant information available.

- · 10.2 Chemical stability Stable with proper storage and handling.
- Thermal decomposition / conditions to be avoided: To avoid thermal decomposition do not overheat.

· 10.3 Possibility of hazardous reactions

Violent reactions with strong alkalis and oxidising agents.

Can react violently with oxygen rich (oxidising) material. Danger of Explosion.

Reacts with oxygen.

Reacts with acids, alkalis and oxidising agents.

· 10.4 Conditions to avoid

Heat, flames and sparks

Protect from humidity.

· 10.5 Incompatible materials: Avoid contact with other chemicals.

• 10.6 Hazardous decomposition products: On fire: see chapter 5

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

• Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

Oral LD50 3,236 mg/kg (rat)

Skin corrosion/irritation Based on available data, the classification criteria are not met.

· Serious eye damage/irritation Causes serious eye irritation.

· Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

· Carcinogenicity Based on available data, the classification criteria are not met.

• Reproductive toxicity Based on available data, the classification criteria are not met.

• STOT-single exposure Based on available data, the classification criteria are not met.

• STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

11.2 Information on other hazards

· Endocrine disrupting properties Substance is not listed.

SECTION 12: Ecological information

12.1 Toxicity

· Aquatic toxicity: No further relevant information available.

• 12.2 Persistence and degradability No further relevant information available.

• 12.3 Bioaccumulative potential No further relevant information available.

12.4 Mobility in soil No further relevant information available.

12.5 Results of PBT and vPvB assessment

• **PBT:** Not applicable.

· vPvB: Not applicable.

12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

(Contd. on page 8)

revised on: 17.02.2023

Version number 8 (replaces version 7)

Creation Date: 01.10.2015

Trade name: Sodium nitrate

· 12.7 Other adverse effects

- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Assessment by list): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

Observe local (country-specific) regulations and laws

This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Chemicals must be disposed of in compliance with the respective national regulations.

· Europea	· European waste catalogue		
06 00 00	WASTES FROM INORGANIC CHEMICAL PROCESSES		
06 03 00	wastes from the MFSU of salts and their solutions and metallic oxides		
06 03 99	06 03 99 wastes not otherwise specified		
HP2	Oxidising		
HP4	Irritant - skin irritation and eye damage		

· Uncleaned packaging:

- Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agents: Water, if necessary together with cleansing agents.

14.2 UN proper shipping name ADR 1498 SODIUM NITRATE SODIUM NITRATE 14.3 Transport hazard class(es) ADR Impose 5.1 (O2) Oxidising substances. Label 5.1 IMDG, IATA IMDG, IATA Impose 5.1 Oxidising substances. 14.4 Packing group	14.1 UN number or ID number		
ADR 1498 SODIUM NITRATE SODIUM NITRATE 14.3 Transport hazard class(es) ADR Class 5.1 (O2) Oxidising substances. Label 5.1 IMDG, IATA Class 5.1 Oxidising substances. 5.1 IMDG, IATA	ADR, IMDG	UN1498	
IMDG SODIUM NITRATE 14.3 Transport hazard class(es) ADR IMDG 5.1 (O2) Oxidising substances. Label 5.1 IMDG, IATA 5.1 Oxidising substances. Class 5.1 Oxidising substances. Label 5.1 Oxidising substances. IMDG, IATA 5.1 Oxidising substances. 14.4 Packing group 5.1 Oxidising substances.			
14.3 Transport hazard class(es) ADR Image: Class Label 5.1 (O2) Oxidising substances. 5.1 IMDG, IATA Image: Class Label 5.1 Oxidising substances. Class Label 5.1 Oxidising substances. IMDG, IATA 5.1 Oxidising substances. Image: Class Label 5.1 Oxidising substances. 14.4 Packing group 5.1 Oxidising substances.			
ADR Class 5.1 (O2) Oxidising substances. Label 5.1 IMDG, IATA Class 5.1 Class 5.1 IMDG, IATA Class 5.1 Oxidising substances. Label 5.1 IAL Packing group	IMDG	SODIUM NITRATE	
Class 5.1 (O2) Oxidising substances. Label 5.1 IMDG, IATA 5.1 Class 5.1 Oxidising substances. Label 5.1 Oxidising substances. 14.4 Packing group 5.1 Oxidising substances.	14.3 Transport hazard class(es)		
Label 5.1 IMDG, IATA Class 5.1 Oxidising substances. Label 5.1 14.4 Packing group	ADR		
Label 5.1 IMDG, IATA Class 5.1 Oxidising substances. Label 5.1 14.4 Packing group			
IMDG, IATA Class Label 5.1 Oxidising substances. 5.1 4.4 Packing group			
Class 5.1 Oxidising substances. Label 5.1 14.4 Packing group	Label	5.1	
Label 5.1 14.4 Packing group 5.1	IMDG, IATA		
Label 5.1 14.4 Packing group 5.1			
Label 5.1 14.4 Packing group 5.1	Class	5.1 Oxidising substances.	
14.4 Packing group			
	14.4 Packing group ADR, IMDG, IATA	111	

(Contd. of page 7)

revised on: 17.02.2023

Version number 8 (replaces version 7)

Creation Date: 01.10.2015

Trade name: Sodium nitrate

	(Contd. of page 8)
[·] 14.5 Environmental hazards:	Not applicable.
 14.6 Special precautions for user Hazard identification number (Kemler code): EMS Number: Stowage Category Stowage Code 	Warning: Oxidising substances. 50 F-A,S-Q A SW23 When transported in BK3 bulk container, see 7.6.2.12 and 7.7.3.9.
 14.7 Maritime transport in bulk according to IM instruments 	IO Not applicable.
· Transport/Additional information:	
 ADR Limited quantities (LQ) Excepted quantities (EQ) Transport category 	5 kg Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g 3
· Tunnel restriction code	Ē
 IMDG Limited quantities (LQ) Excepted quantities (EQ) 	5 kg Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g
· UN "Model Regulation":	UN 1498 SODIUM NITRATE, 5.1, III

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Inventory of Hazardous Chemicals

CAS: 7631-99-4 Sodium nitrate

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I Substance is not listed.
- · Seveso category P8 OXIDISING LIQUIDS AND SOLIDS
- · Qualifying quantity (tonnes) for the application of lower-tier requirements 50 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 200 t
- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment Annex II
- Substance is not listed.
- · REGULATION (EU) 2019/1148
- Annex I RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))
- Substance is not listed.
- Annex II REPORTABLE EXPLOSIVES PRECURSORS Substance is listed.
- Regulation (EC) No 273/2004 on drug precursors Substance is not listed.
- Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors
- Substance is not listed.
- National regulations:
- · Information about limitation of use:
- Employment restrictions concerning juveniles must be observed.

Employment restrictions concerning pregnant and lactating women must be observed.

(Contd. on page 10)

F

revised on: 17.02.2023

Version number 8 (replaces version 7)

Creation Date: 01.10.2015

Trade name: Sodium nitrate

(Contd. of page 9) • 15.2 Chemical safety assessment: A Chemical Safety Assessment has been carried out. **SECTION 16: Other information** This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. Application, use and handling of our products take place out of our control and are solely your responsibility. · Department issuing SDS: Product management · Contact: Product management · Version number of previous version: 7 · Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Ox. Sol. 2: Oxidizing solids - Category 2 Eye Irrit. 2: Serious eye damage/eye irritation - Category 2 * * Data compared to the previous version altered. (Contd. on page 11)

(Contd. of page 10)

Safety data sheet according to 1907/2006/EC, Article 31

revised on: 17.02.2023

Version number 8 (replaces version 7)

Creation Date: 01.10.2015

Trade name: Sodium nitrate

Annex: Exposure scenario

Short title of the exposure scenario Chemicals for Laboratory and industrial use Sector of Use
SU3 Industrial uses: Uses of substances as such or in preparations at industrial sites
SU9 Manufacture of fine chemicals SU10 Formulation [mixing] of preparations and/or re-packaging (excluding alloys)
SU24 Scientific research and development
Product category
PC19 Intermediate PC20 Processing aids such as pH-regulators, flocculants, precipitants, neutralization agents
PC21 Laboratory chemicals
PC29 Pharmaceuticals
PC39 Cosmetics, personal care products PC40 Extraction agents
Process category
PROC1 Chemical production or refinery in closed process without likelihood of exposure or processes with
equivalent containment conditions.
PROC2 Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions
PROC3 Manufacture or formulation in the chemical industry in closed batch processes with occasional
controlled exposure or processes with equivalent containment condition
PROC4 Chemical production where opportunity for exposure arises PROC5 Mixing or blending in batch processes
PROC9 Transfer of substance or mixture into small containers (dedicated filling line, including weighing)
PROC15 Use as laboratory reagent
Environmental release category ERC1 Manufacture of the substance
ERC2 Formulation into mixture
ERC3 Formulation into solid matrix
ERC6a Use of intermediate Description of the activities / processes covered in the Exposure Scenario
See section 1 of the annex to the Safety Data Sheet.
Conditions of use
Duration and frequency 5 workdays/week.
Physical parameters Physical state Solid
Concentration of the substance in the mixture Raw material.
Other operational conditions Observe the general safety regulations when handling chemicals.
Other operational conditions affecting environmental exposure
Observe section 6 of the Safety Data Sheet (Accidental release measures). Other operational conditions affecting worker exposure
Avoid long-term or repeated skin contact.
Avoid contact with eyes.
Keep away from combustible material. Other operational conditions affecting consumer exposure No special measures required.
Other operational conditions affecting consumer exposure during the use of the product Not applicable
Risk management measures
Worker protection
Organisational protective measures Provide Internal Plant Instruction.
Employment restrictions concerning juveniles must be observed.
Employment restrictions concerning pregnant and lactating women must be observed.
Technical protective measures
Keep away from heat and direct sunlight. Open and handle receptacle with care.
Ensure that suitable extractors are available on processing machines

(Contd. on page 12)

E

Е

Safety data sheet according to 1907/2006/EC, Article 31

revised on: 17.02.2023

Version number 8 (replaces version 7)

Creation Date: 01.10.2015

Trade name: Sodium nitrate

	(Contd. of page 11)
Personal protective measures	
Do not inhale dust / smoke / mist.	
Avoid contact with the eyes.	
Tightly sealed goggles	
Measures for consumer protection Ensure adequate labelling.	
Environmental protection measures	
Water Do not allow to reach ground water, water bodies or sewage system, not even in s	mall quantities.
Soil Prevent contamination of soil.	
Disposal measures Ensure that waste is collected and contained.	
Disposal procedures	
Must not be disposed together with household garbage. Do not allow product to reach sev	wage system.
Waste type Partially emptied and uncleaned packaging	0 7
Exposure estimation	
Consumer Not relevant for this Exposure Scenario.	
Guidance for downstream users No further relevant information available.	