

Page 1/10

Printing date 01.07.2021

Revision: 01.07.2021

Tel. (+34) 937 489 400

Fax. (+34) 937 489 401

e-mail: product.safety@panreac.com

Version number 9.02 (replaces version 9.01)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: acetone

· Article number: 1007

· CAS Number:

67-64-1

• **EC number:** 200-662-2

· Index number: 606-001-00-8

- · Application of the substance / the mixture Laboratory chemicals
- · 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

PANREAC QUIMICA S.L.U.

C/Garraf 2

Polígono Pla de la Bruguera

E-08211 Castellar del Vallès (Barcelona)

· Further information obtainable from: email: product.safety@panreac.com

· 1.4 Emergency telephone number:

Single telephone number for emergency calls: 112 (EU)

Tel.: (+34) 937 489 499

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

Flam. Liq. 2 H225 Highly flammable liquid and vapour.

Eye Irrit. 2 H319 Causes serious eye irritation.

STOT SE 3 H336 May cause drowsiness or dizziness.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The substance is classified and labelled according to the CLP regulation.

· Hazard pictograms





GHS02 GHS07

· Signal word Danger

(Contd. on page 2)

Page 2/10

Printing date 01.07.2021 Revision: 01.07.2021

Version number 9.02 (replaces version 9.01)

Trade name: acetone

· Hazard statements

(Contd. of page 1)

H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

· Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin

with water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/

international regulations.

· Additional information:

EUH066 Repeated exposure may cause skin dryness or cracking.

· 2.3 Other hazards

· Results of PBT and vPvB assessment

PBT: Not applicable.vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.1 Substances

· CAS No. Description

67-64-1 acetone

· Identification number(s)

· EC number: 200-662-2

· Index number: 606-001-00-8

SECTION 4: First aid measures

· 4.1 Description of first aid measures

General information:

Involve doctor immediately.

Immediately remove any clothing soiled by the product.

- · **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Immediately rinse with water.

If skin irritation continues, consult a doctor.

- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing:

Rinse out mouth.

Do not induce vomiting; call for medical help immediately.

Risk of aspiration!

Keep airways free.

· 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

GB

Page 3/10

Printing date 01.07.2021 Revision: 01.07.2021

Version number 9.02 (replaces version 9.01)

Trade name: acetone

(Contd. of page 2)

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

5.2 Special hazards arising from the substance or mixture

In case of fire, the following can be released:

Carbon monoxide and carbon dioxide

Combustible.

Forms explosive mixtures with air at ambient temperatures.

Vapours ara heavier than air and may spread along floors.

Beware of backfiring.

- 5.3 Advice for firefighters
- Protective equipment:

Wear self-contained respiratory protective device.

In order to avoid contact with skin, keep a safety distance and wear suitable protective clothing. Wear fully protective suit.

· Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations. Contain escaping vapours with water.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Keep away from ignition sources.

Avoid substance contact.

Do not inhale steams/aerosols.

- · 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Ensure adequate ventilation.

Clean up affected area.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

Ensure good interior ventilation, especially at floor level. (Fumes are heavier than air).

· Information about fire - and explosion protection:

Keep ignition sources away - Do not smoke.

Protect from heat.

Protect against electrostatic charges.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility:

Away from sources of ignition and heat.

· Further information about storage conditions:

Protect from exposure to the light.

Keep container tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

(Contd. on page 4)

Page 4/10

Printing date 01.07.2021 Revision: 01.07.2021

Version number 9.02 (replaces version 9.01)

Trade name: acetone

(Contd. of page 3)

Protect from heat and direct sunlight.

Open receptacle only under localised extractor facilities.

Store receptacle in a well ventilated area.

Store only outside or in explosion proof rooms.

Store under lock and key and with access restricted to technical experts or their assistants only.

- Recommended storage temperature: Room Temperature
- · Storage class: 3
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:	
67-64-1 acetone	

WEL Short-term value: 3620 mg/m³, 1500 ppm Long-term value: 1210 mg/m³, 500 ppm

_		_	
ח	N	FI	<u>و</u>

Oral	Long-term - systemic effects, general population	62 mg/kg
Dermal	Long-term - systemic effects, worker	186 mg/kg
	Long term - systemic effects, general population	62 mg/kg
Inhalative	Acute - local effects, worker	2,420 mg/m3
	Long-term - systemic effects, worker	1,210 mg/m3
	Long-term - systemic effects, general population	200 mg/m3

· PNECs

Aquatic compartment - freshwater	10.6 mg/L
Aquatic compartment - marine water	1.06 mg/L
Aquatic compartment - water, intermittent releases	21 mg/L
Aquatic compartment - sediment in freshwater	30.4 mg/kg
Aquatic compartment - sediment in marine water	3.04 mg/kg
Terrestrial compartment - soil	29.5 mg/kg
Sewage treatment plant	100 mg/L

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see item 7.
- Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Respiratory protection:

Filter ABEK

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Hand protection

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

(Contd. on page 5)

Page 5/10

Printing date 01.07.2021 Revision: 01.07.2021

Version number 9.02 (replaces version 9.01)

Trade name: acetone

Penetration time of glove material

(Contd. of page 4)

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· For the permanent contact gloves made of the following materials are suitable:

Butyl rubber, BR

Recommended thickness of the material: > 0.7 mm

Value for the permeation: Level ≥ 480 min

· As protection from splashes gloves made of the following materials are suitable:

Natural rubber, NR

Recommended thickness of the material: ≥ 0.7 mm

Value for the permeation: Level \geq 10 min

· Eye/face protection



Tightly sealed goggles

· Body protection:

Solvent resistant protective clothing

Flame retardant antistatic protective clothing

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

Physical state
Colour:
Odour:
Odour threshold:
Fluid
Colourless
Characteristic
Not determined.

• Melting point/freezing point: -94 °C

· Boiling point or initial boiling point and boiling

range 56.5 °C • Flammability Not applicable.

Lower and upper explosion limit

 · Lower:
 2.2 Vol %

 · Upper:
 12.8 Vol %

 · Flash point:
 <-20 °C</td>

Auto-ignition temperature:
 Decomposition temperature:
 pH
 Not determined.
 Not determined.
 Not determined.

· Viscosity:

Kinematic viscosityDynamic at 20 °C:Not determined.0.31 mPas

· Solubility

• water: Fully miscible. • Partition coefficient n-octanol/water (log value) Not determined.

· Vapour pressure at 20 °C: 233 hPa

Density and/or relative density

Density at 20 °C: 0.791 g/cm³
 Relative density Not determined.
 Vapour density Not determined.

· 9.2 Other information

· Appearance:

· Form: Liquid

(Contd. on page 6)

Page 6/10

Printing date 01.07.2021 Revision: 01.07.2021

Version number 9.02 (replaces version 9.01)

Trade name: acetone

(Contd. of page 5)

· Important information on protection of health and environment, and on safety.

Ignition temperature:

· Explosive properties: Product is not explosive. However, formation of

explosive air/vapour mixtures are possible.

· Solvent content:

· VOC (EC) 100 %

· Change in condition

· Evaporation rate Not determined.

· Information with regard to physical hazard

classes

· Explosives Void Flammable gases Void · Aerosols Void · Oxidising gases Void · Gases under pressure Void

· Flammable liquids Highly flammable liquid and vapour.

· Flammable solids Void · Self-reactive substances and mixtures Void Void · Pyrophoric liquids · Pyrophoric solids Void Self-heating substances and mixtures Void · Substances and mixtures, which emit

flammable gases in contact with water Void Oxidising liquids Void · Oxidising solids Void · Organic peroxides Void Corrosive to metals Void Desensitised explosives Void

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

10.3 Possibility of hazardous reactions

Reacts with reducing agents.

Reacts with strong acids and oxidising agents.

Forms explosive gas mixture with air.

- 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials:

oxidizing agent

reducing agents

strong acids

- 10.6 Hazardous decomposition products: In the event of fire: See chapter 5
- Additional information: light sensitive

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- Acute toxicity Based on available data, the classification criteria are not met.
- LD/LC50 values relevant for classification:

Quantitative data on the toxicological effect of this product are not available.

(Contd. on page 7)

Printing date 01.07.2021 Revision: 01.07.2021

Version number 9.02 (replaces version 9.01)

Trade name: acetone

(Contd. of page 6)

Page 7/10

· Compone	ents	Туре	Value	Species		
Oral	LD50	5,800 mg/kg (rat)				
Dermal	LD50	>15,800 mg/kg (rabbit)				
Inhalative	LC50/4 h	76 mg/l (rat)				

- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation

Causes serious eye irritation.

- After inhalation: No irritant effect.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure

May cause drowsiness or dizziness.

- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- · 11.2 Information on other hazards
- · Endocrine disrupting properties Substance is not listed.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- Type of test Effective concentration Method Assessment

LC50/48 h 8,800 mg/l (daphnia magna)

LC50/96 h 11,000 mg/l (fish)

- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- 12.7 Other adverse effects
- Additional ecological information:
- · General notes:

Do not allow product to reach ground water, water course or sewage system.

Water hazard class 1 (German Regulation) (Assessment by list): slightly hazardous for water

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Chemicals must be disposed of in compliance with the respective national regulations.

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- · Recommendation:

Disposal must be made according to official regulations.

Packagings that may not be cleansed are to be disposed of in the same manner as the product.

GB

Page 8/10

Printing date 01.07.2021 Revision: 01.07.2021 Version number 9.02 (replaces version 9.01)

Trade name: acetone

(Contd. of page 7)

SECTION 14: Transport information	
· 14.1 UN number or ID number	
· ADR, IMDG, IATA	UN1090
· 14.2 UN proper shipping name · ADR, IMDG, IATA	ACETONE
· 14.3 Transport hazard class(es)	
· ADR	
Class	3 (F1) Flammable liquids.
Label	3
· IMDG, IATA	
· Class · Label	3 Flammable liquids. 3
· 14.4 Packing group · ADR, IMDG, IATA	II
· 14.5 Environmental hazards:	Not applicable.
 14.6 Special precautions for user Hazard identification number (Kemler code): EMS Number: Stowage Category 	Warning: Flammable liquids. : 33 F-E,S-D E
 14.7 Maritime transport in bulk according to IMO instruments 	Not applicable.
· Transport/Additional information:	
· ADR · Limited quantities (LQ) · Excepted quantities (EQ)	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· Transport category · Tunnel restriction code	2 D/E
· IMDG · Limited quantities (LQ) · Excepted quantities (EQ)	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· UN "Model Regulation":	UN 1090 ACETONE, 3, II

Page 9/10

Printing date 01.07.2021 Revision: 01.07.2021

Version number 9.02 (replaces version 9.01)

Trade name: acetone

(Contd. of page 8)

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I Substance is not listed.
- · Seveso category P5c FLAMMABLE LIQUIDS
- · Qualifying quantity (tonnes) for the application of lower-tier requirements 5,000 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 50,000 t
- National regulations:
- · Other regulations, limitations and prohibitive regulations
- · Substances of very high concern (SVHC) according to REACH, Article 57 Substance is not listed.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 2: Flammable liquids – Category 2

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

* Data compared to the previous version altered.

Annex: Exposure scenario

- · Short title of the exposure scenario Formulation and packing/repacking of substances and mixtures
- · Description of the activities / processes covered in the Exposure Scenario

See section 1 of the annex to the Safety Data Sheet.

- · Conditions of use
- · **Duration and frequency** 5 workdays/week.
- · Physical parameters
- · Physical state Fluid
- · Concentration of the substance in the mixture Raw material.
- · Other operational conditions
- · Other operational conditions affecting environmental exposure No special measures required.
- · Other operational conditions affecting worker exposure

Avoid contact with eyes.

Take precautionary measures against static discharge.

Keep away from sources of ignition - No smoking.

· Other operational conditions affecting consumer exposure No special measures required.

(Contd. on page 10)

Page 10/10

Printing date 01.07.2021 Revision: 01.07.2021

Version number 9.02 (replaces version 9.01)

Trade name: acetone

(Contd. of page 9)

- Other operational conditions affecting consumer exposure during the use of the product Not applicable.
- Risk management measures
- · Worker protection
- Organisational protective measures No special measures required.
- Technical protective measures

Provide explosion-proof electrical equipment.

Ensure that suitable extractors are available on processing machines

· Personal protective measures

Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes.

Tightly sealed goggles

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- · Measures for consumer protection Ensure adequate labelling.
- · Environmental protection measures
- · Water No special measures required.
- · Disposal measures Ensure that waste is collected and contained.
- · Disposal procedures

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Waste type Partially emptied and uncleaned packaging
- · Exposure estimation
- · Consumer Not relevant for this Exposure Scenario.
- · Guidance for downstream users No further relevant information available.

GB