

Safety data sheet

Page 1/10

according to 1907/2006/EC, Article 31

Printing date 13.02.2023 Revision: 13.02.2023 Version number 13.08 (replaces version 13.07)

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

· 1.1 Product identifier

· Trade name: Hydrochloric acid 37 %

· Article number: 1020

- · Application of the substance / the mixture Laboratory chemicals
- 1.3 Details of the supplier of the safety data sheet • Manufacturer/Supplier:

PANREAC QUIMICA S.L.U. C/Garraf 2 Polígono Pla de la Bruguera E-08211 Castellar del Vallès (Barcelona) Tel. (+34) 937 489 400 Fax. (+34) 937 489 401 e-mail: product.safety@itwreagents.com

· Further information obtainable from: email: product.safety@panreac.com

• **1.4 Emergency telephone number:** Single telephone number for emergency calls: 112 (EU) Tel.: (+34) 937 489 499

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008

Met. Corr.1 H290 May be corrosive to metals.

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

STOT SE 3 H335 May cause respiratory irritation.

· 2.2 Label elements

· Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

· Hazard pictograms



· Signal word Danger

- Hazard-determining components of labelling: hydrogen chloride
- Hazard statements

H290 May be corrosive to metals. H314 Causes severe skin burns and eye damage.

	Contd. of pa
	e respiratory irritation.
Precautionary	
P280	Wear protective gloves/protective clothing/eye protection/face protection/hea protection.
P303+P361+P3	53 F ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse with water [or shower].
P305+P351+P3	38 IF IN EYES: Rinse cautiously with water for several minutes. Remove con lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.
P321	Specific treatment (see on this label).
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/natio international regulations.

· Results of PBT and vPvB assessment

• **PBT:** Not applicable.

vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Description: aqeous solution

 Dangerous components: 		
CAS: 7647-01-0	hydrogen chloride	>25-≤40%
EINECS: 231-595-7 Reg.nr.: 01-2119484862-27- XXXX	Met. Corr.1, H290; Skin Corr. 1B, H314; Eye Dam. 1, H318; STOT SE 3, H335 Specific concentration limits: Skin Corr. 1B; H314: C ≥25 % Skin Irrit. 2; H315: 10 % ≤ C < 25 % Eye Dam. 1; H318: C ≥ 25 % Eye Irrit. 2; H319: 10 % ≤ C < 25 % STOT SE 3; C ≥ 10 % Met. Corr.1; H290: C ≥ 0.1 %	

• Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- General information:

Personal protection for the First Aider.

Involve doctor immediately.

· After inhalation:

In case of unconsciousness place patient stably in side position for transportation.

If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel.

• After skin contact: Call a doctor immediately.

Immediately wash with water and soap and rinse thoroughly.

Immediately remove any clothing soiled by the product.

• After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.

- · After swallowing: Call a doctor immediately.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

(Contd. on page 3)

GB

(Contd. of page 2)

Page 3/10

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents: CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- 5.2 Special hazards arising from the substance or mixture

In case of fire, the following can be released: Hydrogen chloride (HCI) Non-combustible.

- 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.
- Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations. Contain escaping vapours with water.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures Use respiratory protective device against the effects of fumes/dust/aerosol. Wear protective equipment. Keep unprotected persons away. Avoid substance contact. Do not inhale steams/aerosols. · 6.2 Environmental precautions: Dilute with plenty of water. Do not allow to enter sewers/ surface or ground water. 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralising agent. Dispose contaminated material as waste according to item 13. Ensure adequate ventilation. Clean up affected area. · 6.4 Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

SECTION 7: Handling and storage

 7.1 Precautions for safe handling Work only in fume cupboard.
 Ensure good ventilation/exhaustion at the workplace.
 Prevent formation of aerosols.
 Information of aerosols.

· Information about fire - and explosion protection: The product is not flammable.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store only in the original receptacle. Provide acid-resistant floor.
 Information about storage in one common storage facility: Store away from metals.
- Further information about storage conditions: Keep container tightly sealed. Open receptacle only under localised extractor facilities.
- Store under lock and key and with access restricted to technical experts or their assistants only.
- Recommended storage temperature: Room Temperature
- · Storage class: 8 B

(Contd. on page 4)

⁻ GB

• 7.3 Specific end use(s) No further relevant information available.

(Contd. of page 3)

Page 4/10

	N 8: Exposure controls/pe	rsona	al protection
	ol parameters	Teene	
	ts with limit values that require	monite	oring at the workplace.
-	hydrogen chloride	monito	
	rt-term value: 8 mg/m ³ , 5 ppm		
Lon	g-term value: 2 mg/m³, 1 ppm and aerosol mists)		
DNELs			
7647-01-0	hydrogen chloride		
Inhalative	Acute - local effects, worker	15 mg	/m3
	Long-term - local effects, worker	8 mg/r	n3
PNECs			
7647-01-0	hydrogen chloride		
	mpartment - freshwater		0.036 mg/L
Aquatic co	mpartment - marine water		0.036 mg/L
Aquatic co	mpartment - water, intermittent re	leases	0.045 mg/L
Additiona	I information: The lists valid duri	na the i	making were used as basis.
Individual General p Keep away Immediate Wash han	Ite engineering controls No furth I protection measures, such as rotective and hygienic measure y from foodstuffs, beverages and Ity remove all soiled and contamin ds before breaks and at the end c fact with the eves and skin.	person es: feed. ated cl	al protective equipment
Individual General p Keep away Immediate Wash han Avoid cont Respirato In case of exposure Use suitab	I protection measures, such as rotective and hygienic measures y from foodstuffs, beverages and ely remove all soiled and contamin ds before breaks and at the end of act with the eyes and skin. ry protection: brief exposure or low pollution use use self-contained respiratory pro- ble respiratory protective device or anded filter device for short term	person es: feed. lated clo of work. use res tective of hly whe	nal protective equipment othing piratory filter device. In case of intensive or lon device. n aerosol or mist is formed.
Individual General p Keep away Immediate Wash han Avoid cont Respirato In case of exposure of Use suitate Recommendation	I protection measures, such as rotective and hygienic measures y from foodstuffs, beverages and ely remove all soiled and contamin ds before breaks and at the end of act with the eyes and skin. ry protection: brief exposure or low pollution use use self-contained respiratory pro- ble respiratory protective device or anded filter device for short term	person es: feed. lated clo of work. use res tective of hly whe	nal protective equipment othing piratory filter device. In case of intensive or lon device. n aerosol or mist is formed.
Individual General p Keep away Immediate Wash han Avoid cont Respirato In case of exposure of Use suitate Recomment Hand prot	I protection measures, such as rotective and hygienic measure y from foodstuffs, beverages and ely remove all soiled and contamin ds before breaks and at the end of cact with the eyes and skin. ry protection: brief exposure or low pollution of use self-contained respiratory pro- ble respiratory protective device or ended filter device for short terr tection Protective gloves e material has to be impermean.	person es: feed. ated clo of work. use res tective of hly when n use: able ar	nal protective equipment othing piratory filter device. In case of intensive or lon device. n aerosol or mist is formed. Combination filter E-P2 nd resistant to the product/ the substance/
Individual General p Keep away Immediate Wash han Avoid cont Respirato In case of exposure of Use suitate Recomment Hand protection The glove preparatio Selection degradatio	I protection measures, such as rotective and hygienic measure y from foodstuffs, beverages and by remove all soiled and contamin ds before breaks and at the end of cact with the eyes and skin. ry protection: brief exposure or low pollution of use self-contained respiratory pro- ble respiratory protective device or ended filter device for short terr tection Protective gloves e material has to be impermeat n. of the glove material on conside on	person es: feed. ated clo of work. use res tective of hly when n use: able ar	nal protective equipment othing piratory filter device. In case of intensive or lon device. n aerosol or mist is formed. Combination filter E-P2
Individual General p Keep away Immediate Wash han Avoid cont Respirato In case of exposure of Use suitab Recommendation Hand prot Selection degradation Material of The select quality an substance be checke	I protection measures, such as rotective and hygienic measures y from foodstuffs, beverages and ely remove all soiled and contamin ds before breaks and at the end of fact with the eyes and skin. ry protection: brief exposure or low pollution to use self-contained respiratory pro- ble respiratory protective device or ended filter device for short terr tection Protective gloves e material has to be impermean. of the glove material on conside on of the suitable gloves does not d varies from manufacturer to m s, the resistance of the glove mat d prior to the application.	person es: feed. hated clo of work. use resp tective of hy when n use: able ar ration of nanufac	nal protective equipment othing piratory filter device. In case of intensive or lon device. n aerosol or mist is formed. Combination filter E-P2 nd resistant to the product/ the substance/
Individual General p Keep away Immediate Wash han Avoid cont Respirato In case of exposure of Use suitab Recomme Hand prot Use suitab Recomme Hand prot The glove preparatio Selection degradatic Material of The select quality an substance be checke Penetratio	I protection measures, such as rotective and hygienic measure y from foodstuffs, beverages and ely remove all soiled and contamin ds before breaks and at the end of fact with the eyes and skin. ry protection: brief exposure or low pollution uses self-contained respiratory protective device or ended filter device for short terr tection Protective gloves e material has to be impermean of the glove material on conside on of the suitable gloves does no d varies from manufacturer to n s, the resistance of the glove material break through time has to be for	person es: feed. lated clo of work. use res tective of hy when n use: able ar ration of pt only of nanufacerial ca	al protective equipment othing piratory filter device. In case of intensive or lon device. n aerosol or mist is formed. Combination filter E-P2 nd resistant to the product/ the substance/ of the penetration times, rates of diffusion and depend on the material, but also on further mark cturer. As the product is a preparation of seve

Nitrile rubber, NBR

Recommended thickness of the material: ≥ 0.35 mm Value for the permeation: Level ≥ 480 min

(Contd. on page 5)

Safety data sheet according to 1907/2006/EC, Article 31

Trade name: Hydrochloric acid 37 %

(Contd. of page 4)

• As protection from splashes gloves made of the following materials are suitable:
Butyl rubber, BR
Recommended thickness of the material: \geq 0.5 mm
Value for the permeation: Level \geq 480 min
- Evolface protection

• Eye/face protection



Gauze goggles

• **Body protection:** Use protective suit. Acid resistant protective clothing

SECTION 9: Physical and chemical properties

 9.1 Information on basic physical and chemical 	properties
· General Information	
· Physical state	Fluid
· Colour:	According to product specification
· Odour:	Pungent
Odour threshold:	Not determined.
· Melting point/freezing point:	-28 °C
Boiling point or initial boiling point and boiling	
range	Undetermined.
· Flammability	Not applicable.
· Lower and upper explosion limit	
· Lower:	Not determined.
	Not determined.
· Flash point:	Not applicable. Not determined.
• Decomposition temperature:	
· pH at 20 °C	<1
· Viscosity:	
Kinematic viscosity	Not determined.
Dynamic:	Not determined.
Solubility	
· water:	Fully miscible.
 Partition coefficient n-octanol/water (log value) 	
· Vapour pressure at 20 °C:	23 hPa
Density and/or relative density	
[·] Density at 20 °C:	1.19 g/cm ³
· Relative density	Not determined.
· Vapour density	Not determined.
• 9.2 Other information	
· Appearance:	
· Form:	Fluid
· Important information on protection of health	
and environment, and on safety.	
• Auto-ignition temperature:	Product is not selfigniting.
• Explosive properties:	Product loss not present an explosion hazard.
· Solvent content:	rioduct does not present an explosion nazard.
	68.0 %
· Water:	
· VOC (EC)	0.00 %
Change in condition	Natidatorminad
· Evaporation rate	Not determined.
	(Contd. on page 6)

Page 6/10

Trade name: Hydrochloric acid 37 %

		(Contd. of pag
Information with regard to physical haz	zard	
classes		
Explosives	Void	
Flammable gases	Void	
Aerosols	Void	
Oxidising gases	Void	
Gases under pressure	Void	
Flammable liquids	Void	
Flammable solids	Void	
Self-reactive substances and mixtures	Void	
Pyrophoric liquids	Void	
Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
Substances and mixtures, which emit		
flammable gases in contact with water	Void	
Oxidising liquids	Void	
Oxidising solids	Void	
Organic peroxides	Void	
Corrosive to metals	May be corrosive to metals.	
· Desensitised explosives	Void	

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- **10.3 Possibility of hazardous reactions** Violent reactions with strong alkalis and oxidising agents. Corrosive action on metals. Reacts with metals forming hydrogen.
- 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials:

oxidizing agent reducing agents perchlorates sulfides peroxides nitrates

• 10.6 Hazardous decomposition products: In the event of fire: See chapter 5

SECTION 11: Toxicological information

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

- Acute toxicity Based on available data, the classification criteria are not met.
- · LD/LC50 values relevant for classification:
- Quantitative data on the toxicological effect of this product are not available.

· Components	Туре	Value	Species	
7647-01-0 hydrogen (chloride			
Dermal LD50 >5,010	mg/kg (rabbit)			
Skin corrosion/irritat				
· Serious eye damage/				
 After inhalation: Strop STOT-single exposure 				
				(Contd. on page 7)

· 11.2 Information on other hazards

• Endocrine disrupting properties None of the ingredients is listed.

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity: No further relevant information available.

Type of test Effective concentration Method Assessment

7647-01-0 hydrogen chloride

EC50/72 h 0.78 mg/l (Algae)

EC50/48 h 0.492 mg/l (daphnia magna)

LC50/96 h 24.6 mg/l (fish)

• **12.2 Persistence and degradability** No further relevant information available.

- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- 12.6 Endocrine disrupting properties
- The product does not contain substances with endocrine disrupting properties.
- 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

Do not allow product to reach ground water, water course or sewage system.

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Must not reach sewage water or drainage ditch undiluted or unneutralised.

Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Chemicals must be disposed of in compliance with the respective national regulations.

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- · Recommendation:

Disposal must be made according to official regulations.

Packagings that may not be cleansed are to be disposed of in the same manner as the product.

SECTION 14: Transport information

- · 14.1 UN number or ID number
- · ADR, IMDG, IATA

UN1789

14.2 UN proper shipping name
 ADR, IMDG, IATA

HYDROCHLORIC ACID solution

(Contd. on page 8)

(Contd. of page 6)

Page 7/10

Safety data sheet according to 1907/2006/EC, Article 31

Page 8/10

de name: Hydrochloric acid 37 %	
	(Contd. of page
14.3 Transport hazard class(es)	
ADR	
Class	8 (C1) Corrosive substances.
Label	8`
IMDG, IATA	
Class	8 Corrosive substances.
Label	8
14.4 Packing group ADR, IMDG, IATA	
14.5 Environmental hazards:	Not applicable.
14.6 Special precautions for user Hazard identification number (Kemler code): EMS Number: Segregation groups Stowage Category	Warning: Corrosive substances. 80 F-A,S-B (SGG1a) Strong acids E
14.7 Maritime transport in bulk according to IMO instruments	Not applicable.
Transport/Additional information:	
ADR Limited quantities (LQ) Excepted quantities (EQ)	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 m
Transport category Tunnel restriction code	2 E
IMDG Limited quantities (LQ) Excepted quantities (EQ)	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 m
UN "Model Regulation":	UN 1789 HYDROCHLORIC ACID SOLUTION, 8, 1

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- \cdot Named dangerous substances ANNEX I None of the ingredients is listed.
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has been carried out.

(Contd. on page 9)

GB

(Contd. of page 8)

H290 H314	vant phrases May be corrosive to metals.
H314	
	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
	May cause respiratory irritation.
	eviations and acronyms:
Conce	Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regula rning the International Transport of Dangerous Goods by Rail) International Civil Aviation Organisation
ADR: /	Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concernii itional Carriage of Dangerous Goods by Road)
	International Maritime Code for Dangerous Goods International Air Transport Association
	Globally Harmonised System of Classification and Labelling of Chemicals
	S: European Inventory of Existing Commercial Chemical Substances
	S: European List of Notified Chemical Substances Chemical Abstracts Service (division of the American Chemical Society)
VOC: Y	Volatile Organic Compounds (USA, EU)
	Derived No-Effect Level (UK REACH)
	Predicted No-Effect Concentration (UK REACH) Lethal concentration, 50 percent
LD50:	Lethal dose, 50 percent
	Persistent, Bioaccumulative and Toxic
	very Persistent and very Bioaccumulative orr.1: Corrosive to metals – Category 1
	orr. 1B: Skin corrosion/irritation – Category 1B
	am. 1: Serious eye damage/eye irritation – Category 1
	SE 3: Specific target organ toxicity (single exposure) – Category 3 a compared to the previous version altered.
	a compared to the previous version altered.

- **Description of the activities / processes covered in the Exposure Scenario** See section 1 of the annex to the Safety Data Sheet.
- · Conditions of use
- · Duration and frequency 5 workdays/week.
- · Physical parameters
- · Physical state Fluid
- · Concentration of the substance in the mixture The substance is main component.
- · Other operational conditions
- · Other operational conditions affecting environmental exposure No special measures required.
- Other operational conditions affecting worker exposure
- Avoid contact with eyes. Avoid contact with the skin.
- · Other operational conditions affecting consumer exposure No special measures required.
- Other operational conditions affecting consumer exposure during the use of the product Not applicable.
- · Risk management measures
- Worker protection
- · Organisational protective measures No special measures required.
- Technical protective measures
- Ensure that suitable extractors are available on processing machines
- Personal protective measures
 Do not inhale gases / fumes / aerosols.
 Avoid contact with the skin.
 Avoid contact with the eyes.

(Contd. on page 10)

(Contd. of page 9) Tightly sealed goggles In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device. Use suitable respiratory protective device only when aerosol or mist is formed. Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation · Measures for consumer protection Ensure adequate labelling. Environmental protection measures · Water Generally, prior to the introduction of wastewater into wastewater treatment plants a neutralisation is required. • Disposal measures Ensure that waste is collected and contained. · Disposal procedures Must not be disposed together with household garbage. Do not allow product to reach sewage system. · Waste type Partially emptied and uncleaned packaging • Exposure estimation · Worker (inhalation) The calculated value is smaller than the DNEL. The exposure estimation was carried out in accordance with ECETOC TRA. Consumer Not relevant for this Exposure Scenario. • Guidance for downstream users No further relevant information available. GB