

Safety data sheet according to 1907/2006/EC, Article 31

Page 1/8

Printing date 19.05.2021

Revision: 19.05.2021

Version number 6.01 (replaces version 6.00)

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

· 1.1 Product identifier

· Trade name: di-Ammonium oxalate monohydrate

· Article number: 1136

· CAS Number: 6009-70-7 · EC number: 214-202-3

· Index number: 607-007-00-3

- · Application of the substance / the mixture Laboratory chemicals
- · 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

PANREAC QUIMICA S.L.U.

C/Garraf 2

Polígono Pla de la Bruguera

E-08211 Castellar del Vallès (Barcelona)

Tel. (+34) 937 489 400 Fax. (+34) 937 489 401

e-mail: product.safety@panreac.com

- · Further information obtainable from: email: product.safety@panreac.com
- · 1.4 Emergency telephone number:

Single telephone number for emergency calls: 112 (EU)

Tel.: (+34) 937 489 499

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

Acute Tox. 4 H302 Harmful if swallowed.

Acute Tox. 4 H312 Harmful in contact with skin.

Eye Irrit. 2 H319 Causes serious eye irritation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The substance is classified and labelled according to the CLP regulation.

· Hazard pictograms



· Signal word Warning

(Contd. on page 2)

Safety data sheet according to 1907/2006/EC, Article 31

Page 2/8

Printing date 19.05.2021 Revision: 19.05.2021

Version number 6.01 (replaces version 6.00)

Trade name: di-Ammonium oxalate monohydrate

(Contd. of page 1)

· Hazard statements

H302+H312 Harmful if swallowed or in contact with skin.

H319 Causes serious eye irritation.

· Precautionary statements

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P321 Specific treatment (see on this label).

P330 Rinse mouth.

P362+P364 Take off contaminated clothing and wash it before reuse.

P501 Dispose of contents/container in accordance with local/regional/national/

international regulations.

· 2.3 Other hazards

· Results of PBT and vPvB assessment

PBT: Not applicable.vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.1 Substances
- · CAS No. Description

6009-70-7 di-Ammonium oxalate monohydrate

- · Identification number(s)
- **EC number:** 214-202-3
- · Index number: 607-007-00-3

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

· After skin contact:

Immediately wash with water and soap and rinse thoroughly.

Seek medical treatment.

- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing:

make victim drink water (maximum of 2 drinking glasses)

Seek medical treatment.

· 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- 5.2 Special hazards arising from the substance or mixture

In case of fire, the following can be released:

Nitrogen oxides (NOx)

Carbon monoxide and carbon dioxide

Ammonia

Non-combustible.

(Contd. on page 3)

Safety data sheet according to 1907/2006/EC, Article 31

Page 3/8

Printing date 19.05.2021 Revision: 19.05.2021

Version number 6.01 (replaces version 6.00)

Trade name: di-Ammonium oxalate monohydrate

(Contd. of page 2)

- 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.
- **Additional information**

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Avoid formation of dust.

Avoid substance contact.

Ensure adequate ventilation

- · 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up:

Pick up mechanically.

Avoid formation of dust.

Dispose contaminated material as waste according to item 13.

Clean up affected area.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling Any unavoidable deposit of dust must be regularly removed.
- · Information about fire and explosion protection: The product is not flammable.
- · 7.2 Conditions for safe storage, including any incompatibilities
- Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions:

Keep container tightly sealed.

Open receptacle only under localised extractor facilities.

Store under lock and key and with access restricted to technical experts or their assistants only.

- Recommended storage temperature: Room Temperature
- · Storage class: 6.1 D
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace: Not required.
- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- Appropriate engineering controls No further data; see item 7.
- Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

Vacuum clean contaminated clothing. Do not blow or brush off contamination.

Avoid contact with the eyes and skin.

Immediately remove all soiled and contaminated clothing

Respiratory protection: Filter P1

(Contd. on page 4)

Page 4/8

(Contd. of page 3)

Printing date 19.05.2021 Revision: 19.05.2021

Version number 6.01 (replaces version 6.00)

Trade name: di-Ammonium oxalate monohydrate

· Hand protection



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· For the permanent contact gloves made of the following materials are suitable:

Nitrile rubber, NBR

Recommended thickness of the material: ≥ 0.11 mm

Value for the permeation: Level \geq 480 min

As protection from splashes gloves made of the following materials are suitable:

Nitrile rubber, NBR

Recommended thickness of the material: ≥ 0.11 mm

Value for the permeation: Level \geq 480 min

- Eye/face protection Safety glasses
- · Body protection:

Protective clothing should be selected specifically for the working place, depending on concentration and quantity of the hazourdous substances handled.

SECTION 9: Physical and chemical properties

- · 9.1 Information on basic physical and chemical properties
- · General Information

Physical state
Colour:
Odour:
Odourless
Odour threshold:
Melting point/freezing point:
70 °C

Melting point/freezing point:
 Boiling point or initial boiling point and boiling

range Undetermined.
• Flammability Not determined.

· Lower and upper explosion limit

Lower: Not determined.
 Upper: Not determined.
 Flash point: Not applicable.
 Auto-ignition temperature: Not determined.
 Decomposition temperature: Not determined.

· **pH** 6.4

· Viscosity:

Kinematic viscosityDynamic:Not applicable.Not applicable.

· Solubility

• water at 20 °C: 45 g/l

Partition coefficient n-octanol/water (log value) Not determined.
 Vapour pressure: Not applicable.

Density and/or relative density

Density at 20 °C: ~1.5 g/cm³
 Relative density Not determined.

(Contd. on page 5)

Printing date 19.05.2021 Revision: 19.05.2021

Version number 6.01 (replaces version 6.00)

Trade name: di-Ammonium oxalate monohydrate

	(Contd. of page 4				
· Bulk density:	480 kg/m³				
Vapour density	Not applicable.				
· 9.2 Other information					
· Appearance:					
· Form:	Crystalline				
Important information on protection of health					
and environment, and on safety.					
Explosive properties:	Product does not present an explosion hazard.				
Change in condition					
· Evaporation rate	Not applicable.				
· Information with regard to physical haz	ard				
classes					
· Explosives	Void				
· Flammable gases	Void				
Aerosols	Void				
· Oxidising gases	Void				
Gases under pressure	Void				
Flammable liquids	Void				
Flammable solids	Void				
Self-reactive substances and mixtures	Void				
Pyrophoric liquids	Void				
Pyrophoric solids	Void				
Self-heating substances and mixtures	Void				
Substances and mixtures, which emit	Maid				
flammable gases in contact with water	Void				
Oxidising liquids	Void				
Oxidising solids	Void				
Organic peroxides Corrosive to metals	Void Void				
	Void				
Desensitised explosives	VOIU				

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided: Heating.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid Heating
- · 10.5 Incompatible materials:

oxidizing agent

Sodium hypochlorite

• 10.6 Hazardous decomposition products: In the event of fire: See chapter 5

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity

Harmful if swallowed or in contact with skin.

· LD/LC50 values relevant for classification:

Quantitative data on the toxicological effect of this product are not available.

· Compo	nents	Туре	Value	Species	
Oral	LD50	500 mg/kg (ATE)			
Dermal	LD50	1,100 mg/kg (ATE)			

Skin corrosion/irritation Based on available data, the classification criteria are not met.

(Contd. on page 6)

Safety data sheet according to 1907/2006/EC, Article 31

Page 6/8

Printing date 19.05.2021 Revision: 19.05.2021

Version number 6.01 (replaces version 6.00)

Trade name: di-Ammonium oxalate monohydrate

(Contd. of page 5)

· Serious eye damage/irritation

Causes serious eye irritation.

- · After inhalation: No irritant effect.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- · 11.2 Information on other hazards
- · Endocrine disrupting properties Substance is not listed.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity:
- Type of test Effective concentration Method Assessment

EC50/72 h >78 mg/l (Algae)

EC50/48 h >33 mg/l (daphnia magna)

- 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Do not allow product to reach ground water, water course or sewage system.

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Chemicals must be disposed of in compliance with the respective national regulations.

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

UN2811

- · Uncleaned packaging:
- · Recommendation:

Disposal must be made according to official regulations.

Packagings that may not be cleansed are to be disposed of in the same manner as the product.

SECTION 14: Transport information

- · 14.1 UN number or ID number
- · ADR, IMDG, IATA

(Contd. on page 7)

Page 7/8

Printing date 19.05.2021 Revision: 19.05.2021

Version number 6.01 (replaces version 6.00)

Trade name: di-Ammonium oxalate monohydrate

	(Contd. of page 6
· 14.2 UN proper shipping name · ADR, IMDG, IATA	TOXIC SOLID, ORGANIC, N.O.S. (di-Ammonium oxalate monohydrate)
· 14.3 Transport hazard class(es)	
· ADR	
· Class	6.1 (T2) Toxic substances.
· Label	6.1
· IMDG, IATA	
Class	6.1 Toxic substances.
· Label	6.1
· 14.4 Packing group · ADR, IMDG, IATA	III
· 14.5 Environmental hazards:	Not applicable.
 14.6 Special precautions for user Hazard identification number (Kemler code): EMS Number: Stowage Category 	Warning: Toxic substances. 60 F-A,S-A A
· 14.7 Maritime transport in bulk according to IMO instruments	Not applicable.
· Transport/Additional information:	
· ADR · Limited quantities (LQ) · Excepted quantities (EQ)	5 kg Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g
· Transport category · Tunnel restriction code	2 E
· IMDG · Limited quantities (LQ) · Excepted quantities (EQ)	5 kg Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g
· UN "Model Regulation":	UN 2811 TOXIC SOLID, ORGANIC, N.O.S. (D AMMONIUM OXALATE MONOHYDRATE), 6.1, III

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I Substance is not listed.

(Contd. on page 8)

Page 8/8

Printing date 19.05.2021 Revision: 19.05.2021

Version number 6.01 (replaces version 6.00)

Trade name: di-Ammonium oxalate monohydrate

(Contd. of page 7)

- · National regulations:
- · Other regulations, limitations and prohibitive regulations
- · Substances of very high concern (SVHC) according to REACH, Article 57 Substance is not listed.
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 4: Acute toxicity – Category 4
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

* * Data compared to the previous version altered.