

Safety data sheet

Page 1/9

according to 1907/2006/EC, Article 31

Printing date 05.07.2021 Revision: 05.07.2021 Version number 10.01 (replaces version 10.00)

SECTION 1: Identification of the substance/mixture and of the company/ undertaking 1.1 Product identifier Trade name: Stannous chloride dihydrate · Article number: 1303 · CAS Number: 10025-69-1 · EC number: 231-868-0 · Application of the substance / the mixture Laboratory chemicals 1.3 Details of the supplier of the safety data sheet · Manufacturer/Supplier: PANREAC QUIMICA S.L.U. Tel. (+34) 937 489 400 C/Garraf 2 Fax. (+34) 937 489 401 Polígono Pla de la Bruguera e-mail: product.safety@panreac.com E-08211 Castellar del Vallès (Barcelona) · Further information obtainable from: email: product.safety@panreac.com · 1.4 Emergency telephone number: Single telephone number for emergency calls: 112 (EU) Tel.: (+34) 937 489 499 **SECTION 2: Hazards identification** · 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 Acute Tox. 4 H332 Harmful if inhaled. Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2H319 Causes serious eye irritation.Skin Sens. 1H317 May cause an allergic skin reaction.Muta. 2H341 Suspected of causing genetic defects.Repr. 2H361 Suspected of damaging fertility or the unborn child.STOT SE 3H335 May cause respiratory irritation.STOT RE 2H373 May cause damage to organs through prolonged or repeated exposure.Aquatic Acute 1H400 Very toxic to aquatic life.Aquatic Chronic 1H410 Very toxic to aquatic life with long lasting effects.

· 2.2 Label elements

· Labelling according to Regulation (EC) No 1272/2008

The substance is classified and labelled according to the CLP regulation.

(Contd. on page 2)

Page 2/9

Trade name: Stannous chloride dihydrate

. Uctord nict	(Contd. of page	ge
Hazard pict	ograms	
\wedge		
$\langle \mathbf{V} \rangle \langle \mathbf{V} \rangle$		
GHS07 G	HS08 GHS09	
· Signal word	Warning	
Hazard stat	5	
H332 Harmf		
	s skin irritation.	
	es serious eye irritation.	
	ause an allergic skin reaction.	
	cted of causing genetic defects.	
	cted of damaging fertility or the unborn child.	
	ause respiratory irritation.	
	ause damage to organs through prolonged or repeated exposure.	
	oxic to aquatic life with long lasting effects.	
	ary statements	
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.	
P264	Wash thoroughly after handling.	
P271	Use only outdoors or in a well-ventilated area.	
P280	Wear protective gloves/protective clothing/eye protection/face protection/hea protection.	rır
P305+P351-	+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove con	ta
100011001	lenses, if present and easy to do. Continue rinsing.	iu
P501	Dispose of contents/container in accordance with local/regional/nation	na
	international regulations.	
2.3 Other ha		
	PBT and vPvB assessment	

· **PBT:** Not applicable.

• **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.1 Substances
- · CAS No. Description
 - 10025-69-1 Stannous chloride dihydrate
- Identification number(s)
- · EC number: 231-868-0

SECTION 4: First aid measures

· 4.1 Description of first aid measures

General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

Involve doctor immediately.

· After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel.

After skin contact:

Call a doctor immediately.

Immediately wash with water and soap and rinse thoroughly. Immediately remove any clothing soiled by the product.

(Contd. on page 3)

- After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
 After swallowing:
- Call a doctor immediately. make victim drink water (maximum of 2 drinking glasses)
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- 5.2 Special hazards arising from the substance or mixture
- Hydrogen chloride (HCI) Phosgene gas Non-combustible.
- 5.3 Advice for firefighters
- Protective equipment:

Mouth respiratory protective device.

Wear self-contained respiratory protective device.

· Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Avoid formation of dust. Avoid substance contact. Ensure adequate ventilation
- 6.2 Environmental precautions: Inform respective authorities in case of seepage into water course or sewage system. Do not allow to enter sewers/ surface or ground water.
 6.3 Methods and material for containment and cleaning up:
- Pick up mechanically. Avoid formation of dust. Dispose contaminated material as waste according to item 13. Ensure adequate ventilation. Clean up affected area. • 6.4 Reference to other sections
- See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Thorough dedusting. Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Any unavoidable deposit of dust must be regularly removed. Information about fire - and explosion protection: Keep respiratory protective device available.

The product is not flammable.

(Contd. on page 4)

⁻ GB

Revision: 05.07.2021 Version number 10.01 (replaces version 10.00)

Trade name: Stannous chloride dihydrate (Contd. of page 3) 7.2 Conditions for safe storage, including any incompatibilities · Storage: · Requirements to be met by storerooms and receptacles: Provide acid-resistant floor. Prevent any seepage into the ground. · Information about storage in one common storage facility: Not required. • Further information about storage conditions: Keep container tightly sealed. Open receptacle only under localised extractor facilities. Store receptacle in a well ventilated area. Store under lock and key and with access restricted to technical experts or their assistants only. · Recommended storage temperature: Room Temperature · Storage class: 8 B · 7.3 Specific end use(s) No further relevant information available. **SECTION 8: Exposure controls/personal protection** · 8.1 Control parameters · Ingredients with limit values that require monitoring at the workplace: 10025-69-1 Stannous chloride dihydrate WEL Short-term value: 4 mg/m³ Long-term value: 2 mg/m³ as Sn · Additional information: The lists valid during the making were used as basis. · 8.2 Exposure controls • Appropriate engineering controls No further data; see item 7. Individual protection measures, such as personal protective equipment · General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Store protective clothing separately. Vacuum clean contaminated clothing. Do not blow or brush off contamination. Avoid contact with the eyes and skin. · Respiratory protection: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device. Filter P3 · Hand protection Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. · Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. • For the permanent contact gloves made of the following materials are suitable: Nitrile rubber, NBR Recommended thickness of the material: ≥ 0.11 mm (Contd. on page 5) GB

Page 5/9

Trade name: Stannous chloride dihydrate (Contd. of page 4) Value for the permeation: Level \geq 480 min • As protection from splashes gloves made of the following materials are suitable: Nitrile rubber, NBR Recommended thickness of the material: ≥ 0.11 mm Value for the permeation: Level \geq 480 min · Eye/face protection Tightly sealed goggles Body protection: Protective clothing should be selected specifically for the working place, depending on concentration and quantity of the hazourdous substances handled. **SECTION 9: Physical and chemical properties** 9.1 Information on basic physical and chemical properties General Information · Physical state Solid · Colour: White · Odour: Odourless · Odour threshold: Not determined. · Melting point/freezing point: 38 °C · Boiling point or initial boiling point and boiling 652 °C range · Flammability Not determined. Not applicable. · Lower and upper explosion limit · Lower: Not determined. Not determined. · Upper: · Flash point: Not applicable. · Auto-ignition temperature: Not determined. · Decomposition temperature: Not determined. · pH ~1-2 · Viscosity: Kinematic viscosity Not applicable. · Dynamic: Not applicable. · Solubility · water at 20 °C: 1187 g/l · Partition coefficient n-octanol/water (log value) Not determined. Not applicable. · Vapour pressure: · Density and/or relative density · Density at 20 °C: 1.3 g/cm³ · Relative density Not determined. · Bulk densitv: 1.250 kg/m³ · Vapour density Not applicable. • 9.2 Other information · Appearance: · Form: Solid · Important information on protection of health and environment, and on safety. · Explosive properties: Product does not present an explosion hazard. · Change in condition · Evaporation rate Not applicable. (Contd. on page 6)

		(Contd. of pag
Information with regard to physical has	ard	
classes		
Explosives	Void	
Flammable gases	Void	
Aerosols	Void	
Oxidising gases	Void	
Gases under pressure	Void	
Flammable liquids	Void	
Flammable solids	Void	
Self-reactive substances and mixtures	Void	
Pyrophoric liquids	Void	
Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
Substances and mixtures, which emit		
flammable gases in contact with water	Void	
Oxidising liquids	Void	
Oxidising solids	Void	
Organic peroxides	Void	
Corrosive to metals	Void	
Desensitised explosives	Void	

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials:
- carbides

halogen-halogen compounds hydrazines alkali metals nitrates

· 10.6 Hazardous decomposition products: In the event of fire: See chapter 5

SECTION 11: Toxicological information

- \cdot 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 \cdot Acute toxicity
- Harmful if inhaled.

· LD/LC50 values relevant for classification:

Oral LD50 700 mg/kg (rat) Inhalative LC50/4 h 1.5 mg/l (ATE) • Skin corrosion/irritation Causes skin irritation. • Serious eye damage/irritation Causes serious eye irritation. • Serious eye damage/irritation. • After inhalation: Irritant to skin and mucous membranes. • Respiratory or skin sensitisation May cause an allergic skin reaction. • Germ cell mutagenicity Suspected of causing genetic defects.	· Compone	nts	Туре	Value	Species	
 Skin corrosion/irritation Causes skin irritation. Serious eye damage/irritation Causes serious eye irritation. After inhalation: Irritant to skin and mucous membranes. Respiratory or skin sensitisation May cause an allergic skin reaction. Germ cell mutagenicity 	Oral	LD50	700 mg/kg (rat)			
Causes skin irritation. Serious eye damage/irritation Causes serious eye irritation. After inhalation: Irritant to skin and mucous membranes. Respiratory or skin sensitisation May cause an allergic skin reaction. Germ cell mutagenicity 	Inhalative	LC50/4 h	1.5 mg/l (ATE)			
	Causes se Serious e Causes se After inha Respirato May cause Germ cell	tin irritation ye damag erious eye Ilation: Irri ry or skin e an allergi mutagen	n. e/irritation irritation. tant to skin and muc sensitisation ic skin reaction. icity	cous memb	ıbranes.	

- · Carcinogenicity Based on available data, the classification criteria are not met. · Reproductive toxicity
- Suspected of damaging fertility or the unborn child.
- · STOT-single exposure
- May cause respiratory irritation.
- STOT-repeated exposure
- May cause damage to organs through prolonged or repeated exposure.
- Aspiration hazard Based on available data, the classification criteria are not met.
- 11.2 Information on other hazards
- · Endocrine disrupting properties Substance is not listed.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- **12.2 Persistence and degradability** No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties
- The product does not contain substances with endocrine disrupting properties.
- 12.7 Other adverse effects
- · Remark: Very toxic for fish
- · Additional ecological information:
- · General notes:

Also poisonous for fish and plankton in water bodies.

Very toxic for aquatic organisms

Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

Do not allow product to reach ground water, water course or sewage system.

Water hazard class 3 (German Regulation) (Assessment by list): extremely hazardous for water Do not allow product to reach ground water, water course or sewage system, even in small quantities. Danger to drinking water if even extremely small quantities leak into the ground.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Chemicals must be disposed of in compliance with the respective national regulations.

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- Uncleaned packaging:
- · Recommendation:

Disposal must be made according to official regulations.

Packagings that may not be cleansed are to be disposed of in the same manner as the product.

SECTION 14: Transport information

· 14.1 UN number or ID number · ADR, IMDG, IATA

UN3260

(Contd. on page 8) GB

Page 7/9

	(Contd. of pa
14.2 UN proper shipping name ADR	CORROSIVE SOLID, ACIDIC, INORGANIC, N.C
IMDG, IATA	(Stannous chloride dihydrate), ENVIRONMENTA HAZARDOUS CORROSIVE SOLID, ACIDIC, INORGANIC, N.C
-	(Stannous chloride dihydrate)
14.3 Transport hazard class(es)	
ADR	
Class Label	8 (C2) Corrosive substances. 8
IMDG, IATA	
Class	8 Corrosive substances.
Label	8
14.4 Packing group ADR, IMDG, IATA	III
14.5 Environmental hazards: Marine pollutant:	Environmentally hazardous substance, solid Yes (P)
14.6 Special precautions for user	Warning: Corrosive substances.
 Hazard identification number (Kemler code): EMS Number: 	F-A,S-B
Segregation groups	Acids
Stowage Category	A
14.7 Maritime transport in bulk according to IMO instruments	Not applicable.
Transport/Additional information:	
ADR	
Limited quantities (LQ)	5 kg
Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g
Transport category	3
Tunnel restriction code	E
IMDG	
Limited quantities (LQ)	5 kg
Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000
UN "Model Regulation":	UN 3260 CORROSIVE SOLID, ACID
	INORGANIC, N.O.S. (STANNOUS CHLORI DIHYDRATE), 8, III, ENVIRONMENTAL HAZARDOUS

(Contd. on page 9)

GB

(Contd. of page 8)

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I Substance is not listed.
- Seveso category E1 Hazardous to the Aquatic Environment
- \cdot Qualifying quantity (tonnes) for the application of lower-tier requirements $100\,t$
- Qualifying quantity (tonnes) for the application of upper-tier requirements 200 t

· National regulations:

- · Other regulations, limitations and prohibitive regulations
- Substances of very high concern (SVHC) according to REACH, Article 57 Substance is not listed.
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

• Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association P: Marine Pollutant GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative Acute Tox. 4: Acute toxicity - Category 4 Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Irrit. 2: Serious eye damage/eye irritation - Category 2 Skin Sens. 1: Skin sensitisation - Category 1 Muta. 2: Germ cell mutagenicity - Category 2 Repr. 2: Reproductive toxicity - Category 2 STOT SE 3: Specific target organ toxicity (single exposure) - Category 3 STOT RE 2: Specific target organ toxicity (repeated exposure) - Category 2 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1 ** Data compared to the previous version altered. GB