

**Safety data sheet
according to 1907/2006/EC, Article 31**

revised on: 08.05.2023

Version number 10 (replaces version 9)

Creation Date: 06.01.2016

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1 Product identifier**

- **Trade name:** Sodium hydroxide solution, 1 mol / l
- **Article number:** 1340
- **CAS Number:** 1310-73-2 (Sodium hydroxide)
- **Registration number** This product is a mixture. UK REACH registration numbers see section 3.
- **UFI:** 38N0-M0NS-K00F-XNA0

1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

Application of the substance / the mixture

Laboratory chemicals
Reagent for analysis
Industrial use

1.3 Details of the supplier of the safety data sheet**Manufacturer/Supplier:**

Th. Geyer GmbH & Co. KG
Dornierstr. 4 – 6
D-71272 Renningen

Tel.: +49(0)7159-1637-0, Fax:+49 (0)7159/18417

www.thgeyer.desicherheitsdatenblaetter@thgeyer.de**Further information obtainable from:** Product management department**1.4 Emergency telephone number:**

National Poisons Information Service

City Hospital

Dudley Road

Birmingham B18 7QH

Tel.:Emergency: (00 44) 87 06 00 62 66

Members of the public seeking specific information on poisons should contact:

In England and Wales: NHS 111 - dial 111

In Scotland: NHS 24 - dial 111

SECTION 2: Hazards identification**2.1 Classification of the substance or mixture****Classification according to Regulation (EC) No 1272/2008**

GHS05 corrosion

Met. Corr. 1 H290 May be corrosive to metals.

Skin Corr. 1A H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

2.2 Label elements**Labelling according to Regulation (EC) No 1272/2008**

The product is classified and labelled according to the GB CLP regulation.

(Contd. on page 2)

Safety data sheet

according to 1907/2006/EC, Article 31

revised on: 08.05.2023

Version number 10 (replaces version 9)

Creation Date: 06.01.2016

Trade name: Sodium hydroxide solution, 1 mol / l

(Contd. of page 1)

Hazard pictograms



GHS05

Signal word Danger

Hazard-determining components of labelling:

Sodium hydroxide

Hazard statements

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

Precautionary statements

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

2.3 Other hazards

Results of PBT and vPvB assessment

- PBT: Not applicable.

- vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

- Description: Mixture of substances listed below with nonhazardous additions.

Dangerous components:

CAS: 1310-73-2 EINECS: 215-185-5 Reg.nr.: 01-2119457892-27-XXXX	Sodium hydroxide Met. Corr. 1, H290; Skin Corr. 1A, H314 Specific concentration limits: Skin Corr. 1A; H314: C ≥ 5 % Skin Corr. 1B; H314: 2 % ≤ C < 5 % Skin Irrit. 2; H315: 0.5 % ≤ C < 2 % Eye Irrit. 2; H319: 0.5 % ≤ C < 2 %	2.5–<5%
---	---	---------

- Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information:

First aider needs to protect himself.

Immediately remove any clothing soiled by the product.

After inhalation:

Remove person from danger area.

Supply fresh air.

Seek medical treatment in case of complaints.

After skin contact:

Flush contaminated skin with soap and plenty of water.

After prolonged contact or any signs of skin changes (redness or other signs of inflammation) seek medical attention.

(Contd. on page 3)

Safety data sheet

according to 1907/2006/EC, Article 31

revised on: 08.05.2023

Version number 10 (replaces version 9)

Creation Date: 06.01.2016

Trade name: Sodium hydroxide solution, 1 mol / l

(Contd. of page 2)

- **After eye contact:**
Protect unharmed eye.
Rinse opened eye for several minutes under running water. Then consult a doctor.
Remove contact lenses
Continue rinsing.
- **After swallowing:**
Rinse out mouth and then drink plenty of water.
Do not induce vomiting (risk of perforation).
Call a doctor immediately.
- **Information for doctor:** Please observe safety data sheet/label.
- **4.2 Most important symptoms and effects, both acute and delayed**
Nausea
Gastric or intestinal disorders
Cramp
- **4.3 Indication of any immediate medical attention and special treatment needed** Symptomatic treatment.

SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:** Use fire extinguishing methods suitable to surrounding conditions.
- **For safety reasons unsuitable extinguishing agents:** Water with full jet.
- **5.2 Special hazards arising from the substance or mixture**
Formation of toxic gases is possible during heating or in case of fire.
Under certain fire conditions, traces of other toxic gases cannot be excluded.
- **5.3 Advice for firefighters**
- **Protective equipment:**
Wear self-contained respiratory protective device.
Do not inhale explosion gases or combustion gases.
- **Additional information**
Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.
Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**
Avoid contact with eyes and skin.
Ensure adequate ventilation.
Particular danger of slipping on leaked/spilled product.
Use respiratory protective device against the effects of fumes/dust/aerosol.
Wear protective equipment. Keep unprotected persons away.
- **6.2 Environmental precautions:**
Dilute with plenty of water.
Do not allow to enter sewers/surface or ground water.
- **6.3 Methods and material for containment and cleaning up:**
Cover drains.
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Use neutralising agent.
Dispose contaminated material as waste according to section 13.
Ensure adequate ventilation.
Dispose of the material collected according to regulations.
- **6.4 Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

(Contd. on page 4)

Safety data sheet

according to 1907/2006/EC, Article 31

revised on: 08.05.2023

Version number 10 (replaces version 9)

Creation Date: 06.01.2016

Trade name: Sodium hydroxide solution, 1 mol / l

(Contd. of page 3)

SECTION 7: Handling and storage

7.1 Precautions for safe handling

- Apply the general protection and hygiene measures for the handling with chemicals.
- Store in cool, dry place in tightly closed receptacles.
- Ensure good ventilation/exhaustion at the workplace.
- Prevent formation of aerosols.

Information about fire - and explosion protection:

- Substance itself does not burn, tuning measures to environment

7.2 Conditions for safe storage, including any incompatibilities

Storage:

- Requirements to be met by storerooms and receptacles:** Store only in the original receptacle.

- Information about storage in one common storage facility:** Store away from metals.

Further information about storage conditions:

- Protect from humidity and water.
- Store in dry conditions.
- Keep container tightly sealed.

- Storage class:** 8 B

- 7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

- Ingredients with limit values that require monitoring at the workplace:**

CAS: 1310-73-2 Sodium hydroxide
WEL Short-term value: 2 mg/m ³

- Additional information:** The lists valid during the making were used as basis.

8.2 Exposure controls

- Appropriate engineering controls** No further data; see section 7.
- Individual protection measures, such as personal protective equipment**

General protective and hygienic measures:

- Keep away from foodstuffs, beverages and feed.
- Immediately remove all soiled and contaminated clothing
- Wash hands before breaks and at the end of work.
- Avoid contact with the eyes and skin.

Respiratory protection:

- In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device. If air-purifying respiratory protection is required according to the risk assessment, wear a respirator with full-face mask with combination filter (US) or with filter type ABEK (EN 14387) filter cartridge. If the respirator is the only protective measure, an ambient air self-contained breathing apparatus with a full face mask must be worn. Respirators and components must be approved to appropriate government standards (for example, NIOSH (US) or CEN (EU)). Translated with www.DeepL.com/Translator (free version)

Hand protection



Protective gloves

- The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
- Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

- The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 5)

Safety data sheet

according to 1907/2006/EC, Article 31

revised on: 08.05.2023

Version number 10 (replaces version 9)

Creation Date: 06.01.2016

Trade name: Sodium hydroxide solution, 1 mol / l

(Contd. of page 4)

NBR: acrylonitrile-butadiene rubber

Material thickness > 0.11 mm

- **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

level 6 for application > 480 min

- **Eye/face protection**



Tightly sealed goggles

- **Body protection:**



Protective work clothing (e. g. safety shoes EN ISO 20345, long-sleeved protective working garments).

SECTION 9: Physical and chemical properties

- **9.1 Information on basic physical and chemical properties**

- **General Information**

- **Physical state**

Fluid

- **Colour:**

Colourless

- **Odour:**

Odourless

- **Melting point/freezing point:**

0 °C

- **Boiling point or initial boiling point and boiling range**

Undetermined.

- **Flammability**

Not applicable.

- **Lower and upper explosion limit**

- **Lower:**

Not determined.

- **Upper:**

Not determined.

- **Flash point:**

Not applicable.

- **Decomposition temperature:**

Not determined.

- **pH at 20 °C**

>12

- **Viscosity:**

- **Kinematic viscosity**

Not determined.

- **Dynamic at 20 °C:**

0.952 mPas

- **Solubility**

- **water:**

Fully miscible.

- **Partition coefficient n-octanol/water (log value)**

Not determined.

- **Vapour pressure at 20 °C:**

23 hPa

- **Density and/or relative density**

- **Density at 20 °C:**

~1.04 g/cm³

Not determined.

- **Relative density**

Not determined.

- **Vapour density**

Not determined.

- **9.2 Other information**

- **Appearance:**

- **Form:**

Fluid

- **Important information on protection of health and environment, and on safety.**

- **Ignition temperature:**

Product is not selfigniting.

- **Explosive properties:**

Product does not present an explosion hazard.

(Contd. on page 6)

E

Safety data sheet

according to 1907/2006/EC, Article 31

revised on: 08.05.2023

Version number 10 (replaces version 9)

Creation Date: 06.01.2016

Trade name: Sodium hydroxide solution, 1 mol / l

(Contd. of page 5)

· Solvent content:	
· Water:	95–<98 %
· VOC (EC)	0.00 %
· Solids content:	2.5–<5 %
· Molecular weight	18.02 g/mol
· Change in condition	
· Evaporation rate	Not determined.

· Information with regard to physical hazard classes	
· Explosives	Void
· Flammable gases	Void
· Aerosols	Void
· Oxidising gases	Void
· Gases under pressure	Void
· Flammable liquids	Void
· Flammable solids	Void
· Self-reactive substances and mixtures	Void
· Pyrophoric liquids	Void
· Pyrophoric solids	Void
· Self-heating substances and mixtures	Void
· Substances and mixtures, which emit flammable gases in contact with water	Void
· Oxidising liquids	Void
· Oxidising solids	Void
· Organic peroxides	Void
· Corrosive to metals	May be corrosive to metals.
· Desensitised explosives	Void

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability** Stable with proper storage and handling.
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** Reacts with certain metals.
- **10.4 Conditions to avoid**
Heat, flames and sparks
Protect from humidity.
- **10.5 Incompatible materials:** Avoid contact with other chemicals.
- **10.6 Hazardous decomposition products:** On fire: see chapter 5

SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity** Based on available data, the classification criteria are not met.

· **LD/LC50 values relevant for classification:**

ATE (Acute Toxicity Estimates)

Oral	LD50	>40,000–80,000 mg/kg (rat)
------	------	----------------------------

- **Skin corrosion/irritation** Causes severe skin burns and eye damage.
- **Serious eye damage/irritation** Causes serious eye damage.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.

(Contd. on page 7)

Safety data sheet

according to 1907/2006/EC, Article 31

revised on: 08.05.2023

Version number 10 (replaces version 9)

Creation Date: 06.01.2016

Trade name: Sodium hydroxide solution, 1 mol / l

(Contd. of page 6)

- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.
- **11.2 Information on other hazards**

Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

- **12.1 Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Endocrine disrupting properties**
The product does not contain substances with endocrine disrupting properties.
- **12.7 Other adverse effects**
- **Additional ecological information:**
- **General notes:**
Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.
Must not reach sewage water or drainage ditch undiluted or unneutralised.
Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
Observe local (country-specific) regulations and laws
This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.
- **Recommendation**
Must not be disposed together with household garbage. Do not allow product to reach sewage system.
Chemicals must be disposed of in compliance with the respective national regulations.

European waste catalogue

06 00 00	WASTES FROM INORGANIC CHEMICAL PROCESSES
06 02 00	wastes from the MFSU of bases
06 02 04*	sodium and potassium hydroxide
HP4	Irritant - skin irritation and eye damage

- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agents:** Water, if necessary together with cleansing agents.

SECTION 14: Transport information

- **14.1 UN number or ID number**
- **ADR, IMDG, IATA** UN1824

(Contd. on page 8)

E

Safety data sheet

according to 1907/2006/EC, Article 31



revised on: 08.05.2023

Version number 10 (replaces version 9)

Creation Date: 06.01.2016

Trade name: Sodium hydroxide solution, 1 mol / l

(Contd. of page 7)

<ul style="list-style-type: none"> · 14.2 UN proper shipping name · ADR · IMDG, IATA 	1824 SODIUM HYDROXIDE SOLUTION SODIUM HYDROXIDE SOLUTION
<ul style="list-style-type: none"> · 14.3 Transport hazard class(es) · ADR 	8 (C5) Corrosive substances. 8
<ul style="list-style-type: none"> · IMDG, IATA 	8 Corrosive substances. 8
<ul style="list-style-type: none"> · 14.4 Packing group · ADR, IMDG, IATA 	II
<ul style="list-style-type: none"> · 14.5 Environmental hazards: 	Not applicable.
<ul style="list-style-type: none"> · 14.6 Special precautions for user · Hazard identification number (Kemler code): · EMS Number: · Segregation groups · Stowage Category · Segregation Code 	Warning: Corrosive substances. 80 F-A,S-B (SGG18) Alkalis A SG35 Stow "separated from" SGG1-acids
<ul style="list-style-type: none"> · 14.7 Maritime transport in bulk according to IMO instruments 	Not applicable.
<ul style="list-style-type: none"> · Transport/Additional information: 	
<ul style="list-style-type: none"> · ADR · Limited quantities (LQ) · Excepted quantities (EQ) · Transport category · Tunnel restriction code 	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml 2 E
<ul style="list-style-type: none"> · IMDG · Limited quantities (LQ) · Excepted quantities (EQ) 	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
<ul style="list-style-type: none"> · UN "Model Regulation": 	UN 1824 SODIUM HYDROXIDE SOLUTION, 8, II

(Contd. on page 9)

Safety data sheet

according to 1907/2006/EC, Article 31

revised on: 08.05.2023

Version number 10 (replaces version 9)

Creation Date: 06.01.2016

Trade name: Sodium hydroxide solution, 1 mol / l

(Contd. of page 8)

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Inventory of Hazardous Chemicals

CAS: 1310-73-2	Sodium hydroxide
----------------	------------------

Directive 2012/18/EU

• **Named dangerous substances - ANNEX I** None of the ingredients is listed.

• **Seveso category** not assigned

• **REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

REGULATION (EU) 2019/1148

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

National regulations:

Information about limitation of use:

Employment restrictions concerning juveniles must be observed.

Employment restrictions concerning pregnant and lactating women must be observed.

• **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Application, use and handling of our products take place out of our control and are solely your responsibility.

Relevant phrases

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

• **Department issuing SDS:** Product management

• **Contact:** Product management

• **Version number of previous version:** 9

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

(Contd. on page 10)

Safety data sheet

according to 1907/2006/EC, Article 31

revised on: 08.05.2023

Version number 10 (replaces version 9)

Creation Date: 06.01.2016

Trade name: Sodium hydroxide solution, 1 mol / l

(Contd. of page 9)

Met. Corr.1: Corrosive to metals – Category 1

Skin Corr. 1A: Skin corrosion/irritation – Category 1A

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

· *** Data compared to the previous version altered.**

E