

Page 1/13

Safety data sheet according to 1907/2006/EC, Article 31

revised on: 21.02.2023 Version number 9 Creation Date: 28.11.2016

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: Methanol

· Article number: 1400, 1411, 1428, 1437, 1448, 1455, 1459, 1460, 1462, 1481, 1485

· CAS Number:

67-56-1

· EC number:

200-659-6

· Index number:

603-001-00-X

- · Registration number 01-2119433307-44-xxxx
- 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Sector of Use
- SU3 Industrial uses: Uses of substances as such or in preparations at industrial sites
- SU8 Manufacture of bulk, large scale chemicals (including petroleum products)
- SU9 Manufacture of fine chemicals
- SU10 Formulation [mixing] of preparations and/or re-packaging (excluding alloys)
- SU24 Scientific research and development

Product category

- PC19 Intermediate
- PC20 Processing aids such as pH-regulators, flocculants, precipitants, neutralization agents
- PC21 Laboratory chemicals
- PC29 Pharmaceuticals
- PC39 Cosmetics, personal care products
- PC40 Extraction agents

Process category

- PROC1 Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions.
- PROC2 Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions
- PROC3 Manufacture or formulation in the chemical industry in closed batch processes with occasional controlled exposure or processes with equivalent containment condition
- PROC4 Chemical production where opportunity for exposure arises
- PROC5 Mixing or blending in batch processes
- PROC8a Transfer of substance or mixture (charging and discharging) at non-dedicated facilities
- PROC8b Transfer of substance or mixture (charging and discharging) at dedicated facilities
- PROC9 Transfer of substance or mixture into small containers (dedicated filling line, including weighing)
- PROC15 Use as laboratory reagent

Environmental release category

- ERC1 Manufacture of the substance
- ERC2 Formulation into mixture
- ERC4 Use of non-reactive processing aid at industrial site (no inclusion into or onto article)
- ERC6a Use of intermediate

Application of the substance / the mixture

Industrial use

Laboratory chemicals

Reagent for analysis

· 1.3 Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

Th. Geyer GmbH & Co. KG

Dornierstr. 4 – 6

D-71272 Renningen

(Contd. on page 2)

(Contd. of page 1)

Safety data sheet according to 1907/2006/EC, Article 31

Version number 9 Creation Date: 28.11.2016 revised on: 21.02.2023

Trade name: Methanol

Tel.: +49(0)7159-1637-0, Fax:+49 (0)7159/18417

www.thgeyer.de

sicherheitsdatenblaetter@thgeyer.de

· Further information obtainable from: Product management department

· 1.4 Emergency telephone number:

National Poisons Information Service

City Hospital **Dudley Road**

Birmingham B18 7QH

Tel.:Emergency: (00 44) 87 06 00 62 66

Members of the public seeking specific information on poisons should contact:

In England and Wales: NHS 111 - dial 111

In Scotland: NHS 24 - dial 111

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



GHS02 flame

Flam. Liq. 2 H225 Highly flammable liquid and vapour.



GHS06 skull and crossbones

Acute Tox. 3 H301 Toxic if swallowed.

Acute Tox. 3 H311 Toxic in contact with skin.

Acute Tox. 3 H331 Toxic if inhaled.



GHS08 health hazard

STOT SE 1 H370 Causes damage to the central nervous system and the visual organs.

- · 2.2 Label elements
- Labelling according to Regulation (EC) No 1272/2008

The substance is classified and labelled according to the GB CLP regulation.

Hazard pictograms







GHS02 GHS06 GHS08

· Signal word Danger

· Hazard statements

H225 Highly flammable liquid and vapour.

H301+H311+H331 Toxic if swallowed, in contact with skin or if inhaled.

Causes damage to the central nervous system and the visual organs.

· Precautionary statements

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No P210

smokina.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

(Contd. on page 3)

Creation Date: 28.11.2016 revised on: 21.02.2023 Version number 9

Trade name: Methanol

(Contd. of page 2)

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water

[or shower].

IF INHALED: Remove person to fresh air and keep comfortable for breathing. P304+P340

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· 2.3 Other hazards

· Results of PBT and vPvB assessment

· PBT: Not applicable. · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.1 Substances

· CAS No. Description

CAS: 67-56-1 Methanol

· Identification number(s)

· EC number: 200-659-6

· Index number: 603-001-00-X

Specific concentration limits STOT SE 1; H370: C ≥ 10 %

STOT SE 2; H371: 3 % ≤ C < 10 %

SECTION 4: First aid measures

· 4.1 Description of first aid measures

· General information:

First aider needs to protect himself.

Immediately remove any clothing soiled by the product.

Remove breathing equipment only after contaminated clothing have been completely removed.

In case of irregular breathing or respiratory arrest provide artificial respiration.

After inhalation:

Remove person from danger area.

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

After skin contact:

Flush contaminated skijn with soap and plenty of water.

take care of a Possiblility of inhalation at the same time

After prolonged contact or any signs of skin changes (redness or other signs of inflammation) seek medical attention.

· After eye contact:

Protect unharmed eye.

Rinse opened eye for several minutes under running water. Then consult a doctor.

Remove contact lenses

After swallowing:

Call emergency doctor

Rinse out mouth and then drink plenty of water.

give about 100 ml drinking solution 40% ethanol

A person vomiting while laying on their back should be turned onto their side.

· Information for doctor: Please observe safety data sheet/label.

· 4.2 Most important symptoms and effects, both acute and delayed

Headache

Dazed feeling

Cramp

Vertigo

Gastric or intestinal disorders

(Contd. on page 4)

(Contd. of page 3)

Safety data sheet according to 1907/2006/EC, Article 31

revised on: 21.02.2023 Version number 9 Creation Date: 28.11.2016

Trade name: Methanol

· Hazards

Risk of serious eye damage.

Risk of organ damage (liver, kidney)

Danger of circulatory collapse.

Danger of impaired breathing.

4.3 Indication of any immediate medical attention and special treatment needed

Monitor circulation, possible shock treatment.

Medical supervision for at least 48 hours.

Give Glucocorticoid-Aerosol in case of lung irritation.

If necessary oxygen respiration treatment.

If swallowed, gastric irrigation.

Laxative: Sodium sulphate (1 tbsp. / 250 ml water)

Symptomatic treatment.

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

· Suitable extinguishing agents:

Water spray, powder, carbon dioxide or foam. Fight larger fires with water spray or alcohol resistant foam.

· For safety reasons unsuitable extinguishing agents: Water with full jet.

5.2 Special hazards arising from the substance or mixture

In case of fire, the following can be released:

Carbon dioxides (CO, CO□)

Formation of toxic gases is possible during heating or in case of fire.

Vapours are heavier than air and may spread along floors.

Under certain fire conditions, traces of other toxic gases cannot be excluded.

Formation of explosive/flammable vapour/air mixtures possible if insufficiently loaded and/or in use.

Combustible.

5.3 Advice for firefighters

· Protective equipment:

Mouth respiratory protective device.

Wear self-contained respiratory protective device.

Do not inhale explosion gases or combustion gases.

· Additional information

Cool endangered receptacles with water spray.

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Use respiratory protective device against the effects of fumes/dust/aerosol.

Ensure adequate ventilation.

Keep away from ignition sources.

Avoid contact with eyes and skin.

Wear protective equipment. Keep unprotected persons away.

Evacuate the danger area.

Consult an expert.

6.2 Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/surface or ground water.

6.3 Methods and material for containment and cleaning up:

Cover drains.

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

Dispose of the material collected according to regulations.

(Contd. on page 5)

revised on: 21.02.2023 Version number 9 Creation Date: 28.11.2016

Trade name: Methanol

(Contd. of page 4)

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Apply the general protection and hygiene measures for the handling with chemicals.

Ensure good ventilation.

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Information about fire - and explosion protection:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Keep respiratory protective device available.

Fumes can combine with air to form an explosive mixture.

Flammable gas-air mixtures may form in empty receptacles.

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

· Requirements to be met by storerooms and receptacles:

Provide solvent resistant, sealed floor.

Store in a cool location.

Store only in the original receptacle.

Information about storage in one common storage facility:

Store away from oxidising agents.

Store away from reducing agents.

Store away from flammable substances.

Further information about storage conditions:

Keep container tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

Protect from heat and direct sunlight.

Caution when reopening receptacles with broken seal.

- · Storage class: 3A (Inflammatory, liquid substances)
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

CAS: 67-56-1 Methanol

WEL Short-term value: 333 mg/m³, 250 ppm Long-term value: 266 mg/m³, 200 ppm

Sk

· PNECs

Values relevant for the environment

PNEC 20.8 mg/l aquatic organisms freshwater short-term (single)

PNEC 2.08 mg/l aquatic organisms seawater short-term (one-time)

PNEC 100 mg/l aquatic organisms sewage treatment plant (STP) short-term (one-time)

PNEC 77 mg/kg Water organisms Freshwater sediment short-term (one-time)

PNEC 7.7 mg/kg aquatic organisms marine sediment short-term (one-time)

PNEC 100 mg/kg terrestrial organisms soil short-term (one-time)

· Additional information: The lists valid during the making were used as basis.

· 8.2 Exposure controls

· Appropriate engineering controls No further data; see item 7.

(Contd. on page 6)

revised on: 21.02.2023 Version number 9 Creation Date: 28.11.2016

Trade name: Methanol

(Contd. of page 5)

- · Individual protection measures, such as personal protective equipment
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes and skin.

Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device. If air-purifying respiratory protection is required according to the risk assessment, wear a respirator with full-face mask with combination filter (US) or with filter type ABEK (EN 14387) filter cartridge. If the respirator is the only protective measure, an ambient air self-contained breathing apparatus with afull face mask must be worn. Respirators and components must be approved to appropriate government standards (for example, NIOSH (US) or CEN (EU)). Translated with www.DeepL.com/Translator (free version)

· Hand protection



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

PE: polyethylene, CR: chloroprene (chlorobutadiene) rubber, IIR: butyl rubber, isobutene-isoprene rubber Material thickness > 0.4 mm

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Level 3 for application up to 120 min

Eye/face protection



Tightly sealed goggles

· Body protection:



Protective work clothing (e. g. safety shoes EN ISO 20345, long-sleeved protective working garments).

SECTION 9: Physical and chemical properties

- · 9.1 Information on basic physical and chemical properties
- · General Information

· Physical state Fluid

· Colour: Colourless
· Odour: Alcohol-like
· Melting point/freezing point: -98 °C

Melting point/freezing point:
 Boiling point or initial boiling point and boiling

range 64.7 °C

· Flammability Highly flammable.

(Contd. on page 7)

revised on: 21.02.2023 Version number 9 Creation Date: 28.11.2016

Trade name: Methanol

(Contd. of page 6) · Lower and upper explosion limit 5.5 Vol % · Lower: · Upper: 44 Vol % · Flash point: 11 °C Ignition temperature: 455 °C Decomposition temperature: Not determined. · pH Not determined. · Viscosity: Kinematic viscosity Not determined. · Dynamic: Not determined. · Solubility · water: Fully miscible. · Partition coefficient n-octanol/water (log value) Not determined. · Vapour pressure at 20 °C: 128 hPa Density and/or relative density Density at 20 °C: 0.79 g/cm³ Not determined. · Relative density Not determined. · Vapour density Not determined. · 9.2 Other information · Appearance: · Form: Fluid · Important information on protection of health and environment, and on safety. **Auto-ignition temperature:** Not determined. · Explosive properties: Product is not explosive. However, formation of explosive air/vapour mixtures are possible. · Molecular weight 32 g/mol · Change in condition · Evaporation rate Not determined. · Information with regard to physical hazard classes · Explosives Void · Flammable gases Void · Aerosols Void · Oxidising gases Void · Gases under pressure Void · Flammable liquids Highly flammable liquid and vapour. Flammable solids Void Void · Self-reactive substances and mixtures · Pyrophoric liquids Void **Pyrophoric solids** Void · Self-heating substances and mixtures Void · Substances and mixtures, which emit flammable gases in contact with water Void · Oxidising liquids Void · Oxidising solids Void · Organic peroxides Void · Corrosive to metals Void

SECTION 10: Stability and reactivity

Desensitised explosives

- · 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability Stable with proper storage and handling.
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

Void

(Contd. on page 8)

Version number 9 Creation Date: 28.11.2016 revised on: 21.02.2023

Trade name: Methanol

(Contd. of page 7)

- 10.3 Possibility of hazardous reactions Forms explosive gas mixture with air.
- · 10.4 Conditions to avoid

Heat, flames and sparks

Vapours form explosive mixtures with air.

- · 10.5 Incompatible materials: Avoid contact with other chemicals.
- · 10.6 Hazardous decomposition products: On fire: see chapter 5

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Toxic if swallowed, in contact with skin or if inhaled.

· LD/LC50 values	relevant for	classification:
------------------	--------------	-----------------

Oral LD50 5,628 mg/kg (rat) Dermal LD50 15,800 mg/kg (rabbit) Inhalative LC50 3 mg/l (ATE)

- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure

Damages the organs

Causes damage to the central nervous system and the visual organs.

- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- Subacute to chronic toxicity: -
- · 11.2 Information on other hazards
- · Endocrine disrupting properties Substance is not listed.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- vPvB: Not applicable.
- 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- · 12.7 Other adverse effects
- · Remark:

Toxic for fish

Toxic for water fleas

Toxic for algae

- · Additional ecological information:
- General notes:

Also poisonous for fish and plankton in water bodies.

Water hazard class 2 (German Regulation) (Assessment by list): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

revised on: 21.02.2023 Version number 9 Creation Date: 28.11.2016

Trade name: Methanol

(Contd. of page 8)

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

Observe local (country-specific) regulations and laws

This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Chemicals must be disposed of in compliance with the respective national regulations.

· European waste catalogue	
07 00 00	WASTES FROM ORGANIC CHEMICAL PROCESSES
07 01 00	wastes from the manufacture, formulation, supply and use (MFSU) of basic organic chemicals
07 01 04*	other organic solvents, washing liquids and mother liquors
HP3	Flammable
HP5	Specific Target Organ Toxicity (STOT)/Aspiration Toxicity
HP6	Acute Toxicity

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport information

- · 14.1 UN number or ID number
- · ADR, IMDG, IATA UN1230
- · 14.2 UN proper shipping name
- · ADR 1230 METHANOL · IMDG, IATA **METHANOL**
- · 14.3 Transport hazard class(es)
- · ADR





· Class 3 (FT1) Flammable liquids.

· Label 3+6.1

·IMDG





· Class 3 Flammable liquids. 3/6.1

· Label

· IATA





· Class 3 Flammable liquids.

· Label 3 (6.1)

(Contd. on page 10)

revised on: 21.02.2023 Version number 9 Creation Date: 28.11.2016

Trade name: Methanol

	(Contd. of pa
· 14.4 Packing group · ADR, IMDG, IATA	II
· 14.5 Environmental hazards:	Not applicable.
· 14.6 Special precautions for user · Hazard identification number (Kemler code): · EMS Number: · Stowage Category · Stowage Code	Warning: Flammable liquids. 336 F-E,S-D B SW2 Clear of living quarters.
14.7 Maritime transport in bulk according to IM instruments	Not applicable.
Transport/Additional information:	
· ADR · Limited quantities (LQ) · Excepted quantities (EQ)	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
Transport category Tunnel restriction code	2 D/E
· IMDG · Limited quantities (LQ) · Excepted quantities (EQ)	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
UN "Model Regulation":	UN 1230 METHANOL, 3 (6.1), II

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Inventory of Hazardous Chemicals

CAS: 67-56-1 Methanol

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I Substance is listed.
- · Qualifying quantity (tonnes) for the application of lower-tier requirements 500 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 5,000 t
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3, 40, 69
- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment Annex II

Substance is not listed.

- · REGULATION (EU) 2019/1148
- · Annex I RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

Substance is not listed.

- · Annex II REPORTABLE EXPLOSIVES PRECURSORS Substance is not listed.
- · Regulation (EC) No 273/2004 on drug precursors Substance is not listed.
- Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

Substance is not listed.

- · National regulations:
- · Information about limitation of use:

Employment restrictions concerning juveniles must be observed.

(Contd. on page 11)

revised on: 21.02.2023 Version number 9 Creation Date: 28.11.2016

Trade name: Methanol

(Contd. of page 10)

Employment restrictions concerning pregnant and lactating women must be observed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. Application, use and handling of our products take place out of our control and are solely your responsibility.

- · Department issuing SDS: Product management
- · Contact: Product management
- · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the

International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PNEC: Predicted No-Effect Concentration (UK REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 2: Flammable liquids – Category 2 Acute Tox. 3: Acute toxicity – Category 3

STOT SE 1: Specific target organ toxicity (single exposure) - Category 1

* Data compared to the previous version altered.

(Contd. on page 12)

revised on: 21.02.2023 Version number 9 Creation Date: 28.11.2016

Trade name: Methanol

(Contd. of page 11)

Annex: Exposure scenario

- · Short title of the exposure scenario Chemicals for Laboratory and industrial use
- · Sector of Use
- SU3 Industrial uses: Uses of substances as such or in preparations at industrial sites
- SU8 Manufacture of bulk, large scale chemicals (including petroleum products)
- SU9 Manufacture of fine chemicals
- SU10 Formulation [mixing] of preparations and/or re-packaging (excluding alloys)
- SU24 Scientific research and development

Product category

- PC19 Intermediate
- PC20 Processing aids such as pH-regulators, flocculants, precipitants, neutralization agents
- PC21 Laboratory chemicals
- PC29 Pharmaceuticals
- PC39 Cosmetics, personal care products
- PC40 Extraction agents

· Process category

- PROC1 Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions.
- PROC2 Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions
- PROC3 Manufacture or formulation in the chemical industry in closed batch processes with occasional controlled exposure or processes with equivalent containment condition
- PROC4 Chemical production where opportunity for exposure arises
- PROC5 Mixing or blending in batch processes
- PROC8a Transfer of substance or mixture (charging and discharging) at non-dedicated facilities
- PROC8b Transfer of substance or mixture (charging and discharging) at dedicated facilities
- PROC9 Transfer of substance or mixture into small containers (dedicated filling line, including weighing)
- PROC15 Use as laboratory reagent

Environmental release category

- ERC1 Manufacture of the substance
- ERC2 Formulation into mixture
- ERC4 Use of non-reactive processing aid at industrial site (no inclusion into or onto article)
- ERC6a Use of intermediate

· Description of the activities / processes covered in the Exposure Scenario

See section 1 of the annex to the Safety Data Sheet.

- · Conditions of use
- · **Duration and frequency** 5 workdays/week.
- · Physical parameters
- · Physical state Fluid
- · Concentration of the substance in the mixture Raw material.
- · Other operational conditions Observe the general safety regulations when handling chemicals.
- · Other operational conditions affecting environmental exposure

Observe section 6 of the Safety Data Sheet (Accidental release measures).

High temperatures promote emission.

· Other operational conditions affecting worker exposure

Avoid contact with the skin.

Do not breathe gas/vapour/aerosol.

Take precautionary measures against static discharge.

Keep away from sources of ignition - No smoking.

- Other operational conditions affecting consumer exposure Keep out of the reach of children.
- Other operational conditions affecting consumer exposure during the use of the product Not applicable.
- Risk management measures
- · Worker protection Observe sections 7.1 and 8.1–8.2 of the safety data sheet.
- Organisational protective measures

Deploy only trained chemical workers.

Provide Internal Plant Instruction.

Employment restrictions concerning juveniles must be observed.

(Contd. on page 13)

revised on: 21.02.2023 Version number 9 Creation Date: 28.11.2016

Trade name: Methanol

(Contd. of page 12)

Employment restrictions concerning pregnant and lactating women must be observed.

Technical protective measures

Provide explosion-proof electrical equipment.

Ensure that suitable extractors are available on processing machines

· Personal protective measures

Do not inhale gases / fumes / aerosols.

Avoid contact with the skin.

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device. If air-purifying respiratory protection is required according to the risk assessment, wear a respirator with full-face mask with combination filter (US) or with filter type ABEK (EN 14387) filter cartridge. If the respirator is the only protective measure, an ambient air self-contained breathing apparatus with afull face mask must be worn. Respirators and components must be approved to appropriate government standards (for example, NIOSH (US) or CEN (EU)). Translated with www.DeepL.com/Translator (free version)

Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Measures for consumer protection

Ensure adequate labelling.

Keep locked up and out of the reach of children.

· Environmental protection measures

Avoid release to the environment. Obtain special instructions / refer to Safety Data Sheet.

- · Water Do not allow to reach ground water, water bodies or sewage system, not even in small quantities.
- · Soil Prevent contamination of soil.
- · Notes In case of unintended release of the product: See section 6 of the Safety Data Sheet.
- · **Disposal measures** Ensure that waste is collected and contained.
- · Disposal procedures

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Waste type Partially emptied and uncleaned packaging
- **Exposure estimation**
- · Worker (oral) Detailed information on the exposure estimation can be found at http://www.ecetoc.org/tra.
- · Worker (dermal) Detailed information on the exposure estimation can be found at http://www.ecetoc.org/tra.
- · Worker (inhalation) Detailed information on the exposure estimation can be found at http://www.ecetoc.org/tra.
- **Environment**

Detailed information on the estimation of the environmental exposure can be found at http://ecb.jrc.ec.europa.eu/euses/.

- · Consumer Not relevant for this Exposure Scenario.
- · Guidance for downstream users

For the risk assessment, the tools recommended by ECHA can be used.

No further relevant information available.

Е