uvex	SAFETY EYEWEAR	07.07.2023

Product Datasheet model uvex super OTG 9169 500



UVEX ARBEITSSCHUTZ GMBH, Würzburger Str. 181-189, D-90766 Fürth

DOMINIQUE DUTSCHER SAS

1. Product Characteristics

1.1 General features

- classic overspecs for prescription spectacle wearers with a flat lens for a wide field of vision, designed for maximum wearer acceptance
- side arms with soft-grip temple ends provide a comfortable, secure fit without pressure
- nose bridge designed for all-day comfort
- robust polycarbonate lens with uvex's proven supravision coating technology – permanent anti-fog and scratch-resistant lens
- UV400 – 100 % protection against dangerous UV radiation up to 400 nm
- detectable

1.2 CR – autoclavable safety eyewear

- first autoclavable protective safety eyewear with anti-fog performance
- sterile eye protection in every situation – therefore suitable for cleanroom environments
- suitable for autoclave sterilization – 20 cycles at 121°C for 20 minutes each

1.3 Disinfection

- commercially available disinfectants (Ethanol/Isopropanol up to 70%) can be used – either by spraying or wiping
- goggles should not be placed in disinfectant for an extended period of time
- machine cleaning in the pre-wash process is also possible

2. Technical Details Body




Front piece	
Material	PC+PBT
Colour	white
Rivet	
Material	brass, nickel-plated
Temple	
Material	PC+PBT/TPE
Colour	white, light blue
Marking	
Manufacturer´s ID code	W
Applicable EN norm	166
Impact resistance	F (45 m/s)
Resistance to high speed particles at extremes of temperature	T
Conformity symbol	CE

DOMINIQUE DUTSCHER SAS

3. Technical Details Lens	
Material	PC
Thickness	2.1 mm at PD
Coating	uvex supravision clean
Colour	clear
UV protection	UV400
Marking according to EN	
Filter	2C-1,2 (EN 170)
Manufacturer´s ID code	W
Optical class	1
Impact resistance	F (45 m/s)
Resistance to high speed particles at extremes of temperature	T
Scratch resistance	K
Antifog	N
Conformity symbol	CE
Factory symbol	

DOMINIQUE DUTSCHER SAS

4. Logistical Information

Product			
Weight	39g		
Dimensions (L x W x B) in approx. mm	 picture only for reference		
	161 x 157 x 58		
	Packing unit 1	**Packing unit 2**	**Packing unit 3**
EAN Code	4031101556802		
Quantity in pcs.	1	8	128
Dimensions (L x W x H) in approx. mm	 picture only for reference		
	76 x 160 x 58	185 x 290 x 97	600 x 400 x 400
Net weight in approx. g	39	312	4,992
Gross weight in approx. g	53	530	9,380
Country of Origin	Germany		

5. Miscellaneous

Standards	EN 166+ EN 170
PPE Category	Category II

DOMINIQUE DUTSCHER SAS