

**Safety data sheet  
according to 1907/2006/EC, Article 31**

revised on: 01.06.2023

Version number 2 (replaces version 1)

Creation Date: 17.05.2023

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

- **1.1 Product identifier**
- **Trade name: Flusssäure**
- **Article number:** 2182, 2183, 2180, 2181
- **CAS Number:** 7664-39-3
- **EINECS Number:** 231-634-8
- **Registration number** 01-2119458860-33-0000
- **UFI:** 36U1-80FG-9008-DEVR
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**  
No further relevant information available.
- **Application of the substance / the mixture**  
Reagent for analysis  
Laboratory chemicals  
Industrial use
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
Th. Geyer GmbH & Co. KG  
Dornierstr. 4 – 6  
D-71272 Renningen  
  
Tel.: +49(0)7159-1637-0, Fax:+49 (0)7159/18417  
www.thgeyer.de  
sicherheitsdatenblaetter@thgeyer.de
- **Further information obtainable from:** Product management department
- **1.4 Emergency telephone number:**  
National Poisons Information Service  
City Hospital  
Dudley Road  
Birmingham B18 7QH  
Tel.:Emergency: (00 44) 87 06 00 62 66  
Members of the public seeking specific information on poisons should contact:  
In England and Wales: NHS 111 - dial 111  
In Scotland: NHS 24 - dial 111

**SECTION 2: Hazards identification**

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**



GHS06 skull and crossbones

- Acute Tox. 2 H300 Fatal if swallowed.
- Acute Tox. 1 H310 Fatal in contact with skin.
- Acute Tox. 2 H330 Fatal if inhaled.

(Contd. on page 2)

# Safety data sheet

## according to 1907/2006/EC, Article 31

revised on: 01.06.2023

Version number 2 (replaces version 1)

Creation Date: 17.05.2023

**Trade name: Flusssäure**

(Contd. of page 1)



GHS05 corrosion

Skin Corr. 1A H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

### • 2.2 Label elements

#### • Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

#### • Hazard pictograms



GHS05 GHS06

#### • Signal word Danger

#### • Hazard-determining components of labelling:

hydrofluoric acid

#### • Hazard statements

H300+H310+H330 Fatal if swallowed, in contact with skin or if inhaled.

H314 Causes severe skin burns and eye damage.

#### • Precautionary statements

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P302+P352 IF ON SKIN: Wash with plenty of water.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308+P311 IF exposed or concerned: Call a POISON CENTER/doctor.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

#### • 2.3 Other hazards

#### • Results of PBT and vPvB assessment

• PBT: Not applicable.



• vPvB: Not applicable.

## SECTION 3: Composition/information on ingredients

### • 3.2 Mixtures

• **Description:** Mixture of substances listed below with nonhazardous additions.

#### • Dangerous components:

CAS: 7664-39-3 EINECS: 231-634-8	hydrofluoric acid  Acute Tox. 2, H300; Acute Tox. 1, H310; Acute Tox. 2, H330  Skin Corr. 1A, H314 Specific concentration limits: Skin Corr. 1A; H314: C ≥ 7 % Skin Corr. 1B; H314: 1 % ≤ C < 7 % Eye Irrit. 2; H319: 0.1 % ≤ C < 1 %	38–<51%
-------------------------------------	--	---------

• **Additional information:** For the wording of the listed hazard phrases refer to section 16.

(Contd. on page 3)

# Safety data sheet

## according to 1907/2006/EC, Article 31

revised on: 01.06.2023

Version number 2 (replaces version 1)

Creation Date: 17.05.2023

Trade name: Flusssäure

(Contd. of page 2)

### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

##### General information:

Immediately remove any clothing soiled by the product.  
Remove breathing equipment only after contaminated clothing have been completely removed.  
Rapid action required

##### After inhalation:

Supply fresh air.  
In case of breathing difficulties or respiratory arrest, initiate artificial respiration.  
Call a doctor immediately.

##### After skin contact:

Flush contaminated skin with soap and plenty of water.  
Calcium gluconate gel (Preparation: Boil 5 g calcium gluconate in 85 ml hot dist. aqua, add 10 g glycerine. Allow 5 g carmellose sodium to swell in the hot solution. Shelf life 6 months, store in a cool place! Apply the gel and massage it into the skin until the pain disappears, rinse with water in the meantime and replace with fresh gel. Even after the pain is gone, continue the gel therapy for at least another 15 minutes. If Calcium gluconate gel is not available, apply a well-moistened poultice with 20% calcium gluconate solution several times.  
Call a doctor immediately.

##### After eye contact:

Keep eyelids open and rinse copiously with clean running water for at least 10 minutes.  
Remove any contact lenses if possible.  
Continue rinsing.  
Protect unharmed eye.  
Seek medical treatment.

##### After swallowing:

Rinse mouth thoroughly with water.  
Do not induce vomiting (risk of perforation).  
Call a doctor immediately.

##### Information for doctor: Please observe safety data sheet/label.

#### 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

#### 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

### SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

**Suitable extinguishing agents:** Use fire extinguishing methods suitable to surrounding conditions.

**For safety reasons unsuitable extinguishing agents:** Water with full jet.

#### 5.2 Special hazards arising from the substance or mixture

Not combustible.  
In case of fire, the following can be released:  
Hydrogen fluoride (HF)  
Formation of toxic gases is possible during heating or in case of fire.

#### 5.3 Advice for firefighters

**Protective equipment:**  
Wear self-contained respiratory protective device.  
Do not inhale explosion gases or combustion gases.

#### Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.  
Prevent fire extinguishing water from contaminating surface water or the ground water system.

(Contd. on page 4)

# Safety data sheet

## according to 1907/2006/EC, Article 31

revised on: 01.06.2023

Version number 2 (replaces version 1)

Creation Date: 17.05.2023

**Trade name: Flusssäure**

(Contd. of page 3)

### SECTION 6: Accidental release measures

#### · 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation.

Observe emergency procedures.

Consult an expert.

#### · 6.2 Environmental precautions: Do not allow to enter sewers/surface or ground water.

#### · 6.3 Methods and material for containment and cleaning up:

Cover drains.

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

Dispose of the material collected according to regulations.

#### · 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### SECTION 7: Handling and storage

#### · 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Prevent formation of aerosols.

#### · Information about fire - and explosion protection: Keep respiratory protective device available.

#### · 7.2 Conditions for safe storage, including any incompatibilities

##### · Storage:

##### · Requirements to be met by storerooms and receptacles: Store only in the original receptacle.

##### · Information about storage in one common storage facility: Not required.

##### · Further information about storage conditions:

Keep container tightly sealed.

Store receptacle in a well ventilated area.

Store in a place accessible only to authorised persons.

##### · Storage class: 6.1 B

##### · 7.3 Specific end use(s) No further relevant information available.

### SECTION 8: Exposure controls/personal protection

#### · 8.1 Control parameters

##### · Ingredients with limit values that require monitoring at the workplace:

**CAS: 7664-39-3 hydrofluoric acid**

WEL	Short-term value: 2.5 mg/m <sup>3</sup> , 3 ppm
	Long-term value: 1.5 mg/m <sup>3</sup> , 1.8 ppm

##### · PNECs

- values relevant to the environment

PNEC 0.176 mg/l freshwater short-term (single)

PNEC 0.018 mg/l seawater short-term (one-off)

PNEC 1.35 mg/l Wastewater treatment plant (STP) short-term (one-off)

PNEC 6.97 mg/kg freshwater sediment short-term (single)

PNEC 0.697 mg/kg marine sediment short-term (single)

PNEC 1.29 mg/kg soil short-term (single)

##### · Additional information: The lists valid during the making were used as basis.

(Contd. on page 5)

# Safety data sheet

## according to 1907/2006/EC, Article 31

revised on: 01.06.2023

Version number 2 (replaces version 1)

Creation Date: 17.05.2023

**Trade name: Flusssäure**

(Contd. of page 4)

- **8.2 Exposure controls**
- **Appropriate engineering controls** No further data; see section 7.
- **Individual protection measures, such as personal protective equipment**
- **General protective and hygienic measures:**  
The usual precautionary measures are to be adhered to when handling chemicals.  
Wash hands before breaks and at the end of work.  
Store protective clothing separately.
- **Respiratory protection:** Not required.
- **Hand protection**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- **Material of gloves**  
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.  
Butyl rubber, BR  
Material thickness > 0,7 mm
- **Penetration time of glove material**  
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.  
level 6 for application > 480 min
- **Eye/face protection**



Safety glasses

Tightly sealed goggles

- **Body protection:**



Protective work clothing (e. g. safety shoes EN ISO 20345, long-sleeved protective working garments).

### SECTION 9: Physical and chemical properties

- **9.1 Information on basic physical and chemical properties**
- **General Information**
- **Physical state** Fluid
- **Colour:** Colourless
- **Odour:** Pungent
- **Odour threshold:** Not determined.
- **Melting point/freezing point:** ~-44 °C
- **Boiling point or initial boiling point and boiling range** ~112 °C
- **Flammability** Not applicable.
- **Lower and upper explosion limit**
- **Lower:** Not determined.

(Contd. on page 6)

E

# Safety data sheet

## according to 1907/2006/EC, Article 31

revised on: 01.06.2023

Version number 2 (replaces version 1)

Creation Date: 17.05.2023

**Trade name: Flusssäure**

(Contd. of page 5)

· <b>Upper:</b>	Not determined.
· <b>Flash point:</b>	Not applicable.
· <b>Decomposition temperature:</b>	Not determined.
· <b>pH at 20 °C</b>	<1
· <b>Viscosity:</b>	
· <b>Kinematic viscosity</b>	Not determined.
· <b>Dynamic:</b>	Not determined.
· <b>Solubility</b>	
· <b>water:</b>	Fully miscible.
· <b>Partition coefficient n-octanol/water (log value)</b>	Not determined.
· <b>Vapour pressure:</b>	Not determined.
· <b>Density and/or relative density</b>	
· <b>Density at 20 °C:</b>	1.13 g/cm <sup>3</sup>
	Not determined.
· <b>Relative density</b>	Not determined.
· <b>Vapour density</b>	Not determined.

· <b>9.2 Other information</b>	
· <b>Appearance:</b>	
· <b>Form:</b>	Fluid
· <b>Important information on protection of health and environment, and on safety.</b>	
· <b>Ignition temperature:</b>	Product is not selfigniting.
· <b>Explosive properties:</b>	Product does not present an explosion hazard.
· <b>Solvent content:</b>	
· <b>Water:</b>	≤49.0 %
· <b>VOC (EC)</b>	0.00 %
· <b>Change in condition</b>	
· <b>Evaporation rate</b>	Not determined.

· <b>Information with regard to physical hazard classes</b>	
· <b>Explosives</b>	Void
· <b>Flammable gases</b>	Void
· <b>Aerosols</b>	Void
· <b>Oxidising gases</b>	Void
· <b>Gases under pressure</b>	Void
· <b>Flammable liquids</b>	Void
· <b>Flammable solids</b>	Void
· <b>Self-reactive substances and mixtures</b>	Void
· <b>Pyrophoric liquids</b>	Void
· <b>Pyrophoric solids</b>	Void
· <b>Self-heating substances and mixtures</b>	Void
· <b>Substances and mixtures, which emit flammable gases in contact with water</b>	Void
· <b>Oxidising liquids</b>	Void
· <b>Oxidising solids</b>	Void
· <b>Organic peroxides</b>	Void
· <b>Corrosive to metals</b>	Void
· <b>Desensitised explosives</b>	Void

### SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability** Stable with proper storage and handling.

(Contd. on page 7)

# Safety data sheet

## according to 1907/2006/EC, Article 31

revised on: 01.06.2023

Version number 2 (replaces version 1)

Creation Date: 17.05.2023

**Trade name: Flusssäure**

(Contd. of page 6)

- **10.3 Possibility of hazardous reactions**

Reacts with alkaline metals.

Reacts with alkali (lyes).

Fluorine

Nitric acid

Sulphuric acid

Permanganates, e.g. potassium permanganate

Sodium and potassium hydroxide

- **10.4 Conditions to avoid** Heating

- **10.5 Incompatible materials:**

Metals

Glass

The product evolves hydrogen in aqueous solution in contact with metals.

- **10.6 Hazardous decomposition products:** On fire: see chapter 5

### SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**

- **Acute toxicity** Fatal if swallowed, in contact with skin or if inhaled.

- **LD/LC50 values relevant for classification:**

#### ATE (Acute Toxicity Estimates)

Oral	LD50	>9.8–13.2 mg/kg
Dermal	LD50	>9.8–13.2 mg/kg
Inhalative	LC50	>0.98–1.32 mg/l

#### CAS: 7664-39-3 hydrofluoric acid

Oral	LD50	5 mg/kg (ATE)
Dermal	LD50	5 mg/kg (ATE)
Inhalative	LC50	0.5 mg/l (ATE)

- **Skin corrosion/irritation** Causes severe skin burns and eye damage.

- **Serious eye damage/irritation** Causes serious eye damage.

- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.

- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.

- **Carcinogenicity** Based on available data, the classification criteria are not met.

- **Reproductive toxicity** Based on available data, the classification criteria are not met.

- **STOT-single exposure** Based on available data, the classification criteria are not met.

- **STOT-repeated exposure** Based on available data, the classification criteria are not met.

- **Aspiration hazard** Based on available data, the classification criteria are not met.

- **11.2 Information on other hazards**

- **Endocrine disrupting properties**

None of the ingredients is listed.

### SECTION 12: Ecological information

- **12.1 Toxicity**

- **Aquatic toxicity:** No further relevant information available.

- **12.2 Persistence and degradability** No further relevant information available.

- **12.3 Bioaccumulative potential** No further relevant information available.

- **12.4 Mobility in soil** No further relevant information available.

- **12.5 Results of PBT and vPvB assessment**

- **PBT:** Not applicable.

- **vPvB:** Not applicable.

(Contd. on page 8)

# Safety data sheet

## according to 1907/2006/EC, Article 31

revised on: 01.06.2023

Version number 2 (replaces version 1)

Creation Date: 17.05.2023

**Trade name: Flusssäure**

(Contd. of page 7)

- **12.6 Endocrine disrupting properties**

The product does not contain substances with endocrine disrupting properties.

- **12.7 Other adverse effects**

- **Additional ecological information:**

- **General notes:**

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

### SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**

Observe local (country-specific) regulations and laws

This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

- **Recommendation**

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Chemicals must be disposed of in compliance with the respective national regulations.

- **European waste catalogue**

HP6	Acute Toxicity
HP8	Corrosive

- **Uncleaned packaging:**

- **Recommendation:** Disposal must be made according to official regulations.

- **Recommended cleansing agents:** Water, if necessary together with cleansing agents.

### SECTION 14: Transport information

- **14.1 UN number or ID number**

- **ADR, IMDG, IATA** UN1790

- **14.2 UN proper shipping name**

- **ADR** 1790 HYDROFLUORIC ACID
- **IMDG, IATA** HYDROFLUORIC ACID

- **14.3 Transport hazard class(es)**

- **ADR**



- **Class** 8 (CT1) Corrosive substances.
- **Label** 8+6.1

- **IMDG**



- **Class** 8 Corrosive substances.

(Contd. on page 9)

E



# Safety data sheet

## according to 1907/2006/EC, Article 31



revised on: 01.06.2023

Version number 2 (replaces version 1)

Creation Date: 17.05.2023

**Trade name: Flusssäure**

(Contd. of page 8)

· Label	8/6.1
· IATA	
	
· Class	8 Corrosive substances.
· Label	8 (6.1)
· 14.4 Packing group	
· ADR, IMDG, IATA	II
· 14.5 Environmental hazards:	Not applicable.
· 14.6 Special precautions for user	Warning: Corrosive substances.
· Hazard identification number (Kemler code):	86
· EMS Number:	F-A,S-B
· Segregation groups	(SGG1a) Strong acids
· Stowage Category	D
· Stowage Code	SW1 Protected from sources of heat. SW2 Clear of living quarters.
· Handling Code	H2 Keep as cool as reasonably practicable
· Segregation Code	SG36 Stow "separated from" SGG18-alkalis. SG49 Stow "separated from" SGG6-cyanides
· 14.7 Maritime transport in bulk according to IMO instruments	Not applicable.
· Transport/Additional information:	
· ADR	
· Limited quantities (LQ)	1L
· Excepted quantities (EQ)	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· Transport category	2
· Tunnel restriction code	E
· IMDG	
· Limited quantities (LQ)	1L
· Excepted quantities (EQ)	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· UN "Model Regulation":	UN 1790 HYDROFLUORIC ACID, 8 (6.1), II

### SECTION 15: Regulatory information

#### · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

##### · Inventory of Hazardous Chemicals

None of the ingredients is listed.

##### · Directive 2012/18/EU

· **Named dangerous substances - ANNEX I** None of the ingredients is listed.

· **Seveso category H1** ACUTE TOXIC

· **Qualifying quantity (tonnes) for the application of lower-tier requirements** 5 t

· **Qualifying quantity (tonnes) for the application of upper-tier requirements** 20 t

(Contd. on page 10)

# Safety data sheet

## according to 1907/2006/EC, Article 31

revised on: 01.06.2023

Version number 2 (replaces version 1)

Creation Date: 17.05.2023

**Trade name: Flusssäure**

(Contd. of page 9)

- **REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3

- **DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II**

None of the ingredients is listed.

- **REGULATION (EU) 2019/1148**

- **Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))**

None of the ingredients is listed.

- **Annex II - REPORTABLE EXPLOSIVES PRECURSORS**

None of the ingredients is listed.

- **Regulation (EC) No 273/2004 on drug precursors**

None of the ingredients is listed.

- **Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors**

None of the ingredients is listed.

- **National regulations:**

- **Information about limitation of use:**

Employment restrictions concerning juveniles must be observed.

Employment restrictions concerning pregnant and lactating women must be observed.

- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. Application, use and handling of our products take place out of our control and are solely your responsibility.

- **Relevant phrases**

H300 Fatal if swallowed.

H310 Fatal in contact with skin.

H314 Causes severe skin burns and eye damage.

H330 Fatal if inhaled.

- **Department issuing SDS:** Product management

- **Contact:** Product management

- **Version number of previous version:** 1

- **Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

PNEC: Predicted No-Effect Concentration (UK REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 2: Acute toxicity – Category 2

Acute Tox. 1: Acute toxicity – Category 1

Skin Corr. 1A: Skin corrosion/irritation – Category 1A

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

- **\* Data compared to the previous version altered.**