

**Safety data sheet  
according to 1907/2006/EC, Article 31**

revised on: 20.12.2022

Version number 9 (replaces version 8)

Creation Date: 10.02.2016

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1 Product identifier****Trade name: Chloroform****Article number:** 2427, 2449, 2475, 2476, 2481**CAS Number:**

67-66-3

**EC number:**

200-663-8

**Index number:**

602-006-00-4

**Registration number** 01-2119486657-20-XXXX**1.2 Relevant identified uses of the substance or mixture and uses advised against****Sector of Use**

SU3 Industrial uses: Uses of substances as such or in preparations at industrial sites

SU10 Formulation [mixing] of preparations and/or re-packaging (excluding alloys)

SU9 Manufacture of fine chemicals

SU24 Scientific research and development

**Product category**

PC19 Intermediate

PC20 Processing aids such as pH-regulators, flocculants, precipitants, neutralization agents

PC21 Laboratory chemicals

PC29 Pharmaceuticals

PC39 Cosmetics, personal care products

PC40 Extraction agents

**Process category**

PROC1 Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions.

PROC2 Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions

PROC3 Manufacture or formulation in the chemical industry in closed batch processes with occasional controlled exposure or processes with equivalent containment condition

PROC4 Chemical production where opportunity for exposure arises

PROC5 Mixing or blending in batch processes

PROC9 Transfer of substance or mixture into small containers (dedicated filling line, including weighing)

PROC15 Use as laboratory reagent

**Environmental release category**

ERC1 Manufacture of the substance

ERC2 Formulation into mixture

ERC4 Use of non-reactive processing aid at industrial site (no inclusion into or onto article)

ERC6a Use of intermediate

**Application of the substance / the mixture**

Industrial use

Laboratory chemicals

Reagent for analysis

**1.3 Details of the supplier of the safety data sheet****Manufacturer/Supplier:**

Th. Geyer GmbH &amp; Co. KG

Dornierstr. 4 – 6

D-71272 Renningen

Tel.: +49(0)7159-1637-0, Fax:+49 (0)7159/18417

www.thgeyer.de

sicherheitsdatenblaetter@thgeyer.de

(Contd. on page 2)

# Safety data sheet

## according to 1907/2006/EC, Article 31

revised on: 20.12.2022

Version number 9 (replaces version 8)

Creation Date: 10.02.2016

**Trade name: Chloroform**

(Contd. of page 1)

- **Further information obtainable from:** Product management department
- **1.4 Emergency telephone number:**  
National Poisons Information Service  
City Hospital  
Dudley Road  
Birmingham B18 7QH  
Tel.:Emergency: (00 44) 87 06 00 62 66  
Members of the public seeking specific information on poisons should contact:  
In England and Wales: NHS 111 - dial 111  
In Scotland: NHS 24 - dial 111

### SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**



GHS06 skull and crossbones

Acute Tox. 3 H331 Toxic if inhaled.



GHS08 health hazard

Carc. 2 H351 Suspected of causing cancer.

Repr. 2 H361d Suspected of damaging the unborn child.

STOT RE 1 H372 Causes damage to the central nervous system, the kidneys, the liver and the respiratory system through prolonged or repeated exposure.



GHS07

Acute Tox. 4 H302 Harmful if swallowed.

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008**  
The substance is classified and labelled according to the GB CLP regulation.
- **Hazard pictograms**



GHS06 GHS08

- **Signal word** Danger
- **Hazard statements**  
H302 Harmful if swallowed.  
H331 Toxic if inhaled.  
H315 Causes skin irritation.  
H319 Causes serious eye irritation.  
H351 Suspected of causing cancer.  
H361d Suspected of damaging the unborn child.  
H372 Causes damage to the central nervous system, the kidneys, the liver and the respiratory system through prolonged or repeated exposure.

(Contd. on page 3)

# Safety data sheet

## according to 1907/2006/EC, Article 31

revised on: 20.12.2022

Version number 9 (replaces version 8)

Creation Date: 10.02.2016

**Trade name: Chloroform**

(Contd. of page 2)

**Precautionary statements**

- P201 Obtain special instructions before use.
- P202 Do not handle until all safety precautions have been read and understood.
- P260 Do not breathe dust/fume/gas/mist/vapours/spray.
- P271 Use only outdoors or in a well-ventilated area.
- P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
- P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
- P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
- P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P308+P311 IF exposed or concerned: Call a POISON CENTER/doctor.
- P403+P233 Store in a well-ventilated place. Keep container tightly closed.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

**2.3 Other hazards****Results of PBT and vPvB assessment**

- **PBT:** Not applicable.
- **vPvB:** Not applicable.

### SECTION 3: Composition/information on ingredients

**3.1 Substances****CAS No. Description**

CAS: 67-66-3 Chloroform

**Identification number(s)**· **EC number:** 200-663-8· **Index number:** 602-006-00-4

### SECTION 4: First aid measures

**4.1 Description of first aid measures****General information:**

First aider needs to protect himself.

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

**After inhalation:**

Supply fresh air.

Call a doctor immediately.

**After skin contact:**

Wash off immediately with plenty of water for at least 15 minutes.

Call a doctor immediately.

**After eye contact:**

Protect unharmed eye.

Rinse opened eye for several minutes under running water. Then consult a doctor.

Remove contact lenses

**After swallowing:**

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

A person vomiting while laying on their back should be turned onto their side.

**Information for doctor:** Please observe safety data sheet/label.**4.2 Most important symptoms and effects, both acute and delayed**

Coughing

Breathing difficulty

Cramp

Vertigo

Nausea

(Contd. on page 4)

# Safety data sheet

## according to 1907/2006/EC, Article 31

revised on: 20.12.2022

Version number 9 (replaces version 8)

Creation Date: 10.02.2016

**Trade name: Chloroform**

(Contd. of page 3)

Gastric or intestinal disorders

Headache

**· Hazards**

Danger of disturbed cardiac rhythm.

Danger of impaired breathing.

Danger of circulatory collapse.

**· 4.3 Indication of any immediate medical attention and special treatment needed** Symptomatic treatment.**SECTION 5: Firefighting measures****· 5.1 Extinguishing media****· Suitable extinguishing agents:** Use fire extinguishing methods suitable to surrounding conditions.**· For safety reasons unsuitable extinguishing agents:** Water with full jet.**· 5.2 Special hazards arising from the substance or mixture**

In case of fire, the following can be released:

Carbon dioxides (CO, CO<sub>2</sub>)

hydrogen chloride gas

Phosgene gas

Formation of toxic gases is possible during heating or in case of fire.

Under certain fire conditions, traces of other toxic gases cannot be excluded.

**· 5.3 Advice for firefighters****· Protective equipment:**

Mouth respiratory protective device.

Wear self-contained respiratory protective device.

Do not inhale explosion gases or combustion gases.

**· Additional information**

Cool endangered receptacles with water spray.

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

Prevent fire extinguishing water from contaminating surface water or the ground water system.

**SECTION 6: Accidental release measures****· 6.1 Personal precautions, protective equipment and emergency procedures**

Evacuate the danger area.

Ensure adequate ventilation.

Avoid contact with eyes and skin.

Wear protective equipment. Keep unprotected persons away.

Particular danger of slipping on leaked/spilled product.

**· 6.2 Environmental precautions:**

If leakage occurs, dam up.

Do not allow to enter sewers/surface or ground water.

**· 6.3 Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

Dispose of the material collected according to regulations.

**· 6.4 Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

**SECTION 7: Handling and storage****· 7.1 Precautions for safe handling**

Keep receptacles tightly sealed.

Open and handle receptacle with care.

(Contd. on page 5)

# Safety data sheet

## according to 1907/2006/EC, Article 31

revised on: 20.12.2022

Version number 9 (replaces version 8)

Creation Date: 10.02.2016

**Trade name: Chloroform**

(Contd. of page 4)

- Ensure good ventilation/exhaustion at the workplace.  
Apply the general protection and hygiene measures for the handling with chemicals.
- **Information about fire - and explosion protection:**  
Substance itself does not burn, tuning measures to environment
  - **7.2 Conditions for safe storage, including any incompatibilities**
  - **Storage:**
  - **Requirements to be met by storerooms and receptacles:**  
Store only in the original receptacle.  
Prevent any seepage into the ground.
  - **Information about storage in one common storage facility:** Store away from foodstuffs.
  - **Further information about storage conditions:**  
Store receptacle in a well ventilated area.  
Protect from heat and direct sunlight.  
Store in cool, dry conditions in well sealed receptacles.
  - **Storage class:** 6.1 D
  - **7.3 Specific end use(s)** No further relevant information available.

### SECTION 8: Exposure controls/personal protection

#### · 8.1 Control parameters

##### · **Ingredients with limit values that require monitoring at the workplace:**

<b>CAS: 67-66-3 Chloroform</b>	
WEL	Long-term value: 9.9 mg/m <sup>3</sup> , 2 ppm
Sk	

#### · **PNECs**

Fresh water 0.146 mg/l / Fresh water sediment 0.45 mg/kg / Marine water 0.015 mg/l / Marine sediment 0.09 mg/kg / Aquatic intermittent release 0.133 mg/l / Soil 0.56 mg/kg / Sewage treatment plant 0.048 mg/l

- **Additional information:** The lists valid during the making were used as basis.

#### · 8.2 Exposure controls

- **Appropriate engineering controls** No further data; see item 7.
- **Individual protection measures, such as personal protective equipment**

##### · **General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.  
Immediately remove all soiled and contaminated clothing  
Wash hands before breaks and at the end of work.  
Avoid contact with the eyes and skin.

##### · **Respiratory protection:**

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device. If air-purifying respiratory protection is required according to the risk assessment, wear a respirator with full-face mask with combination filter (US) or with filter type ABEK (EN 14387) filter cartridge. If the respirator is the only protective measure, an ambient air self-contained breathing apparatus with a full face mask must be worn. Respirators and components must be approved to appropriate government standards (for example, NIOSH (US) or CEN (EU)). Translated with [www.DeepL.com/Translator](http://www.DeepL.com/Translator) (free version)

##### · **Hand protection**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.  
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

##### · **Material of gloves**

Butyl rubber, BR

(Contd. on page 6)

# Safety data sheet

## according to 1907/2006/EC, Article 31

revised on: 20.12.2022

Version number 9 (replaces version 8)

Creation Date: 10.02.2016

**Trade name: Chloroform**

(Contd. of page 5)

Fluorocarbon rubber (Viton)

Recommended thickness of the material:  $\geq 0.7$  mm

- **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- **Eye/face protection**



Tightly sealed goggles

- **Body protection:**



Protective work clothing (e. g. safety shoes EN ISO 20345, long-sleeved protective working garments).

### SECTION 9: Physical and chemical properties

- **9.1 Information on basic physical and chemical properties**

- **General Information**

- **Physical state**

Fluid

- **Colour:**

Colourless

- **Odour:**

Characteristic

- **Melting point/freezing point:**

-63 °C

- **Boiling point or initial boiling point and boiling range**

61 °C

- **Flammability**

Not applicable.

- **Lower and upper explosion limit**

- **Lower:**

Not determined.

- **Upper:**

Not determined.

- **Flash point:**

Not applicable.

- **Ignition temperature:**

982 °C

- **Decomposition temperature:**

Not determined.

- **pH**

Not determined.

- **Viscosity:**

- **Kinematic viscosity**

Not determined.

- **Dynamic at 20 °C:**

0.56 mPas

- **Solubility**

- **water at 20 °C:**

8 g/l

- **Partition coefficient n-octanol/water (log value)**

log Pow: 2 (25 °C)

- **Vapour pressure at 20 °C:**

210 hPa

- **Density and/or relative density**

- **Density at 20 °C:**

1.48 g/cm<sup>3</sup>

Not determined.

- **Relative density**

Not determined.

- **Vapour density**

Not determined.

- **9.2 Other information**

- **Appearance:**

- **Form:**

Fluid

- **Important information on protection of health and environment, and on safety.**

- **Auto-ignition temperature:**

Not determined.

- **Explosive properties:**

Product does not present an explosion hazard.

- **Molecular weight**

119 g/mol

(Contd. on page 7)

# Safety data sheet

## according to 1907/2006/EC, Article 31

revised on: 20.12.2022

Version number 9 (replaces version 8)

Creation Date: 10.02.2016

**Trade name: Chloroform**

(Contd. of page 6)

- **Change in condition**
- **Evaporation rate** Not determined.

- **Information with regard to physical hazard classes**
- **Explosives** Void
- **Flammable gases** Void
- **Aerosols** Void
- **Oxidising gases** Void
- **Gases under pressure** Void
- **Flammable liquids** Void
- **Flammable solids** Void
- **Self-reactive substances and mixtures** Void
- **Pyrophoric liquids** Void
- **Pyrophoric solids** Void
- **Self-heating substances and mixtures** Void
- **Substances and mixtures, which emit flammable gases in contact with water** Void
- **Oxidising liquids** Void
- **Oxidising solids** Void
- **Organic peroxides** Void
- **Corrosive to metals** Void
- **Desensitised explosives** Void

### SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability** Stable with proper storage and handling.
- **Thermal decomposition / conditions to be avoided:**  
To avoid thermal decomposition do not overheat.  
Depends on the additives.
- **10.3 Possibility of hazardous reactions**  
Reacts with various metals.  
Reacts with strong alkali.  
Reacts with water.
- **10.4 Conditions to avoid**  
Heat, flames and sparks  
Heating
- **10.5 Incompatible materials:** Avoid contact with other chemicals.
- **10.6 Hazardous decomposition products:** On fire: see chapter 5

### SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity**  
Harmful if swallowed.  
Toxic if inhaled.

#### · LD/LC50 values relevant for classification:

Oral	LD50	908 mg/kg (rat)
Dermal	LD50	75 mg/kg (rat)
Inhalative	LC50	47.7 mg/l (rat)

- **Skin corrosion/irritation** Causes skin irritation.
- **Serious eye damage/irritation** Causes serious eye irritation.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.

(Contd. on page 8)

E

# Safety data sheet

## according to 1907/2006/EC, Article 31

revised on: 20.12.2022

Version number 9 (replaces version 8)

Creation Date: 10.02.2016

**Trade name: Chloroform**

(Contd. of page 7)

- **Carcinogenicity** Suspected of causing cancer.
- **Reproductive toxicity** Suspected of damaging the unborn child.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure**  
Causes damage to the central nervous system, the kidneys, the liver and the respiratory system through prolonged or repeated exposure.
- **Aspiration hazard** Based on available data, the classification criteria are not met.
- **11.2 Information on other hazards**
- **Endocrine disrupting properties** Substance is not listed.

### SECTION 12: Ecological information

- **12.1 Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential**  
Due to the distribution coefficient n-octanol/water an accumulation in organisms is not expected.
- **12.4 Mobility in soil** No further relevant information available.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Endocrine disrupting properties**  
The product does not contain substances with endocrine disrupting properties.
- **12.7 Other adverse effects**
- **Additional ecological information:**
- **General notes:**  
Water hazard class 3 (German Regulation) (Assessment by list): extremely hazardous for water  
Do not allow product to reach ground water, water course or sewage system, even in small quantities.  
Danger to drinking water if even extremely small quantities leak into the ground.

### SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**  
Observe local (country-specific) regulations and laws  
This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.
- **Recommendation**  
Must not be disposed together with household garbage. Do not allow product to reach sewage system.  
Chemicals must be disposed of in compliance with the respective national regulations.

#### European waste catalogue

16 00 00	WASTES NOT OTHERWISE SPECIFIED IN THE LIST
16 05 00	gases in pressure containers and discarded chemicals
16 05 06*	laboratory chemicals, consisting of or containing hazardous substances, including mixtures of laboratory chemicals
HP4	Irritant - skin irritation and eye damage
HP5	Specific Target Organ Toxicity (STOT)/Aspiration Toxicity
HP6	Acute Toxicity
HP7	Carcinogenic
HP10	Toxic for reproduction

(Contd. on page 9)



# Safety data sheet

## according to 1907/2006/EC, Article 31

revised on: 20.12.2022

Version number 9 (replaces version 8)



Creation Date: 10.02.2016

**Trade name: Chloroform**

(Contd. of page 8)

- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.

### SECTION 14: Transport information

<ul style="list-style-type: none"> <li>· 14.1 UN number or ID number</li> <li>· ADR, IMDG, IATA</li> </ul>	UN1888
<ul style="list-style-type: none"> <li>· 14.2 UN proper shipping name</li> <li>· ADR</li> <li>· IMDG, IATA</li> </ul>	1888 CHLOROFORM CHLOROFORM
<ul style="list-style-type: none"> <li>· 14.3 Transport hazard class(es)</li> <li>· ADR</li> </ul>	<div style="text-align: center;">  </div>
<ul style="list-style-type: none"> <li>· Class</li> <li>· Label</li> </ul>	6.1 (T1) Toxic substances. 6.1
<ul style="list-style-type: none"> <li>· IMDG, IATA</li> </ul>	<div style="text-align: center;">  </div>
<ul style="list-style-type: none"> <li>· Class</li> <li>· Label</li> </ul>	6.1 Toxic substances. 6.1
<ul style="list-style-type: none"> <li>· 14.4 Packing group</li> <li>· ADR, IMDG, IATA</li> </ul>	III
<ul style="list-style-type: none"> <li>· 14.5 Environmental hazards:</li> </ul>	Not applicable.
<ul style="list-style-type: none"> <li>· 14.6 Special precautions for user</li> <li>· Hazard identification number (Kemler code):</li> <li>· EMS Number:</li> <li>· Segregation groups</li> <li>· Stowage Category</li> <li>· Stowage Code</li> </ul>	Warning: Toxic substances. 60 F-A,S-A (SGG10) Liquid halogenated hydrocarbons A SW2 Clear of living quarters.
<ul style="list-style-type: none"> <li>· 14.7 Maritime transport in bulk according to IMO instruments</li> </ul>	Not applicable.
<ul style="list-style-type: none"> <li>· Transport/Additional information:</li> </ul>	<ul style="list-style-type: none"> <li>· ADR</li> <li>· Limited quantities (LQ)</li> <li>· Excepted quantities (EQ)</li> </ul>
<ul style="list-style-type: none"> <li>· Transport category</li> <li>· Tunnel restriction code</li> </ul>	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml 2 E
<ul style="list-style-type: none"> <li>· IMDG</li> <li>· Limited quantities (LQ)</li> <li>· Excepted quantities (EQ)</li> </ul>	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml

(Contd. on page 10)

# Safety data sheet

## according to 1907/2006/EC, Article 31

revised on: 20.12.2022

Version number 9 (replaces version 8)

Creation Date: 10.02.2016

Trade name: Chloroform

(Contd. of page 9)

· UN "Model Regulation":	UN 1888 CHLOROFORM, 6.1, III
--------------------------	------------------------------

### SECTION 15: Regulatory information

#### · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

##### · Inventory of Hazardous Chemicals

CAS: 67-66-3	Chloroform
--------------	------------

- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** Substance is not listed.
- **Seveso category H2 ACUTE TOXIC**
- **Qualifying quantity (tonnes) for the application of lower-tier requirements** 50 t
- **Qualifying quantity (tonnes) for the application of upper-tier requirements** 200 t
- **REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3, 32
- **Regulation (EU) No 649/2012 Annex I Part 1**
- **DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II**  
Substance is not listed.
- **REGULATION (EU) 2019/1148**
- **Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))**  
Substance is not listed.
- **Annex II - REPORTABLE EXPLOSIVES PRECURSORS** Substance is not listed.
- **Regulation (EC) No 273/2004 on drug precursors** Substance is not listed.
- **Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors**  
Substance is not listed.
- **National regulations:**
- **Information about limitation of use:**  
Employment restrictions concerning juveniles must be observed.  
Employment restrictions concerning pregnant and lactating women must be observed.
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.  
Application, use and handling of our products take place out of our control and are solely your responsibility.

- **Department issuing SDS:** Product management
- **Contact:** Product management
- **Version number of previous version:** 8
- **Abbreviations and acronyms:**  
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)  
IMDG: International Maritime Code for Dangerous Goods  
IATA: International Air Transport Association  
GHS: Globally Harmonised System of Classification and Labelling of Chemicals  
EINECS: European Inventory of Existing Commercial Chemical Substances  
CAS: Chemical Abstracts Service (division of the American Chemical Society)  
PNEC: Predicted No-Effect Concentration (UK REACH)  
LC50: Lethal concentration, 50 percent  
LD50: Lethal dose, 50 percent  
PBT: Persistent, Bioaccumulative and Toxic  
vPvB: very Persistent and very Bioaccumulative  
Acute Tox. 4: Acute toxicity – Category 4  
Acute Tox. 3: Acute toxicity – Category 3  
Skin Irrit. 2: Skin corrosion/irritation – Category 2

(Contd. on page 11)

# Safety data sheet

## according to 1907/2006/EC, Article 31

revised on: 20.12.2022

Version number 9 (replaces version 8)

Creation Date: 10.02.2016

**Trade name: Chloroform**

(Contd. of page 10)

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Carc. 2: Carcinogenicity – Category 2

Repr. 2: Reproductive toxicity – Category 2

STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1

· **\* Data compared to the previous version altered.**

E