

Page 1/10

Safety data sheet according to 1907/2006/EC, Article 31

revised on: 15.02.2023 Version number 10 (replaces version 9) Creation Date: 19.01.2011

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: Ammonia solution · Article number: 2672, 2679, 2683

• CAS Number: 1336-21-6 • EINECS Number: 215-647-6 • UFI: 6TS1-50E4-D00A-TYJQ

· 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

• Application of the substance / the mixture

Reagent for analysis Laboratory chemicals

Industrial use

- · 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier:
 Th. Geyer GmbH & Co. KG
 Dornierstr. 4 6
 D-71272 Renningen

Tel.: +49(0)7159-1637-0, Fax:+49 (0)7159/18417

www.thgeyer.de

sicherheitsdatenblaetter@thgeyer.de

- · Further information obtainable from: Product management department
- · 1.4 Emergency telephone number:

National Poisons Information Service

City Hospital Dudley Road

Birmingham B18 7QH

Tel.:Emergency: (00 44) 87 06 00 62 66

Members of the public seeking specific information on poisons should contact:

In England and Wales: NHS 111 - dial 111

In Scotland: NHS 24 - dial 111

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008



GHS05 corrosion

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.



GHS09 environment

Aquatic Acute 1 H400 Very toxic to aquatic life.

(Contd. on page 2)

revised on: 15.02.2023 Version number 10 (replaces version 9) Creation Date: 19.01.2011

Trade name: Ammonia solution

(Contd. of page 1)



STOT SE 3 H335 May cause respiratory irritation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

Hazard pictograms







GHS05 GHS07 GHS09

- Signal word Danger
- · Hazard-determining components of labelling:

Ammoniaklösung

- · Hazard statements
- H314 Causes severe skin burns and eye damage.
- H335 May cause respiratory irritation.

H400 Very toxic to aquatic life.

Precautionary statements

P260 Do not breathe dusts or mists.

P271 Use only outdoors or in a well-ventilated area.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water

[or shower].

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P310 Immediately call a POISON CENTER/doctor.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P391 Collect spillage.

P403+P235 Store in a well-ventilated place. Keep cool.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- PBT: Not applicable.vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

CAS: 1336-21-6

· **Description**: Mixture of substances listed below with nonhazardous additions.

EINECS: 215-647-6 Reg.nr.: 01-2119982985-14-xxxx

Ammoniaklösung

Skin Corr. 1B, H314
Aquatic Acute 1, H400

STOT SE 3, H335

Specific concentration limit: STOT SE 3; H335: C ≥ 5 %

(Contd. on page 3)

≥25–≤33%

revised on: 15.02.2023 Version number 10 (replaces version 9) Creation Date: 19.01.2011

Trade name: Ammonia solution

(Contd. of page 2)

· Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation:

Get some fresh air.

Call a doctor immediately.

In case of breathing difficulties or respiratory arrest, initiate artificial respiration.

In case of unconsciousness place patient stably in side position for transportation.

· After skin contact:

Immediately wash with water and soap and rinse thoroughly.

Call a doctor immediately.

After eye contact:

Rinse opened eye for several minutes under running water. Then consult a doctor.

Remove contact lenses

Continue rinsing.

Consult an ophthalmologist immediately.

After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting

Call a doctor immediately.

- · Information for doctor: Please observe safety data sheet/label.
- 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

Use fire extinguishing methods suitable to surrounding conditions.

Carbon dioxide, powder, water spray or alcohol-resistant foam.

- · For safety reasons unsuitable extinguishing agents: Water with full jet.
- · 5.2 Special hazards arising from the substance or mixture

In case of fire, the following can be released:

Carbon dioxides (CO, CO□)

Nitrogen oxides (NOx)

Not combustible.

Ambient fire may liberate hazardous vapours.

- 5.3 Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Do not inhale explosion gases or combustion gases.

Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

6.2 Environmental precautions: Do not allow to enter sewers/surface or ground water.

(Contd. on page 4)

(Contd. of page 3)

Safety data sheet according to 1907/2006/EC, Article 31

revised on: 15.02.2023 Version number 10 (replaces version 9) Creation Date: 19.01.2011

Trade name: Ammonia solution

6.3 Methods and material for containment and cleaning up:

Cover drains.

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralising agent.

Dispose contaminated material as waste according to item 13.

Dispose of the material collected according to regulations.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- Requirements to be met by storerooms and receptacles: Store only in the original receptacle.
- · Information about storage in one common storage facility:

Store away from foodstuffs.

Store away from oxidising agents.

Further information about storage conditions:

Keep container tightly sealed.

Store in dry conditions.

- · Storage class: 8B
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · PNECs
- values relevant to the environment

PNEC 0.176 mg/l freshwater short-term (single)

PNEC 0.018 mg/l seawater short-term (one-off)

PNEC 1.35 mg/l Wastewater treatment plant (STP) short-term (one-off)

PNEC 6.97 mg/kg freshwater sediment short-term (single)

PNEC 0.697 mg/kg marine sediment short-term (single)

PNEC 1.29 mg/kg soil short-term (single)

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- Appropriate engineering controls No further data; see item 7.
- · Individual protection measures, such as personal protective equipment
- General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Wash hands before breaks and at the end of work.

· Respiratory protection: Not required.

(Contd. on page 5)

revised on: 15.02.2023 Version number 10 (replaces version 9) Creation Date: 19.01.2011

Trade name: Ammonia solution

· Hand protection

(Contd. of page 4)



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Butyl rubber, BR

Material thickness > 0.4 mm

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

level 6 for application > 480 min

Eye/face protection



Tightly sealed goggles

Face protection

· Body protection:



Protective work clothing (e. g. safety shoes EN ISO 20345, long-sleeved protective working garments).

SECTION 9: Physical and chemical properties

- · 9.1 Information on basic physical and chemical properties
- · General Information

Physical state
Colour:
Odour:
Odour threshold:
Fluid
Colourless
Pungent
Not determined.

· Melting point/freezing point: -77.7 °C

· Boiling point or initial boiling point and boiling

range 37.7 °C (CAS: 1336-21-6 Ammoniaklösung)
• Flammability Not applicable.

Lower and upper explosion limit

Lower: 15 Vol % (CAS: 1336-21-6 Ammoniaklösung)
Upper: 34 Vol % (CAS: 1336-21-6 Ammoniaklösung)

Flash point:
 Decomposition temperature:
 pH
 Not applicable.
 Not determined.
 Not determined.

· Viscosity:

Kinematic viscosityDynamic:Not determined.Not determined.

Solubility

· water: Fully miscible.

(Contd. on page 6)

revised on: 15.02.2023 Version number 10 (replaces version 9) Creation Date: 19.01.2011

Trade name: Ammonia solution

	(Contd. of page 5)
Partition coefficient n-octanol/water (log value)	Not determined.
· Vapour pressure:	Not determined.
Density and/or relative density	
Density at 20 °C:	0.89 g/cm ³
	Not determined.
Relative density	Not determined.
Vapour density	Not determined.
9.2 Other information	
Appearance:	
Form:	Fluid
Important information on protection of health and	
environment, and on safety.	
Auto-ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Solvent content:	, , ,
Water:	≥67–≤75 %
VOC (EC)	0.00 %
Change in condition	
Evaporation rate	Not determined.
Information with regard to physical hazard classes	5
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flammable	
gases in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
Desensitised explosives	Void

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability Stable with proper storage and handling.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: Avoid contact with other chemicals.
- · 10.6 Hazardous decomposition products: On fire: see chapter 5

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.
- Skin corrosion/irritation Causes severe skin burns and eye damage.
- Serious eye damage/irritation Causes serious eye damage.

(Contd. on page 7)

revised on: 15.02.2023 Version number 10 (replaces version 9) Creation Date: 19.01.2011

Trade name: Ammonia solution

(Contd. of page 6)

- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure May cause respiratory irritation.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- 11.2 Information on other hazards
- · Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- 12.7 Other adverse effects
- · Remark:

Very toxic for fish

Toxic for fish

Toxic for water fleas

Toxic for algae

- · Additional ecological information:
- General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

Observe local (country-specific) regulations and laws

This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Chemicals must be disposed of in compliance with the respective national regulations.

	· European waste catalogue		
	HP5	Specific Target Organ Toxicity (STOT)/Aspiration Toxicity	
	HP8	Corrosive	
Γ	HP14	Ecotoxic	

- Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agents: Water, if necessary together with cleansing agents.

-1

revised on: 15.02.2023 Version number 10 (replaces version 9) Creation Date: 19.01.2011

Trade name: Ammonia solution

(Contd. of page 7)

SECTION 14: Transport information	
14.1 UN number or ID number ADR, IMDG, IATA	UN2672
14.2 UN proper shipping name ADR	2672 AMMONIA SOLUTION, ENVIRONMENTALLY HAZARDOUS
IMDG IATA	AMMONIA SOLUTION, MARINE POLLUTANT AMMONIA SOLUTION
14.3 Transport hazard class(es)	
ADR	
Class	8 (C5) Corrosive substances.
Label	8
IMDG	
Class	8 Corrosive substances.
Label	8
Class	8 Corrosive substances.
Label	8
14.4 Packing group	
ADR, IMDG, IATA	III
14.5 Environmental hazards:	Product contains environmentally hazardous substance Ammonia solution 25%
Marine pollutant:	Symbol (fish and tree)
Special marking (ADR):	Symbol (fish and tree)
14.6 Special precautions for user	Warning: Corrosive substances.
Hazard identification number (Kemler code): EMS Number:	80 F-A,S-B
Segregation groups	(SGG18) Alkalis
Stowage Category	A
Stowage Code	SW2 Clear of living quarters. SW5 If under deck, stow in a mechanically ventilated
Segregation Code	space. SG35 Stow "separated from" SGG1-acids
14.7 Maritime transport in bulk according to IM	·

revised on: 15.02.2023 Version number 10 (replaces version 9) Creation Date: 19.01.2011

Trade name: Ammonia solution

	(Contd. of pa
· Transport/Additional information:	
· ADR	
· Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1
,	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
· Transport category	3
Tunnel restriction code	E
· IMDG	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1
,	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
UN "Model Regulation":	UN 2672 AMMONIA SOLUTION, 8, III,
•	ENVIRONMENTALLY HAZARDOUS

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Inventory of Hazardous Chemicals

CAS: 1336-21-6 Ammoniaklösung

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category E1 Hazardous to the Aquatic Environment
- Qualifying quantity (tonnes) for the application of lower-tier requirements 100 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 200 t
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- · DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment Annex II

None of the ingredients is listed.

- · REGULATION (EU) 2019/1148
- · Annex I RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

· Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

- · National regulations:
- · Information about limitation of use:

Employment restrictions concerning juveniles must be observed.

Employment restrictions concerning pregnant and lactating women must be observed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

(Contd. on page 10)

revised on: 15.02.2023 Version number 10 (replaces version 9) Creation Date: 19.01.2011

Trade name: Ammonia solution

(Contd. of page 9)

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Application, use and handling of our products take place out of our control and are solely your responsibility.

· Relevant phrases

H314 Causes severe skin burns and eye damage.

H335 May cause respiratory irritation.

H400 Very toxic to aquatic life.

- · Department issuing SDS: Product management
- · Contact: Product management
- · Version number of previous version: 9
- · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the

International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

PNEC: Predicted No-Effect Concentration (UK REACH)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Skin Corr. 1B: Skin corrosion/irritation – Category 1B

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1

* Data compared to the previous version altered.

- E