Sigma-Aldrich.

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006

Version 6.6 Revision Date 07.02.2022 Print Date 16.08.2022 GENERIC EU MSDS - NO COUNTRY SPECIFIC DATA - NO OEL DATA

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1	Product identifiers Product name	:	L-(+)-Lactic acid solution
	Product Number Brand REACH No. CAS-No.	:	27714 Sigma-Aldrich This product is a mixture. REACH Registration Number see section 3. 79-33-4
1.2	Relevant identified uses of the substance or mixture and uses advised against		
	Identified uses	:	Laboratory chemicals, Manufacture of substances
1.3	Details of the supplier	of	the safety data sheet
	Company	:	Sigma-Aldrich Chimie Sarl L'Isle D'Abeau Chesnes F-38297 ST. QUENTIN FALLAVIER
	Telephone Fax E-mail address	:	0800 211408 0800 031052 servicetechnique@merckgroup.com
1.4	Emergency telephone		
	Emergency Phone #	:	+33 (0)9 75 18 14 07 (CHEMTREC) +33 (0)1 45 42 59 59 (I.N.R.S.)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 Skin corrosion (Sub-category 1C), H314 Serious eye damage (Category 1), H318

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 Label elements

Labelling according Regulation (EC) No 1272/2008

Pictogram

12

Signal word

Danger

Sigma-Aldrich- 27714

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 1 of 10

Hazard statement(s) H314	Causes severe skin burns and eye damage.
Precautionary statement(s) P280	Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection.
P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
P304 + P340 + P310	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P363	Wash contaminated clothing before reuse.
P405	Store locked up.
Supplemental Hazard inform	nation (FU)

EUH071 Corrosive to the respiratory tract.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

*

3.2	Mixtures Synonyms	: (S)-2-Hydroxypropio Sarcolactic acid	onic acid	
	Formula Molecular weight	: C ₃ H ₆ O ₃ : 90,08 g/mol		
	Component		Classification	Concentration
	lactic acid			
	CAS-No. EC-No.	79-33-4 201-196-2	Skin Corr. 1C; Eye Dam. 1; H314, H318	>= 70 - < 90 %

*A registration number is not available for this substance as the substance or its use are exempted from registration according to Article 2 REACH Regulation (EC) No 1907/2006, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline.

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice

First aiders need to protect themselves. Show this material safety data sheet to the doctor in attendance.

Sigma-Aldrich- 27714

Page 2 of 10



If inhaled

After inhalation: fresh air. Call in physician.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.

In case of eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

If swallowed

After swallowing: make victim drink water (two glasses at most), avoid vomiting (risk of perforation). Call a physician immediately. Do not attempt to neutralise.

- **4.2 Most important symptoms and effects, both acute and delayed** The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11
- **4.3 Indication of any immediate medical attention and special treatment needed** No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media Water Foam Carbon dioxide (CO2) Dry powder

Unsuitable extinguishing media For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Carbon oxides Combustible. Vapors are heavier than air and may spread along floors. Forms explosive mixtures with air on intense heating. Development of hazardous combustion gases or vapours possible in the event of fire.

5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

5.4 Further information

Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance

contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

6.2 Environmental precautions

Do not let product enter drains.

Sigma-Aldrich- 27714

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 3 of 10

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.

6.4 Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Tightly closed. Keep locked up or in an area accessible only to qualified or authorized persons.

Storage class

Storage class (TRGS 510): 8A: Combustible, corrosive hazardous materials

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with workplace control parameters

8.2 Exposure controls

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Tightly fitting safety goggles

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it.

Full contact Material: Nitrile rubber Minimum layer thickness: 0,11 mm Break through time: 480 min Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)

Splash contact Material: Nitrile rubber Minimum layer thickness: 0,11 mm Break through time: 480 min

Sigma-Aldrich- 27714

Page 4 of 10





Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the EC approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Body Protection

protective clothing

Respiratory protection

required when vapours/aerosols are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Recommended Filter type: Filter type ABEK

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Control of environmental exposure

Do not let product enter drains.

SECTION 9: Physical and chemical properties 9.1 Information on basic physical and chemical properties

Form: clear, liquid a) Appearance Color: colorless b) Odor No data available c) Odor Threshold No data available 1.8 at 20 °C d) pH No data available e) Melting point/freezing point No data available f) Initial boiling point and boiling range 110 °C q) Flash point No data available h) Evaporation rate Flammability (solid, No data available i) gas) No data available Upper/lower j) flammability or explosive limits k) Vapor pressure No data available I) Vapor density No data available

Sigma-Aldrich- 27714

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 5 of 10

m) Density	1,200 g/cm3
------------	-------------

- Relative density No data available
- n) Water solubility No data available
- o) Partition coefficient: No data available n-octanol/water
- p) Autoignition No data available temperature
- q) Decomposition No data available temperature
- r) Viscosity Viscosity, kinematic: No data available Viscosity, dynamic: No data available
- s) Explosive properties Not classified as explosive.
- t) Oxidizing properties none

9.2 Other safety information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

Forms explosive mixtures with air on intense heating. A range from approx. 15 Kelvin below the flash point is to be rated as critical.

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

- **10.3 Possibility of hazardous reactions** No data available
- **10.4 Conditions to avoid** Strong heating.
- **10.5 Incompatible materials** Strong oxidizing agents
- **10.6 Hazardous decomposition products** In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Mixture

Acute toxicity

Oral: No data available Symptoms: If ingested, severe burns of the mouth and throat, as well as a danger of perforation of the esophagus and the stomach. Symptoms: Possible symptoms:, mucosal irritations, Cough, Shortness of breath, Possible damages:, damage of respiratory tract Dermal: No data available

Sigma-Aldrich- 27714

Page 6 of 10



Skin corrosion/irritation

Mixture causes burns.

Serious eye damage/eye irritation

Mixture causes serious eye damage. Risk of blindness!

Respiratory or skin sensitization

No data available

Germ cell mutagenicity No data available

Carcinogenicity No data available

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure No data available

Specific target organ toxicity - repeated exposure No data available

Aspiration hazard No data available

11.2 Additional Information

Endocrine disrupting properties

Product:

Assessment

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

Components

lactic acid

Acute toxicity

LD50 Oral - Rat - female - 3.543 mg/kg (US-EPA) LC50 Inhalation - Rat - male and female - 4 h - > 7,94 mg/l - aerosol (OECD Test Guideline 403) LD50 Dermal - Rabbit - male and female - > 2.000 mg/kg (US-EPA) Skin corrosion/irritation

Skin - Rabbit Result: Corrosive - 4 h

Sigma-Aldrich- 27714

The life science business of Merck operates as MilliporeSigma in the US and Canada

Page 7 of 10



(OECD Test Guideline 404) Remarks: (ECHA) Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

Serious eye damage/eye irritation

Eyes - In vitro study Result: Irreversible effects on the eye Remarks: (ECHA) Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

Respiratory or skin sensitization

Buehler Test - Guinea pig Result: negative (US-EPA)

Germ cell mutagenicity

Test Type: Ames test Test system: Escherichia coli/Salmonella typhimurium Result: negative Test Type: Mutagenicity (mammal cell test): chromosome aberration. Test system: Human lymphocytes Result: negative Test Type: In vitro mammalian cell gene mutation test Test system: Mouse lymphoma test Result: negative

Carcinogenicity

No data available

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure No data available

Specific target organ toxicity - repeated exposure

Aspiration hazard No data available

SECTION 12: Ecological information

12.1 Toxicity

Mixture

No data available

- 12.2 Persistence and degradability No data available
- **12.3 Bioaccumulative potential** No data available
- **12.4 Mobility in soil** No data available

12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Sigma-Aldrich- 27714

Page 8 of 10



12.6 Endocrine disrupting properties

Product:	

Assessment	: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
12.7 Other adverse effects No data available	
Components	
lactic acid Toxicity to fish	static test LC50 - Oncorhynchus mykiss (rainbow trout) - 130 mg/l - 96 h (US-EPA)
Toxicity to daphnia and other aquatic invertebrates	static test EC50 - Daphnia magna (Water flea) - 130 mg/l - 48 h (OECD Test Guideline 202)
Toxicity to algae	static test ErC50 - Pseudokirchneriella subcapitata (algae) - ca. 3.500 mg/l - 72 h (OECD Test Guideline 201)
Toxicity to bacteria	static test EC50 - activated sludge - > 88,2 mg/l - 3 h (OECD Test Guideline 209)

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself. See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

ransport informat	ion	
er 3265	IMDG: 3265	IATA: 3265
CORROSIVE LIQUI	, ACIDIC, ORGANIC, N.O.S. (I	actic acid)
t hazard class(es) ⁸	IMDG: 8	IATA: 8
g group III	IMDG: III	IATA: III
	er 3265 er shipping name CORROSIVE LIQUII CORROSIVE LIQUII Corrosive liquid, ac t hazard class(es) 8 g group	3265 IMDG: 3265 Fr shipping name CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (la CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (la Corrosive liquid, acidic, organic, n.o.s. (lactic acid) t hazard class(es) 8 IMDG: 8 g group

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 9 of 10

14.5 Environmental hazards ADR/RID: no

IMDG Marine pollutant: no

IATA: no

14.6 Special precautions for user No data available

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

Other regulations

Take note of Dir 94/33/EC on the protection of young people at work.

15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out

SECTION 16: Other information

Full text of H-Statements referred to under sections 2 and 3.

EUH071	Corrosive to the respiratory tract.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.

Further information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Sigma-Aldrich- 27714

Page 10 of 10

