

Safety data sheet
according to 1907/2006/EC, Article 31

Page 1/11

Printing date 13.03.2023

Revision: 13.03.2023

Version number 11.03 (replaces version 11.02)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· **1.1 Product identifier**

· **Trade name:** Acrylamide - Solution (30 %) - Mix 29 : 1

· **Article number:** A4983

· **Registration number** A registration number is not available for this substance as it is a mixture.

· **UFI:** MCA5-004P-H00N-VT8R

· **1.2 Relevant identified uses of the substance or mixture and uses advised against**

No further relevant information available.

· **Application of the substance / the mixture**

Molecular biology

Biochemistry

Laboratory chemicals

· **1.3 Details of the supplier of the safety data sheet**

· **Manufacturer/Supplier:**

AppliChem GmbH

Ottoweg 4

D-64291 Darmstadt

Tel.: +49 (0)6151 93570

Fax.: +49 (0)6151 935711

msds@applichem.com

· **Further information obtainable from:** Dept. Compliance

· **1.4 Emergency telephone number:** +49(0)6151 93570 (Mo-Th 08:00 - 17:00 h; Fr 08:00 - 14:30 h)

SECTION 2: Hazards identification

· **2.1 Classification of the substance or mixture**

· **Classification according to Regulation (EC) No 1272/2008**

Acute Tox. 3 H301 Toxic if swallowed.

Acute Tox. 4 H312 Harmful in contact with skin.

Acute Tox. 4 H332 Harmful if inhaled.

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

Muta. 1B H340 May cause genetic defects.

Carc. 1B H350 May cause cancer.

Repr. 2 H361f Suspected of damaging fertility.

STOT RE 1 H372 Causes damage to organs through prolonged or repeated exposure.

· **2.2 Label elements**

· **Labelling according to Regulation (EC) No 1272/2008**

The product is classified and labelled according to the CLP regulation.

(Contd. on page 2)

Trade name: Acrylamide - Solution (30 %) - Mix 29 : 1

(Contd. of page 1)

· **Hazard pictograms**



GHS06 GHS08

· **Signal word** Danger

· **Hazard-determining components of labelling:**

acrylamide prop-2-enamide
Bisacrylamide

· **Hazard statements**

H301 Toxic if swallowed.
H312+H332 Harmful in contact with skin or if inhaled.
H315 Causes skin irritation.
H319 Causes serious eye irritation.
H317 May cause an allergic skin reaction.
H340 May cause genetic defects.
H350 May cause cancer.
H361f Suspected of damaging fertility.
H372 Causes damage to organs through prolonged or repeated exposure.

· **Precautionary statements**

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
P321 Specific treatment (see on this label).
P330 Rinse mouth.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P362+P364 Take off contaminated clothing and wash it before reuse.
P405 Store locked up.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· **2.3 Other hazards**

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.
· **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

· **3.2 Mixtures**

· **Description:** aqueous solution

· **Dangerous components:**

CAS: 79-06-1 EINECS: 201-173-7 Index number: 616-003-00-0 Reg.nr.: 01-2119463260-48-XXXX	acrylamide prop-2-enamide Acute Tox. 3, H301; Muta. 1B, H340; Carc. 1B, H350; Repr. 2, H361f; STOT RE 1, H372; Acute Tox. 4, H312; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317	>25-≤40%
CAS: 110-26-9 EINECS: 203-750-9 Reg.nr.: 01-2120745928-38-XXXX	Bisacrylamide Acute Tox. 3, H301; Muta. 2, H341	≥1-≤2.5%

· **SVHC**

79-06-1	acrylamide prop-2-enamide	28.5-39%
---------	---------------------------	----------

· **Additional information:** For the wording of the listed hazard phrases refer to section 16.

EU

(Contd. on page 3)

Trade name: Acrylamide - Solution (30 %) - Mix 29 : 1

(Contd. of page 2)

SECTION 4: First aid measures

· 4.1 Description of first aid measures

· **General information:**

Personal protection for the First Aider.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

In case of irregular breathing or respiratory arrest provide artificial respiration.

Involve doctor immediately.

· **After inhalation:**

Supply fresh air.

If breathing stops: mouth-to-mouth respiration or mechanical ventilation, oxygen mask if necessary.

Immediately call a physician.

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

· **After skin contact:**

Call a doctor immediately.

Dab with polyethylene glycol 400.

Immediately wash with water and soap and rinse thoroughly.

Immediately remove any clothing soiled by the product.

· **After eye contact:** Call a doctor immediately.

· **After swallowing:**

make victim drink water (maximum of 2 drinking glasses)

Do not induce vomiting; call for medical help immediately.

· 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

· **Suitable extinguishing agents:**

CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· 5.2 Special hazards arising from the substance or mixture

In case of fire, the following can be released:

Nitrogen oxides (NO_x)

Carbon monoxide and carbon dioxide

nitrosamines

Non-combustible.

· 5.3 Advice for firefighters

· **Protective equipment:** Wear self-contained respiratory protective device.

· **Additional information**

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

Contain escaping vapours with water.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Avoid substance contact.

Do not inhale steams/aerosols.

· **6.2 Environmental precautions:** Do not allow to enter sewers/ surface or ground water.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

Clean up affected area.

(Contd. on page 4)

Trade name: **Acrylamide - Solution (30 %) - Mix 29 : 1**

(Contd. of page 3)

- **6.4 Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**
Work only in fume cupboard.
Ensure good ventilation/exhaustion at the workplace.
Open and handle receptacle with care.
Prevent formation of aerosols.
- **Information about fire - and explosion protection:**
Keep respiratory protective device available.
The product is not flammable.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:**
Store in a cool place.
Storage in a collecting room is required.
Storage in a well-ventilated place.
Keep container tightly sealed.
Open receptacle only under localised extractor facilities.
Store under lock and key and with access restricted to technical experts or their assistants only.
- **Recommended storage temperature:** Room Temperature
- **Storage class:** 6.1 D
- **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

- **8.1 Control parameters**

- **Ingredients with limit values that require monitoring at the workplace:**

79-06-1 acrylamide prop-2-enamide

BOELV	Long-term value: 0.1 mg/m ³ Skin
-------	--

- **DNELs**

79-06-1 acrylamide prop-2-enamide

Dermal	Acute - systemic effects, worker	3 mg/kg
	Long-term - systemic effects, worker	0.1 mg/kg
Inhalative	Acute - local effects, worker	120 mg/m ³
	Acute - systemic effects, worker	120 mg/m ³
	Long-term - systemic effects, worker	0.07 mg/m ³

- **PNECs**

79-06-1 acrylamide prop-2-enamide

Aquatic compartment - freshwater	0.032 mg/L
Aquatic compartment - marine water	0.002 mg/L
Aquatic compartment - water, intermittent releases	0.32 mg/L
Sewage treatment plant	0.2 mg/L

- **Additional information:** The lists valid during the making were used as basis.

- **8.2 Exposure controls**
- **Appropriate engineering controls** No further data; see item 7.

(Contd. on page 5)

Trade name: Acrylamide - Solution (30 %) - Mix 29 : 1

(Contd. of page 4)

- **Individual protection measures, such as personal protective equipment**
- **General protective and hygienic measures:**
Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing
Wash hands before breaks and at the end of work.
Store protective clothing separately.
Avoid contact with the eyes and skin.
- **Respiratory protection:**
In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.
Use suitable respiratory protective device only when aerosol or mist is formed.
- **Recommended filter device for short term use:** Combination filter A-P3
- **Hand protection**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- **Material of gloves**
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
- **Penetration time of glove material**
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **For the permanent contact gloves made of the following materials are suitable:**
Fluorocarbon rubber (Viton)
Recommended thickness of the material: ≥ 0.7 mm
Value for the permeation: Level ≥ 120 min
- **As protection from splashes gloves made of the following materials are suitable:**
Fluorocarbon rubber (Viton)
Recommended thickness of the material: ≥ 0.7 mm
Value for the permeation: Level ≥ 120 min
- **Eye/face protection**



Tightly sealed goggles

- **Body protection:** Use protective suit.

SECTION 9: Physical and chemical properties

- **9.1 Information on basic physical and chemical properties**
- **General Information**
- **Physical state** Fluid
- **Colour:** Colourless
- **Odour:** Odourless
- **Odour threshold:** Not determined.
- **Melting point/freezing point:** Undetermined.
- **Boiling point or initial boiling point and boiling range** Undetermined.
- **Flammability** Not applicable.

(Contd. on page 6)

Trade name: Acrylamide - Solution (30 %) - Mix 29 : 1

(Contd. of page 5)

· Lower and upper explosion limit	
· Lower:	Not determined.
· Upper:	Not determined.
· Flash point:	Not applicable.
· Decomposition temperature:	Not determined.
· pH at 20 °C	~7
· Viscosity:	
· Kinematic viscosity	Not determined.
· Dynamic:	Not determined.
· Partition coefficient n-octanol/water (log value)	Not determined.
· Vapour pressure at 20 °C:	23 hPa
· Density and/or relative density	
· Density at 20 °C:	1.03 g/cm ³
· Relative density	Not determined.
· Vapour density	Not determined.

· 9.2 Other information	
· Appearance:	
· Form:	Fluid
· Important information on protection of health and environment, and on safety.	
· Ignition temperature:	Product is not selfigniting.
· Explosive properties:	Product does not present an explosion hazard.
· Solvent content:	
· Water:	>59.0 %
· VOC (EC)	0.00 %
· Solids content:	29.3-41 %
· Change in condition	
· Evaporation rate	Not determined.

· Information with regard to physical hazard classes	
· Explosives	Void
· Flammable gases	Void
· Aerosols	Void
· Oxidising gases	Void
· Gases under pressure	Void
· Flammable liquids	Void
· Flammable solids	Void
· Self-reactive substances and mixtures	Void
· Pyrophoric liquids	Void
· Pyrophoric solids	Void
· Self-heating substances and mixtures	Void
· Substances and mixtures, which emit flammable gases in contact with water	Void
· Oxidising liquids	Void
· Oxidising solids	Void
· Organic peroxides	Void
· Corrosive to metals	Void
· Desensitised explosives	Void

SECTION 10: Stability and reactivity

- 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:
Heating

(Contd. on page 7)

Trade name: Acrylamide - Solution (30 %) - Mix 29 : 1

(Contd. of page 6)

- Light (Polymerization initiator).
- **10.3 Possibility of hazardous reactions**
 Exothermic reactions with:
 alkalis
 sulfuric acid
 nitrosing agents
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** oxidizing agent
- **10.6 Hazardous decomposition products:** In the event of fire: See chapter 5
- **Additional information:**
 Tendency towards spontaneous polymerisation.
 Polymerisation initiator:
 warmth/heat and light

SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity**
 Toxic if swallowed.
 Harmful in contact with skin or if inhaled.
- **LD/LC50 values relevant for classification:**
 Quantitative data on the toxicological effect of this product are not available.

Components	Type	Value	Species
ATE (Acute Toxicity Estimates)			
Oral	LD50	>282-≤430 mg/kg (rat)	
Dermal	LD50	1,027-1,404 mg/kg	
Inhalative	LC50/4 h	3.85-5.26 mg/l	

79-06-1 acrylamide prop-2-enamide			
Oral	LD50	124 mg/kg (rat)	
Dermal	LD50	400 mg/kg (rat)	
		1,885 mg/kg (rabbit)	
Inhalative	LC50/4 h	1.5 mg/l (ATE)	

- **Skin corrosion/irritation**
 Danger of skin absorption.
 Causes skin irritation.
- **Serious eye damage/irritation**
 Severe irritations.
 Causes serious eye irritation.
- **After inhalation:**
 coughing
 dyspnoea
 Irritant to skin and mucous membranes.
- **Respiratory or skin sensitisation** May cause an allergic skin reaction.
- **Germ cell mutagenicity** May cause genetic defects.
- **Carcinogenicity** May cause cancer.
- **Reproductive toxicity** Suspected of damaging fertility.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Causes damage to organs through prolonged or repeated exposure.
- **Aspiration hazard** Based on available data, the classification criteria are not met.
- **Other information (about experimental toxicology):**
 After swallowing:
 Irritation of mucous membranes in the mouth, pharynx, oesophagus and gastrointestinal tract.
 After absorption:
 CNS disorders, ataxia (impaired locomotor coordination).
 Further hazardous properties cannot be excluded.

(Contd. on page 8)

Trade name: Acrylamide - Solution (30 %) - Mix 29 : 1

(Contd. of page 7)

· **11.2 Information on other hazards**

· **Endocrine disrupting properties**

None of the ingredients is listed.

SECTION 12: Ecological information

· **12.1 Toxicity**

· **Aquatic toxicity:** No further relevant information available.

Type of test	Effective concentration	Method	Assessment
--------------	-------------------------	--------	------------

79-06-1 acrylamide prop-2-enamide

EC50/48 h	98 mg/l (daphnia magna)
LC50/96 h	>100 mg/l (fish)

· **12.2 Persistence and degradability** The product is easily biodegradable.

· **12.3 Bioaccumulative potential** No further relevant information available.

· **12.4 Mobility in soil** No further relevant information available.

· **12.5 Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

· **12.6 Endocrine disrupting properties**

The product does not contain substances with endocrine disrupting properties.

· **12.7 Other adverse effects**

· **Additional ecological information:**

· **General notes:**

Do not allow product to reach ground water, water course or sewage system.

Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

SECTION 13: Disposal considerations

· **13.1 Waste treatment methods**

· **Recommendation**

Chemicals must be disposed of in compliance with the respective national regulations.

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· **Uncleaned packaging:**

· **Recommendation:**

Disposal must be made according to official regulations.

Packagings that may not be cleansed are to be disposed of in the same manner as the product.

SECTION 14: Transport information

· **14.1 UN number or ID number**

· **ADR, IMDG, IATA**

UN3426

· **14.2 UN proper shipping name**

· **ADR, IMDG, IATA**

ACRYLAMIDE SOLUTION

(Contd. on page 9)

Trade name: Acrylamide - Solution (30 %) - Mix 29 : 1

(Contd. of page 8)

· **14.3 Transport hazard class(es)**

· **ADR**



· **Class** 6.1 (T1) Toxic substances.
· **Label** 6.1

· **IMDG, IATA**



· **Class** 6.1 Toxic substances.
· **Label** 6.1

· **14.4 Packing group**

· **ADR, IMDG, IATA** III

· **14.5 Environmental hazards:** Not applicable.

· **14.6 Special precautions for user** Warning: Toxic substances.
· **Hazard identification number (Kemler code):** 60
· **EMS Number:** F-A,S-A
· **Stowage Category** A
· **Stowage Code** SW1 Protected from sources of heat.
· **Handling Code** H2 Keep as cool as reasonably practicable

· **14.7 Maritime transport in bulk according to IMO instruments** Not applicable.

· **Transport/Additional information:**

· **ADR**

· **Limited quantities (LQ)** 5L
· **Excepted quantities (EQ)** Code: E1
Maximum net quantity per inner packaging: 30 ml
Maximum net quantity per outer packaging: 1000 ml
· **Transport category** 2
· **Tunnel restriction code** E

· **IMDG**

· **Limited quantities (LQ)** 5L
· **Excepted quantities (EQ)** Code: E1
Maximum net quantity per inner packaging: 30 ml
Maximum net quantity per outer packaging: 1000 ml

· **UN "Model Regulation":** UN 3426 ACRYLAMIDE SOLUTION, 6.1, III

SECTION 15: Regulatory information

· **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** None of the ingredients is listed.
- **REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3, 28, 29, 60

(Contd. on page 10)

Trade name: Acrylamide - Solution (30 %) - Mix 29 : 1

(Contd. of page 9)

· **DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II**

None of the ingredients is listed.

· **REGULATION (EU) 2019/1148**

· **Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))**

None of the ingredients is listed.

· **Annex II - REPORTABLE EXPLOSIVES PRECURSORS**

None of the ingredients is listed.

· **Regulation (EC) No 273/2004 on drug precursors**

None of the ingredients is listed.

· **Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors**

None of the ingredients is listed.

· **National regulations:**

· **Information about limitation of use:**

Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation. Exceptions can be made by the authorities in certain cases.

· **Other regulations, limitations and prohibitive regulations**

· **Substances of very high concern (SVHC) according to REACH, Article 57**

79-06-1 acrylamide prop-2-enamide

28.5-39%

· **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Relevant phrases**

H301 Toxic if swallowed.

H312 Harmful in contact with skin.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H340 May cause genetic defects.

H341 Suspected of causing genetic defects.

H350 May cause cancer.

H361f Suspected of damaging fertility.

H372 Causes damage to organs through prolonged or repeated exposure.

· **Department issuing SDS:** Dept. Compliance

· **Date of previous version:** 20.08.2021

· **Version number of previous version:** 11.02

· **Abbreviations and acronyms:**

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

DNEL: Derived No-Effect Level (REACH)

(Contd. on page 11)

Trade name: Acrylamide - Solution (30 %) - Mix 29 : 1

(Contd. of page 10)

PNEC: Predicted No-Effect Concentration (REACH)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
SVHC: Substances of Very High Concern
vPvB: very Persistent and very Bioaccumulative
Acute Tox. 3: Acute toxicity – Category 3
Acute Tox. 4: Acute toxicity – Category 4
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
Skin Sens. 1: Skin sensitisation – Category 1
Muta. 1B: Germ cell mutagenicity – Category 1B
Muta. 2: Germ cell mutagenicity – Category 2
Carc. 1B: Carcinogenicity – Category 1B
Repr. 2: Reproductive toxicity – Category 2
STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1

· * **Data compared to the previous version altered.**

EU