

Hydrofluoric acid

30103-1L

Version 1.5

Revision Date 11.06.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name : Hydrofluoric acid
 SDS-number : 000000021242
 Type of product : Mixture
 Remarks : SDS according to Art. 31 of Regulation (EC) 1907/2006.

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Laboratory chemicals
 Uses advised against : none

1.3. Details of the supplier of the safety data sheet

Company	:	Honeywell International Inc. 115 Tabor Road 07950-2546 Morris Plains USA	Honeywell International, Inc. 115 Tabor Road Morris Plains, NJ 07950-2546 USA
Telephone	:		
For further information, please contact:	:	SafetyDataSheet@Honeywell.com	

1.4. Emergency telephone number

Emergency telephone number : +1-703-527-3887 (ChemTrec-Transport)
 +1-303-389-1414 (Medical)
 Country based Poison Control Center : see chapter 15.1

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

REGULATION (EC) No 1272/2008

Hydrofluoric acid

30103-1L


Version 1.5

Revision Date 11.06.2022

Corrosive to metals Category 1
H290 May be corrosive to metals.
Acute toxicity Category 2 - Oral
H300 Fatal if swallowed.
Acute toxicity Category 2 - Inhalation
H330 Fatal if inhaled.
Acute toxicity Category 1 - Dermal
H310 Fatal in contact with skin.
Skin corrosion Category 1A
H314 Causes severe skin burns and eye damage.

2.2. Label elements

REGULATION (EC) No 1272/2008

Hazard pictograms	:	
Signal word	:	Danger
Hazard statements	:	H290 May be corrosive to metals. H300 + H310 + H330 Fatal if swallowed, in contact with skin or if inhaled. H314 Causes severe skin burns and eye damage.
Precautionary statements	:	P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray. P280 Wear protective gloves/protective clothing/eye protection/face protection. P284 In case of inadequate ventilation wear respiratory protection. P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P302 + P352 IF ON SKIN: Wash with plenty of water. P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P308 + P313 IF exposed or concerned: Get medical advice/ attention.

Hydrofluoric acid

30103-1L

Version 1.5

Revision Date 11.06.2022

Hazardous components : Hydrogen fluoride
which must be listed on the
label

2.3. Other hazards

Liquid or vapour causes burns which may be delayed.

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

3.2. Mixture

Chemical name	CAS-No. Index-No. REACH Registration Number EC-No.	Classification 1272/2008	Concentration	Remarks
Hydrogen fluoride	7664-39-3 009-003-00-1 231-634-8	Acute Tox. 2; H300; Oral Acute Tox. 1; H310; Dermal Acute Tox. 2; H330; Inhalation Skin Corr. 1A; H314	>= 25 % - < 50 %	Skin Corr. 1A; H314:>= 7 % Skin Corr. 1B; H314:1 - < 7 % Eye Irrit. 2; H319:0,1 - < 1 %

Remaining components of this product are non-hazardous and/or are present at concentrations below reportable limits.

Occupational Exposure Limit(s), if available, are listed in Section 8.
For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice:

Hydrofluoric acid

30103-1L

Version 1.5

Revision Date 11.06.2022

First aider needs to protect himself. Remove from exposure, lie down. Medical assistance essential. Remove all contaminated clothing while washing continuously. After thorough washing the burned area should be immersed in a solution of 0.1% iced aqueous Benzalkonium Chloride. As an alternate first aid treatment, 2.5% calcium gluconate gel may be continuously massaged into the burn area. Further treatment by physician.

Inhalation:

Remove to fresh air. Keep patient warm and at rest. Get competent medical attention immediately. If breathing has stopped, start artificial respiration at once. An authorized person should administer oxygen to a victim who is having difficulty breathing, until the victim is able to breathe easily by himself. Calcium gluconate, 2.5% in normal saline may be given by nebulizer with oxygen. Do not give stimulants unless instructed to do so by a physician. Victim should be examined by a physician and held under observation for at least 24 hours.

Skin contact:

Limit washing to 15 minutes if treatment specific for HF exposure is available. Remove all contaminated clothing while washing continuously. After thorough washing for at least 5 minutes, the burned area should be immersed in a solution of 0.13% iced aqueous Benzalkonium chloride until pain is relieved. As an alternate first aid treatment, 2.5% calcium gluconate gel may be continuously massaged into the burn area until the pain is relieved. For larger burns or burns treated with calcium gluconate gel (in which pain is present longer than 30 minutes), a physician should inject 5% aqueous calcium gluconate beneath, around and in the burned area. Use of local anesthetics is not recommended, as reduction in pain is an indicator of effectiveness of treatment.

Eye contact:

Protect unharmed eye. Irrigate eyes for at least 15 minutes with copious quantities of water, keeping eyelids apart and away from eyeballs during irrigation. Remove contact lenses, if present and easy to do. Continue rinsing. Get competent medical attention immediately, preferably an eye specialist. If a physician is not immediately available, apply one or two drops of 0.5% tetracaine hydrochloride solution, or other aqueous, topical ophthalmic anesthetic and continue irrigation. Do not use the solution described for skin treatment (Benzalkonium chloride). Use no other medications unless instructed to do so by a physician. Rubbing of the eyes is to be avoided. Irrigate with 1% calcium gluconate in normal saline for 1 to 2 hours to prevent or lessen corneal damage.

Ingestion:

Call a physician immediately. Drink plenty of water. Do NOT induce vomiting. Magnesium hydroxide (milk of Magnesia) as an antacid may be given.

4.2. Most important symptoms and effects, both acute and delayed

No data available

4.3. Indication of any immediate medical attention and special treatment needed

Hydrofluoric acid

30103-1L

Version 1.5

Revision Date 11.06.2022

For large skin area burns (totaling greater than 25 square inches), for ingestion and for significant inhalation exposure, severe systemic effects may occur. Monitor and correct for hypocalcemia, cardiac arrhythmias, hypomagnesemia and hyperkalemia. In some cases hemodialysis may be indicated. For certain burns, especially of the digits, use of intra-arterial calcium gluconate may be indicated. For inhalation exposures, treat as chemical pneumonia. Monitor for hypocalcemia. 2.5% calcium gluconate in normal saline by nebulizer or by intermittent positive pressure breathing with 100% oxygen may decrease pulmonary damage. Bronchodilators may also be administered.

See Section 11 for more detailed information on health effects and symptoms. :

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

Water spray

Foam

Carbon dioxide (CO₂)

Dry powder

The product is not flammable.

Extinguishing media which shall not be used for safety reasons:

High volume water jet

5.2. Special hazards arising from the substance or mixture

Fire may cause evolution of:

Hydrogen fluoride

Do not allow run-off from fire fighting to enter drains or water courses.

5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective suit.

No unprotected exposed skin areas.

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Hydrofluoric acid

30103-1L

Version 1.5

Revision Date 11.06.2022

Evacuate personnel to safe areas. Use personal protective equipment. Keep people away from and upwind of spill/leak. Wear full protective clothing and self-contained breathing apparatus.

6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities. Clean contaminated floors and objects thoroughly while observing environmental regulations.

6.3. Methods and materials for containment and cleaning up

Clean-up methods - large spillage
Suppress (knock down) gases/vapours/mists with a water spray jet.
Dilute with plenty of water.
Use chemical neutralising agents
Neutralise with the following product(s):
lime
Flush with water.
Suitable material for picking up.
Universal binder
Never neutralise with the following products:
soda ash
Possible need to alert the neighbourhood.

6.4. Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling:

Exhaust ventilation at the object is necessary. Use only acid resistant equipment. Perform filling operations only at stations with exhaust ventilation facilities. Plan first aid action before beginning work with this product. Always have on hand a first-aid kit, together with proper instructions.

Advice on protection against fire and explosion:

Normal measures for preventive fire protection. The product is not flammable.

Hygiene measures:

Separate rooms are required for washing, showering and changing clothes. Regular cleaning of equipment, work area and clothing. Contaminated work clothing should not be allowed out of the

Hydrofluoric acid

30103-1L

Version 1.5

Revision Date 11.06.2022

workplace. Take off all contaminated clothing immediately. Wash hands before breaks and at the end of workday. When using do not eat or drink. Recommended preventive skin protection

7.2. Conditions for safe storage, including any incompatibilities

Further information on storage conditions:

Store in original container. Keep containers tightly closed in a dry, cool and well-ventilated place. Do not leave vessels/containers open. Containers should be protected against falling down. Avoid product residues in/on containers. Store in a place accessible by authorized persons only.

7.3. Specific end use(s)

no additional data available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits:

Components	Basis / Value type	Value / Form of exposure	Exceeding Factor	Remarks
Hydrogen fluoride	EH40 WEL STEL	2,5 mg/m ³ 3 ppm as F		
Hydrogen fluoride	EH40 WEL TWA	1,5 mg/m ³ 1,8 ppm as F		
Hydrogen fluoride	EH40 WEL	as F		Listed
Hydrogen fluoride	EU ELV STEL	2,5 mg/m ³ 3 ppm		Indicative
Hydrogen fluoride	EU ELV TWA	1,5 mg/m ³ 1,8 ppm		Indicative

STEL - Short term exposure limit
TWA - Time weighted average

DNEL/ PNEC-Values

Hydrofluoric acid

30103-1L

Version 1.5

Revision Date 11.06.2022

Component	End-use/impact	Exposure duration	Value	Exposure routes	Remarks
Hydrogen fluoride	Workers / Acute local effects		2,5 mg/m3	Inhalation	
Hydrogen fluoride	Workers / Long-term systemic effects		1,5 mg/m3	Inhalation	
Hydrogen fluoride	Workers / Acute systemic effects		2,5 mg/m3	Inhalation	
Hydrogen fluoride	Workers / Long-term local effects		1,5 mg/m3	Inhalation	
Hydrogen fluoride	Consumers / Acute local effects		1,25 mg/m3	Inhalation	
Hydrogen fluoride	Consumers / Long-term systemic effects		0,03 mg/m3	Inhalation	
Hydrogen fluoride	Consumers / Long-term local effects		0,2 mg/m3	Inhalation	
Hydrogen fluoride	Consumers / Acute systemic effects		0,03 mg/m3	Inhalation	
Hydrogen fluoride	Consumers / Acute systemic effects		0,01mg/kg bw/d	Skin contact	
Hydrogen fluoride	Consumers / Long-term systemic effects		0,01mg/kg bw/d	Skin contact	

Component	Environmental compartment / Value	Remarks
-----------	-----------------------------------	---------

Hydrofluoric acid

30103-1L

Version 1.5

Revision Date 11.06.2022

Hydrogen fluoride	Fresh water: 0,89 mg/l	
Hydrogen fluoride	Marine water: 0,089 mg/l	
Hydrogen fluoride	Fresh water sediment: 3,38 mg/kg	
Hydrogen fluoride	Marine sediment: 0,338 mg/kg	
Hydrogen fluoride	Soil: 10,6 mg/kg	
Hydrogen fluoride	Sewage treatment plant: 51 mg/l	

8.2. Exposure controls

Occupational exposure controls

Avoid exposure - obtain special instructions before use.

The Personal Protective Equipment must be in accordance with EN standards:respirator EN 136, 140, 149; safety glasses EN 166; protective suit: EN 340, 463, 468, 943-1, 943-2; gloves EN 374, 511; safety shoes EN-ISO 20345.

Engineering measures

acid resisting floor
Emergency sprinkling nozzle
Local exhaust

Personal protective equipment

Respiratory protection:

In the case of vapour formation use a respirator with an approved filter.

Hand protection:

Glove material: Viton®
Break through time: > 480 min
Glove thickness: 0,7 mm
Vitoject® 890
Gloves must be inspected prior to use.
Replace when worn.

Hydrofluoric acid

30103-1L

Version 1.5

Revision Date 11.06.2022

Remarks: Supplementary note: The specifications are based on information and tests from similar substances by analogy.
Due to varying conditions (e.g.temperature or other strains) it must be considered that the usage of a chemical protective glove in practice may be much shorter than the permeation time determined in accordance with EN 374.
Since actual conditions of practical use often deviate from standardised conditions according EN 374 the glove manufacturer recommends to use the chemical protective glove in practice not longer than 50% of the recommended permeation time.
Manufacturer's directions for use should be observed because of great diversity of types .
Suitable gloves tested according EN 374 are supplied e.g. from KCL GmbH, D-36124 Eichenzell, Vertrieb@kcl.de

Eye protection:
Safety goggles

Skin and body protection:
Complete suit protecting against chemicals

Environmental exposure controls

Handle in accordance with local environmental regulations and good industrial practices.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: liquid
Colour	: colourless
Odour	: stinging
molecular weight	: 20,01 g/mol
Melting point/range	: ca. -40 °C
Boiling point/boiling range	: ca. 110 °C at 1.013 hPa
Upper explosion limit	: Not applicable
Lower explosion limit	: Not applicable

Hydrofluoric acid

30103-1L

Version 1.5

Revision Date 11.06.2022

Flash point	:	Not applicable
Auto-ignition temperature	:	Not applicable
Decomposition temperature	:	No decomposition if used as directed. Fire or intense heat may cause violent rupture of packages.
pH	:	acidic
Viscosity, kinematic	:	No data available
Water solubility	:	completely miscible
Partition coefficient: n-octanol/water	:	No data available
Vapour pressure	:	No data available
Density	:	ca. 1,140 g/cm ³ at 20 °C
Relative vapour density	:	No data available

9.2 Other Information

Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Corrosive to metals	:	Corrosive to metals
Evaporation rate	:	No data available
Viscosity, dynamic	:	No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

Hydrofluoric acid

30103-1L

Version 1.5

Revision Date 11.06.2022

No data available

10.2. Chemical stability

No decomposition if used as directed.
Fire or intense heat may cause violent rupture of packages.

10.3. Possibility of hazardous reactions

Corrosive in contact with metals

10.4. Conditions to avoid

Protect from heat/overheating.

10.5. Incompatible materials

Glass and silicate-containing materials are attacked.
Gives off hydrogen by reaction with metals.
Incompatible with bases.

10.6. Hazardous decomposition products

No decomposition if stored normally.
Stable under normal conditions.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute oral toxicity:

Acute toxicity estimate

Value: 11 mg/kg

Method: Calculation method

Acute dermal toxicity:

Acute toxicity estimate

Value: 11 mg/kg

Method: Calculation method

Acute inhalation toxicity:

LC50

Species: Rat

Hydrofluoric acid

30103-1L

Version 1.5

Revision Date 11.06.2022

Value: 2240 ppm
Exposure time: 1 h
anhydrous substance

Acute toxicity estimate
Value: 1,1 mg/l
Method: Calculation method

Skin irritation:
Species: Rabbit
Classification: Corrosive
Method: OECD

Eye irritation:
No data available

Respiratory or skin sensitisation:
No data available

Repeated dose toxicity:
Note: Not classified due to data which are conclusive although insufficient for classification.

Carcinogenicity:
Note: Not classified due to data which are conclusive although insufficient for classification.

Germ cell mutagenicity:
Test Method: Ames test
Metabolic activation: with and without metabolic activation
Result: negative
Method: OECD Test Guideline 471

Test Method: Chromosome aberration test
Species: Mouse
Test substance: REACH dossier "read-across"
Result: negative

Reproductive toxicity:
Remarks: Not classified due to data which are conclusive although insufficient for classification.

Aspiration hazard:
No data available

Hydrofluoric acid

30103-1L

Version 1.5

Revision Date 11.06.2022

11.2. Information on other hazards

Endocrine disrupting properties
No data available

Other information:
Chronic Health Hazard

SECTION 12: Ecological information

12.1. Toxicity

Toxicity to fish:
No data available

Toxicity to aquatic plants:
No data available

Toxicity to aquatic invertebrates:
No data available

12.2. Persistence and degradability

Biodegradability:
The methods for determining biodegradability are not applicable to inorganic substances.

12.3. Bioaccumulative potential

No data available

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

No data available

12.6. Endocrine disrupting properties

No data available

12.7. Other adverse effects

Hydrofluoric acid

30103-1L

Version 1.5

Revision Date 11.06.2022

Do not flush into surface water or sanitary sewer system.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product:

Dispose according to legal requirements.

Packaging:

Legal requirements are to be considered in regard of reuse or disposal of used packaging materials

Further information:

Provisions relating to waste:

EC Directive 2006/12/EC; 2008/98/EEC

Regulation No. 1013/2006

For personal protection see section 8.

SECTION 14: Transport information

14.1 UN number

ADR/RID:1790

IMDG:1790

IATA:1790

14.2 UN proper shipping name

ADR/RID:HYDROFLUORIC ACID

IMDG:HYDROFLUORIC ACID

IATA:Hydrofluoric acid

14.3 Transport hazard class(es)

ADR/RID: 8 (6.1)

IMDG: 8 (6.1)

IATA: 8 (6.1)

14.4 Packaging group

ADR/RID: II

IMDG: II

IATA: II

14.5 Environmental hazards

ADR/RID:no

Marine pollutant: no

14.6 Special precautions for user

IMDG Code segregation group (SGG1) – ACIDS,

14.7 Maritime transport in bulk according to IMO instruments

Hydrofluoric acid

30103-1L

Version 1.5

Revision Date 11.06.2022

No data available

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Basis	Value	Remarks
Directive 2012/18/EC SEVESO III Listed in Regulation : H2: ACUTE TOXIC	Quantity: 50.000 kg Quantity: 200.000 kg	
Substances of very high concern (SVHC)		Not applicable
Substances of very high concern (SVHC)		This product does not contain substances of very high concern according to Regulation (EC) No Article 57 above the respective regulatory 1907/2006 (REACH), concentration limit of $\geq 0.1\%$ (w/w).

Poison Control Center

Country	Phone Number
Austria	+4314064343
Belgium	070 245245
Bulgaria	(+35929154233
Croatia	(+3851)23-48-342
Cyprus	+357 2240 5611
Czech Republic	+420224919293; +420224915402
Denmark	82121212
Estonia	16662; (+372)6269390
Finland	9471977
France	+33(0)145425959
Greece	+30 210 779 3777

Country	Phone Number
Liechtenstein	+41 442515151
Lithuania	+370532362052
Luxembourg	070245245; (+352)80002-5500
Malta	+356 2395 2000
Netherlands	030-2748888
Norway	22591300
Poland	+48 42 25 38 400
Portugal	800250250
Romania	+40 21 318 3606
Slovakia (NTIC)	+421 2 54 774 166
Slovenia	+386 1 400 6051

Hydrofluoric acid

30103-1L

Version 1.5

Revision Date 11.06.2022

Hungary	(+36-80)201-199
Iceland	5432222
Ireland	+353(1)8092166
Italy	0382 24444
Germany	Berlin : 030/19240
	Bonn : 0228/19240
	Erfurt : 0361/730730
	Freiburg : 0761/19240
	Göttingen : 0551/19240
	Homburg : 06841/19240
	Mainz : 06131/19240
Munich : 089/19240	
Latvia	+37167042473

Spain	+34915620420
Sweden	112 (begär Giftinformation);+46104566786
Switzerland	145
United Kingdom	(+44) 844 892 0111

Other inventory information

US. Toxic Substances Control Act
On TSCA Inventory

Australia. Industrial Chemicals Act (AIC), as amended
On the inventory, or in compliance with the inventory

Canada. Canadian Environmental Protection Act (CEPA). Domestic Substances List (DSL)
All components of this product are on the Canadian DSL

Japan. Kashin-Hou Law List
On the inventory, or in compliance with the inventory

Korea. Existing Chemicals Inventory (KECI)
On the inventory, or in compliance with the inventory

Philippines. Inventory of Chemicals and Chemical Substances (PICCS)
On the inventory, or in compliance with the inventory

China. Inventory of Existing Chemical Substances (IECSC)
On the inventory, or in compliance with the inventory

Hydrofluoric acid

30103-1L

Version 1.5

Revision Date 11.06.2022

New Zealand. Inventory of Chemicals (NZIoC), as published by ERMA New Zealand
On the inventory, or in compliance with the inventory

Taiwan Chemical Substance Inventory (TCSI)
On the inventory, or in compliance with the inventory

15.2 Chemical safety assessment

A Chemical Safety Assessment has been carried out.

SECTION 16: Other information

Text of H-statements referred to under heading 3

Hydrogen fluoride : H300 Fatal if swallowed.
H310 Fatal in contact with skin.
H330 Fatal if inhaled.
H314 Causes severe skin burns and eye damage.

Further information

All directives and regulations refer to amended versions.
Vertical lines in the left hand margin indicate a relevant amendment from the previous version.

Abbreviations:

EC European Community
CAS Chemical Abstracts Service
DNEL Derived no effect level
PNEC Predicted no effect level
vPvB Very persistent and very bioaccumulative substance
PBT Persistent, bioaccumulative und toxic substance

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other

Hydrofluoric acid

30103-1L

Version 1.5

Revision Date 11.06.2022

materials or in any process, unless specified in the text. Final determination of suitability of any material is the sole responsibility of the user.

This information should not constitute a guarantee for any specific product properties.
