

Brand: Honeywell Fluka
 Product: 30107

Hydrofluoric acid, puriss. p.a., ACS reagent, reagent ISO, reagent Ph. Eur., >= 48 %

| Parameter | Specification | Units |
|--|---------------|-------|
| assay | min. 48 | % |
| residue on ignition (SO ₄) | max. 0.0005 | % |
| silver (Ag) | max. 0.000002 | % |
| aluminium (Al) | max. 0.000005 | % |
| arsenic (As) | max. 0.000005 | % |
| barium (Ba) | max. 0.00001 | % |
| beryllium (Be) | max. 0.000002 | % |
| bismuth (Bi) | max. 0.00001 | % |
| calcium (Ca) | max. 0.00005 | % |
| cadmium (Cd) | max. 0.000001 | % |
| cobalt (Co) | max. 0.000002 | % |
| chromium (Cr) | max. 0.000002 | % |
| copper (Cu) | max. 0.000002 | % |
| iron (Fe) | max. 0.00002 | % |
| germanium (Ge) | max. 0.000005 | % |
| potassium (K) | max. 0.00001 | % |
| lithium (Li) | max. 0.000002 | % |
| magnesium (Mg) | max. 0.00002 | % |
| manganese (Mn) | max. 0.000005 | % |
| molybdenum (Mo) | max. 0.000005 | % |
| sodium (Na) | max. 0.00002 | % |
| nickel (Ni) | max. 0.000002 | % |
| lead (Pb) | max. 0.000005 | % |
| strontium (Sr) | max. 0.000002 | % |
| titanium (Ti) | max. 0.00001 | % |
| thallium (Tl) | max. 0.000005 | % |

Hydrofluoric acid, puriss. p.a., ACS reagent, reagent ISO, reagent Ph. Eur., $\geq 48\%$

| Parameter | Specification | Units |
|--|---------------|-------|
| vanadium (V) | max. 0.000005 | % |
| zinc (Zn) | max. 0.000005 | % |
| zirconium (Zr) | max. 0.00001 | % |
| heavy metals (as Pb) | max. 0.00005 | % |
| chloride (Cl) | max. 0.0001 | % |
| hexafluorosilic acid(H ₂ SiF ₆) | max. 0.005 | % |
| phosphate (PO ₄) | max. 0.00005 | % |
| sulfate (SO ₄) | max. 0.0002 | % |
| sulfite (SO ₃) | max. 0.0002 | % |
| appearance (color) | complying | |
| appearance (form) | complying | |