

Potassium iodide

30315-6X100G

Version 2.2

Revision Date 17.12.2022

Supersedes 1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name : Potassium iodide
SDS-number : 000000020257
Type of product : Substance
Remarks : SDS according to Art. 31 of Regulation (EC) 1907/2006.
Chemical name : Potassium iodide
CAS-No. : 7681-11-0
REACH Registration Number : no data available

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Laboratory chemicals
Uses advised against : none

1.3. Details of the supplier of the safety data sheet

Company	: Honeywell International Inc. 115 Tabor Road 07950-2546 Morris Plains USA	Honeywell International, Inc. 115 Tabor Road Morris Plains, NJ 07950-2546 USA
---------	---	--

Telephone :
For further information, please contact: : SafetyDataSheet@Honeywell.com

1.4. Emergency telephone number

Emergency telephone number : +1-703-527-3887 (ChemTrec-Transport)
+1-303-389-1414 (Medical)
Country based Poison : see chapter 15.1

Potassium iodide

30315-6X100G

Version 2.2

Revision Date 17.12.2022

Supersedes 1

Control Center

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

REGULATION (EC) No 1272/2008

Specific target organ toxicity - repeated exposure Category 1 - Oral - Thyroid
H372 Causes damage to organs through prolonged or repeated exposure if swallowed.

2.2. Label elements

REGULATION (EC) No 1272/2008

Hazard pictograms



Signal word : Danger

Hazard statements : H372 Causes damage to organs through prolonged or repeated exposure if swallowed.

Precautionary statements : P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.
P280 Wear protective gloves/ eye protection/ face protection.
P308 + P313 IF exposed or concerned: Get medical advice/ attention.

2.3. Other hazards

Iodide may cause effects on the thyroid. Chronic overexposure may cause iodism (symptoms may include salivation, sneezing, headache, fever, effects on the respiratory tract). Results of PBT and vPvB assessment, see chapter 12.5.

SECTION 3: Composition/information on ingredients

3.1. Substance

Potassium iodide

30315-6X100G

Version 2.2

Revision Date 17.12.2022

Supersedes 1

Chemical name	CAS-No. Index-No. REACH Registration Number EC-No.	Classification 1272/2008	Concentration	Remarks
Potassium iodide	7681-11-0 231-659-4	STOT RE 1; H372; Oral; Thyroid	100 %	

3.2. Mixture

Not applicable

Occupational Exposure Limit(s), if available, are listed in Section 8.
For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice:

First aider needs to protect himself. Move out of dangerous area. Take off all contaminated clothing immediately. Show this safety data sheet to the doctor in attendance.

Inhalation:

Remove to fresh air. If breathing is difficult, give oxygen. Use oxygen as required, provided a qualified operator is present. Call a physician.

Skin contact:

Wash off immediately with plenty of water for at least 15 minutes. Call a physician if irritation develops or persists.

Eye contact:

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Call a physician if irritation develops or persists.

Ingestion:

Immediately give large quantities of water to drink. Never give anything by mouth to an unconscious person. Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

Potassium iodide

30315-6X100G

Version 2.2

Revision Date 17.12.2022

Supersedes 1

No data available

4.3. Indication of any immediate medical attention and special treatment needed

No data available

See Section 11 for more detailed information on health effects and symptoms. :

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

Water spray

Foam

Carbon dioxide (CO₂)

Dry powder

Extinguishing media which shall not be used for safety reasons:

High volume water jet

5.2. Special hazards arising from the substance or mixture

In case of fire hazardous decomposition products may be produced such as:

Hydrogen iodide (HI)

Iodine

Potassium oxide

5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective suit.

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Wear personal protective equipment. Evacuate personnel to safe areas. Ensure adequate ventilation. Avoid dust formation. Avoid breathing dust. Avoid contact with skin and eyes.

Potassium iodide

30315-6X100G

Version 2.2

Revision Date 17.12.2022

Supersedes 1

6.2. Environmental precautions

Prevent further leakage or spillage if safe to do so. Should not be released into the environment. Do not flush into surface water or sanitary sewer system. Do not allow run-off from fire fighting to enter drains or water courses.

6.3. Methods and materials for containment and cleaning up

Use mechanical handling equipment.
Pick for disposal in tightly closed containers

6.4. Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling:

Exhaust ventilation at the object is necessary. Wear suitable protective clothing and gloves.

Advice on protection against fire and explosion:

Normal measures for preventive fire protection.

Hygiene measures:

Keep working clothes separately. Separate rooms are required for washing, showering and changing clothes. Take off all contaminated clothing immediately. Remove and wash contaminated clothing before re-use. Wash hands before breaks and at the end of workday. When using do not eat or drink.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers:

Store in original container. Keep container tightly closed in a dry and well-ventilated place.

7.3. Specific end use(s)

no additional data available

Potassium iodide

30315-6X100G

Version 2.2

Revision Date 17.12.2022

Supersedes 1

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Components with workplace control parameters

Contains no substances with occupational exposure limit values.

DNEL/ PNEC-Values

Component	End-use/impact	Exposure duration	Value	Exposure routes	Remarks
Potassium iodide	Workers / Long-term systemic effects		0,07 mg/m ³	Inhalation	
Potassium iodide	Workers / Long-term systemic effects		1,0mg/kg bw/d	Skin contact	
Potassium iodide	Consumers / Long-term systemic effects		0,035 mg/m ³	Inhalation	
Potassium iodide	Consumers / Long-term systemic effects		1mg/kg bw/d	Skin contact	
Potassium iodide	Consumers / Long-term systemic effects		0,01mg/kg bw/d	Ingestion	
Potassium iodide	Consumers / Acute systemic effects		0,01mg/kg bw/d	Ingestion	

Component	Environmental compartment / Value	Remarks
Potassium iodide	Fresh water: 0,0075 mg/l	Assessment factor:

Potassium iodide

30315-6X100G

Version 2.2

Revision Date 17.12.2022

Supersedes 1

		1000
Potassium iodide	Marine water:	No hazard identified
Potassium iodide	Sewage treatment plant:	No hazard identified
Potassium iodide	Fresh water sediment: 0,0075 mg/kg dw	Assessment factor: 1000
Potassium iodide	Marine sediment:	No hazard identified
Potassium iodide	Soil:	No hazard identified

8.2. Exposure controls

Occupational exposure controls

The Personal Protective Equipment must be in accordance with EN standards:respirator EN 136, 140, 149; safety glasses EN 166; protective suit: EN 340, 463, 468, 943-1, 943-2; gloves EN 374, 511; safety shoes EN-ISO 20345.
Avoid dust formation.

Engineering measures

Use with local exhaust ventilation.

Personal protective equipment

Respiratory protection:

In the case of dust or aerosol formation use respirator with an approved filter.

Hand protection:

Glove material: Natural Latex

Break through time: > 480 min

Glove thickness: 0,6 mm

Lapren®706

Gloves must be inspected prior to use.

Replace when worn.

Potassium iodide

30315-6X100G

Version 2.2

Revision Date 17.12.2022

Supersedes 1

Remarks: Supplementary note: The specifications are based on information and tests from similar substances by analogy.
Due to varying conditions (e.g.temperature or other strains) it must be considered that the usage of a chemical protective glove in practice may be much shorter than the permeation time determined in accordance with EN 374.
Since actual conditions of practical use often deviate from standardised conditions according EN 374 the glove manufacturer recommends to use the chemical protective glove in practice not longer than 50% of the recommended permeation time.
Manufacturer's directions for use should be observed because of great diversity of types .
Suitable gloves tested according EN 374 are supplied e.g. from KCL GmbH, D-36124 Eichenzell, Vertrieb@kcl.de

Eye protection:

Safety glasses with side-shields

Skin and body protection:

Protective suit

Environmental exposure controls

Handle in accordance with local environmental regulations and good industrial practices.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	:	solid
Colour	:	colourless
Odour	:	odourless
molecular weight	:	166 g/mol
Melting point/range	:	681 °C
Boiling point/boiling range	:	1.323 °C at 1.013 hPa
Upper explosion limit	:	Not applicable
Lower explosion limit	:	Not applicable

Potassium iodide

30315-6X100G

Version 2.2

Revision Date 17.12.2022

Supersedes 1

Flash point	:	Not applicable
Auto-ignition temperature	:	Not applicable
Decomposition temperature	:	No decomposition if used as directed.
pH	:	6,0 - 9,0 at 20 °C
Auto-ignition temperature	:	> 1.300 °C
Viscosity, kinematic	:	No data available
Water solubility	:	1.429 g/l at 25 °C
Partition coefficient: n-octanol/water	:	Not applicable
Vapour pressure	:	No data available
Density	:	ca. 3,12 g/cm ³ at 20 °C
Bulk density	:	ca. 1.700 kg/m ³
Relative vapour density	:	No data available

9.2 Other Information

Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Evaporation rate	:	No data available
Viscosity, dynamic	:	No data available

Potassium iodide

30315-6X100G

Version 2.2

Revision Date 17.12.2022

Supersedes 1

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable under recommended storage conditions.

10.2. Chemical stability

No decomposition if used as directed.

10.3. Possibility of hazardous reactions

Hazardous polymerisation does not occur.

10.4. Conditions to avoid

Exposure to air.
Exposure to moisture
Exposure to light.

10.5. Incompatible materials

Incompatible with strong acids, oxidizers and nitrates.

10.6. Hazardous decomposition products

In case of fire hazardous decomposition products may be produced such as:
Hydrogen iodide (HI)
Iodine
Potassium oxide

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute oral toxicity:

LD50

Species: Rat

Value: 3.118 mg/kg

Method: OECD Test Guideline 401

Acute dermal toxicity:

Potassium iodide

30315-6X100G

Version 2.2

Revision Date 17.12.2022

Supersedes 1

Not classified due to data which are conclusive although insufficient for classification.

Acute inhalation toxicity:
No data available

Skin irritation:
No data available

Eye irritation:
No data available

Respiratory or skin sensitisation:
No data available

Germ cell mutagenicity:
Test Method: In vitro mammalian cell gene mutation test
Cell type: mouse lymphoma cells
Metabolic activation: without metabolic activation
Result: negative
Method: OECD Test Guideline 476

Reproductive toxicity:
Remarks: Not classified due to data which are conclusive although insufficient for classification.

Aspiration hazard:
No data available

11.2. Information on other hazards

Endocrine disrupting properties
No data available

Other information:
Iodide may cause effects on the thyroid.
Chronic overexposure may cause iodism (symptoms may include salivation, sneezing, headache, fever, effects on the respiratory tract).

SECTION 12: Ecological information

12.1. Toxicity

Toxicity to fish:
LC50
static test

Potassium iodide

30315-6X100G

Version 2.2

Revision Date 17.12.2022

Supersedes 1

Species: *Oncorhynchus mykiss* (rainbow trout)
Value: 3.780 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203
Test substance: REACH dossier "read-across"

Toxicity to aquatic plants:
No data available

Toxicity to aquatic invertebrates:
EC50
static test
Species: *Daphnia magna* (Water flea)
Value: 7,5 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

12.2. Persistence and degradability

Biodegradability:
The methods for determining biodegradability are not applicable to inorganic substances.

12.3. Bioaccumulative potential

Does not bioaccumulate.

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

No data available

12.6. Endocrine disrupting properties

No data available

12.7. Other adverse effects

No data available

Potassium iodide

30315-6X100G

Version 2.2

Revision Date 17.12.2022

Supersedes 1

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product:

Dispose according to legal requirements.

Packaging:

Legal requirements are to be considered in regard of reuse or disposal of used packaging materials

Further information:

Provisions relating to waste:

EC Directive 2006/12/EC; 2008/98/EEC

Regulation No. 1013/2006

For personal protection see section 8.

SECTION 14: Transport information

14.1 UN number

ADR/RID:Not dangerous goods IMDG:Not dangerous goods IATA:Not dangerous goods

14.2 UN proper shipping name

ADR/RID:Not dangerous goods

IMDG:Not dangerous goods

IATA:Not dangerous goods

14.3 Transport hazard class(es)

14.4 Packaging group

14.5 Environmental hazards

ADR/RID:no

Marine pollutant: no

14.6 Special precautions for user

No data available

14.7 Maritime transport in bulk according to IMO instruments

Potassium iodide

30315-6X100G

Version 2.2

Revision Date 17.12.2022

Supersedes 1

No data available

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Basis	Value	Remarks
Directive 2012/18/EC		Not applicable
Substances of very high concern (SVHC)		This product does not contain substances of very high concern according to Regulation (EC) No Article 57 above the respective regulatory 1907/2006 (REACH), concentration limit of $\geq 0.1\%$ (w/w).

Poison Control Center

Country	Phone Number
Austria	+4314064343
Belgium	070 245245
Bulgaria	(+35929154233
Croatia	(+3851)23-48-342
Cyprus	+357 2240 5611
Czech Republic	+420224919293; +420224915402
Denmark	82121212
Estonia	16662; (+372)6269390
Finland	9471977
France	+33(0)145425959
Greece	+30 210 779 3777
Hungary	(+36-80)201-199
Iceland	5432222
Ireland	+353(1)8092166

Country	Phone Number
Liechtenstein	+41 442515151
Lithuania	+370532362052
Luxembourg	070245245; (+352)80002-5500
Malta	+356 2395 2000
Netherlands	030-2748888
Norway	22591300
Poland	+48 42 25 38 400
Portugal	800250250
Romania	+40 21 318 3606
Slovakia (NTIC)	+421 2 54 774 166
Slovenia	+386 1 400 6051
Spain	+34915620420
Sweden	112 (begär Giftinformation); +46104566786
Switzerland	145

Potassium iodide

30315-6X100G

Version 2.2

Revision Date 17.12.2022

Supersedes 1

Italy	0382 24444	United Kingdom	(+44) 844 892 0111
Germany	Berlin : 030/19240		
	Bonn : 0228/19240		
	Erfurt : 0361/730730		
	Freiburg : 0761/19240		
	Göttingen : 0551/19240		
	Homburg : 06841/19240		
	Mainz : 06131/19240		
Munich : 089/19240			
Latvia	+37167042473		

Other inventory information

US. Toxic Substances Control Act
On TSCA Inventory

Australia. Inventory of Industrial Chemicals (AIIC), as amended
On the inventory, or in compliance with the inventory

Canada. Canadian Environmental Protection Act (CEPA). Domestic Substances List (DSL)
All components of this product are on the Canadian DSL

Japan. Kashin-Hou Law List
On the inventory, or in compliance with the inventory

Korea. Existing Chemicals Inventory (KECI)
On the inventory, or in compliance with the inventory

Philippines. Inventory of Chemicals and Chemical Substances (PICCS)
On the inventory, or in compliance with the inventory

China. Inventory of Existing Chemical Substances (IECSC)
On the inventory, or in compliance with the inventory

New Zealand. Inventory of Chemicals (NZIoC), as published by ERMA New Zealand
On the inventory, or in compliance with the inventory

Taiwan Chemical Substance Inventory (TCSI)

Potassium iodide

30315-6X100G

Version 2.2

Revision Date 17.12.2022

Supersedes 1

On the inventory, or in compliance with the inventory

15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

Text of H-statements referred to under heading 3

Potassium iodide : H372 Causes damage to organs through prolonged or repeated exposure if swallowed.

Further information

All directives and regulations refer to amended versions.
Vertical lines in the left hand margin indicate a relevant amendment from the previous version.

Abbreviations:

EC European Community
CAS Chemical Abstracts Service
DNEL Derived no effect level
PNEC Predicted no effect level
vPvB Very persistent and very bioaccumulative substance
PBT Persistent, bioaccumulative und toxic substance

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. Final determination of suitability of any material is the sole responsibility of the user.

This information should not constitute a guarantee for any specific product properties.