# Honeywell Fluka

# Potassium iodide

## 30315-1KG

Version 2.2

# Revision Date 17.12.2022

Supersedes 1

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier					
Product name	:	Potassium iodide			
SDS-number	:	00000020257	00000020257		
Type of product	:	Substance			
Remarks	:	SDS according to Art. 31 of Re	gulation (EC) 1907/2006.		
Chemical name	:	Potassium iodide			
CAS-No.	:	7681-11-0			
REACH Registration Number	:	no data available			
1.2. Relevant identified us	es (	of the substance or mixture an	d uses advised against		
Use of the Substance/Mixture	:	Laboratory chemicals	Laboratory chemicals		
Uses advised against	:	none			
1.3. Details of the supplier	r of	the safety data sheet			
Company	:	Honeywell International Inc.Honeywell International, Inc.115 Tabor Road115 Tabor Road07950-2546 Morris PlainsMorris Plains, NJ 07950-2546USAUSA			
Telephone For further information, please contact:	:	SafetyDataSheet@Honeywell.c	com		
1.4. Emergency telephone number					
Emergency telephone number Country based Poison	<ul> <li>+1-703-527-3887 (ChemTrec-Transport)</li> <li>+1-303-389-1414 (Medical)</li> <li>see chapter 15.1</li> </ul>				
		Page 1 / 16			

# Honeywell Fluka

## Potassium iodide

30315-1KG

Version 2.2

Revision Date 17.12.2022

Supersedes 1

**Control Center** 

### **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

### REGULATION (EC) No 1272/2008

Specific target organ toxicity - repeated exposure Category 1 - Oral - Thyroid H372 Causes damage to organs through prolonged or repeated exposure if swallowed.

### 2.2. Label elements

### REGULATION (EC) No 1272/2008

Hazard pictograms

Signal word	: Danger	
Hazard statements	: H372	Causes damage to organs through prolonged or repeated exposure if swallowed.
Precautionary statements	: P260	Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.
	P280	Wear protective gloves/ eye protection/ face protection.
	P308 + P313	IF exposed or concerned: Get medical advice/ attention.

### 2.3. Other hazards

lodide may cause effects on the thyroid. Chronic overexposure may cause in iodism (symptoms may include salivation, sneezing, headache, fever, effects on the respiratory tract). Results of PBT and vPvB assessment, see chapter 12.5.

### **SECTION 3: Composition/information on ingredients**

### 3.1. Substance

Page 2 / 16



## Potassium iodide

30315-1KG

Version 2.2

Revision Date 17.12.2022

Supersedes 1

Chemical name	CAS-No. Index-No. REACH Registration Number EC-No.	Classification 1272/2008	Concentration	Remarks
Potassium iodide	7681-11-0 231-659-4	STOT RE 1; H372; Oral; Thyroid	100 %	

### 3.2. Mixture

Not applicable

Occupational Exposure Limit(s), if available, are listed in Section 8. For the full text of the H-Statements mentioned in this Section, see Section 16.

### **SECTION 4: First aid measures**

### 4.1 Description of first aid measures

General advice:

First aider needs to protect himself. Move out of dangerous area. Take off all contaminated clothing immediately. Show this safety data sheet to the doctor in attendance.

Inhalation:

Remove to fresh air. If breathing is difficult, give oxygen. Use oxygen as required, provided a qualified operator is present. Call a physician.

Skin contact:

Wash off immediately with plenty of water for at least 15 minutes. Call a physician if irritation develops or persists.

Eye contact:

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Call a physician if irritation develops or persists.

Ingestion:

Immediately give large quantities of water to drink. Never give anything by mouth to an unconscious person. Call a physician immediately.

### 4.2. Most important symptoms and effects, both acute and delayed

Page 3 / 16

# Honeywell Fluka

## **Potassium iodide**

### 30315-1KG

Version 2.2

Revision Date 17.12.2022

Supersedes 1

:

No data available

### 4.3. Indication of any immediate medical attention and special treatment needed

No data available

See Section 11 for more detailed information on health effects and symptoms.

### **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

Suitable extinguishing media: Water spray Foam Carbon dioxide (CO2) Dry powder

*Extinguishing media which shall not be used for safety reasons:* High volume water jet

### 5.2. Special hazards arising from the substance or mixture

In case of fire hazardous decomposition products may be produced such as: Hydrogen iodide (HI) Iodine Potassium oxide

### 5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective suit. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

### SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Wear personal protective equipment. Evacuate personnel to safe areas. Ensure adequate ventilation. Avoid dust formation. Avoid breathing dust. Avoid contact with skin and eyes.

Page 4 / 16

# Honeywell Fluka

# Potassium iodide

## 30315-1KG

Version 2.2

### Revision Date 17.12.2022

Supersedes 1

### 6.2. Environmental precautions

Prevent further leakage or spillage if safe to do so. Should not be released into the environment. Do not flush into surface water or sanitary sewer system. Do not allow run-off from fire fighting to enter drains or water courses.

### 6.3. Methods and materials for containment and cleaning up

Use mechanical handling equipment. Pick for disposal in tightly closed containers

### 6.4. Reference to other sections

For personal protection see section 8.

### **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

Advice on safe handling:

Exhaust ventilation at the object is necessary. Wear suitable protective clothing and gloves.

Advice on protection against fire and explosion: Normal measures for preventive fire protection.

Hygiene measures:

Keep working clothes separately. Separate rooms are required for washing, showering and changing clothes. Take off all contaminated clothing immediately. Remove and wash contaminated clothing before re-use. Wash hands before breaks and at the end of workday. When using do not eat or drink.

### 7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers: Store in original container. Keep container tightly closed in a dry and well-ventilated place.

### 7.3. Specific end use(s)

no additional data available

Page 5 / 16

# Honeywell Fluka

# Potassium iodide

30315-1KG

Version 2.2

Revision Date 17.12.2022

Supersedes 1

### SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

### Components with workplace control parameters

Contains no substances with occupational exposure limit values.

### **DNEL/ PNEC-Values**

Component	End- use/impact	Exposure duration	Value	Exposure routes	Remarks
Potassium iodide	Workers / Long-term systemic effects		0,07 mg/m3	Inhalation	
Potassium iodide	Workers / Long-term systemic effects		1,0mg/kg bw/d	Skin contact	
Potassium iodide	Consumers / Long-term systemic effects		0,035 mg/m3	Inhalation	
Potassium iodide	Consumers / Long-term systemic effects		1mg/kg bw/d	Skin contact	
Potassium iodide	Consumers / Long-term systemic effects		0,01mg/kg bw/d	Ingestion	
Potassium iodide	Consumers / Acute systemic effects		0,01mg/kg bw/d	Ingestion	

Component	Environmental compartment / Value	Remarks
Potassium iodide	Fresh water: 0,0075 mg/l	Assessment factor:

Page 6 / 16

# Honeywell Fluka

# Potassium iodide

30315-1KG

Version 2.2

l

Revision Date 17.12.2022

Supersedes 1

		1000
Potassium iodide	Marine water:	No hazard identified
Potassium iodide	Sewage treatment plant:	No hazard identified
Potassium iodide	Fresh water sediment: 0,0075 mg/kg dw	Assessment factor: 1000
Potassium iodide	Marine sediment:	No hazard identified
Potassium iodide	Soil:	No hazard identified

### 8.2. Exposure controls

### Occupational exposure controls

The Personal Protective Equipment must be in accordance with EN standards:respirator EN 136, 140, 149; safety glasses EN 166; protective suit: EN 340, 463, 468, 943-1, 943-2; gloves EN 374, 511; safety shoes EN-ISO 20345. Avoid dust formation.

### **Engineering measures**

Use with local exhaust ventilation.

### Personal protective equipment

*Respiratory protection:* In the case of dust or aerosol formation use respirator with an approved filter.

Hand protection: Glove material: Natural Latex Break through time: > 480 min Glove thickness: 0,6 mm Lapren®706 Gloves must be inspected prior to use. Replace when worn.

Page 7 / 16

# Honeywell Fluka

# **Potassium iodide**

30315-1KG

Version 2.2

Revision Date 17.12.2022

Supersedes 1

Remarks:Supplementary note: The specifications are based on information and tests from similar substances by analogy.

Due to varying conditions (e.g.temperature or other strains) it must be considered that the usage of a chemical protective glove in practice may be much shorter than the permeation time determined in accordance with EN 374.

Since actual conditions of practical use often deviate from standardised conditions according EN 374 the glove manufacturer reccomends to use the chemical protective glove in practice not longer than 50% of the recomended permeation time.

Manufacturer's directions for use should be observed because of great diversity of types . Suitable gloves tested according EN 374 are supplied e.g. from KCL GmbH, D-36124 Eichenzell, Vertrieb@kcl.de

*Eye protection:* Safety glasses with side-shields

*Skin and body protection:* Protective suit

### **Environmental exposure controls**

Handle in accordance with local environmental regulations and good industrial practices.

### **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state	:	solid
Colour	:	colourless
Odour	:	odourless
molecular weight	:	166 g/mol
Melting point/range	:	681 °C
Boiling point/boiling range	:	1.323 °C at 1.013 hPa
Upper explosion limit	:	Not applicable
Lower explosion limit	:	Not applicable

Page 8 / 16

# Honeywell Fluka<sup>™</sup>

# Potassium iodide

30315-1KG Version 2.2

Revision Date 17.12.2022

Supersedes 1

Flash point	:	Not applicable
Auto-ignition temperature	:	Not applicable
Decomposition temperature	:	No decomposition if used as directed.
рН	:	6,0 - 9,0 at 20 °C
Auto-ignition temperature	:	> 1.300 °C
Viscosity, kinematic	:	No data available
Water solubility	:	1.429 g/l at 25 °C
Partition coefficient: n- octanol/water	:	Not applicable
Vapour pressure	:	No data available
Density	:	ca. 3,12 g/cm3 at 20 °C
Bulk density	:	ca. 1.700 kg/m3
Relative vapour density	:	No data available
9.2 Other Information		
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Evaporation rate	:	No data available
Viscosity, dynamic	:	No data available

Page 9 / 16

# Honeywell Fluka

## Potassium iodide

## 30315-1KG

Version 2.2

Revision Date 17.12.2022

Supersedes 1

### **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

Stable under recommended storage conditions.

### 10.2. Chemical stability

No decomposition if used as directed.

### 10.3. Possibility of hazardous reactions

Hazardous polymerisation does not occur.

### 10.4. Conditions to avoid

Exposure to air. Exposure to moisture Exposure to light.

### 10.5. Incompatible materials

Incompatible with strong acids, oxidizers and nitrates.

### 10.6. Hazardous decomposition products

In case of fire hazardous decomposition products may be produced such as: Hydrogen iodide (HI) Iodine Potassium oxide

### **SECTION 11: Toxicological information**

### 11.1. Information on toxicological effects

Acute oral toxicity: LD50 Species: Rat Value: 3.118 mg/kg Method: OECD Test Guideline 401

Acute dermal toxicity:

Page 10 / 16

# Honeywell Fluka

# Potassium iodide

30315-1KG

Version 2.2

Revision Date 17.12.2022

Supersedes 1

Not classified due to data which are conclusive although insufficient for classification.

Acute inhalation toxicity: No data available

*Skin irritation:* No data available

Eye irritation: No data available

Respiratory or skin sensitisation: No data available

Germ cell mutagenicity: Test Method: In vitro mammalian cell gene mutation test Cell type: mouse lymphoma cells Metabolic activation: without metabolic activation Result: negative Method: OECD Test Guideline 476

Reproductive toxicity: Remarks: Not classified due to data which are conclusive although insufficient for classification. Aspiration hazard: No data available

### 11.2. Information on other hazards

Endocrine disrupting properties No data available

*Other information:* lodide may cause effects on the thyroid. Chronic overexposure may cause in iodism (symptoms may include salivation, sneezing, headache, fever, effects on the respiratory tract).

### **SECTION 12: Ecological information**

### 12.1. Toxicity

*Toxicity to fish:* LC50 static test

Page 11 / 16



## Potassium iodide

30315-1KG

Version 2.2

Revision Date 17.12.2022

Supersedes 1

Species: Oncorhynchus mykiss (rainbow trout) Value: 3.780 mg/l Exposure time: 96 h Method: OECD Test Guideline 203 Test substance: REACH dossier "read-across"

*Toxicity to aquatic plants:* No data available

Toxicity to aquatic invertebrates: EC50 static test Species: Daphnia magna (Water flea) Value: 7,5 mg/l Exposure time: 48 h Method: OECD Test Guideline 202

### 12.2. Persistence and degradability

*Biodegradability*: The methods for determining biodegradability are not applicable to inorganic substances.

### 12.3. Bioaccumulative potential

Does not bioaccumulate.

### 12.4. Mobility in soil

No data available

### 12.5. Results of PBT and vPvB assessment

No data available

### 12.6. Endocrine disrupting properties

No data available

### 12.7. Other adverse effects

No data available

Page 12 / 16

# Honeywell Fluka

## Potassium iodide

30315-1KG

Version 2.2

Revision Date 17.12.2022

Supersedes 1

### SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Product:

Dispose according to legal requirements.

Packaging:

Legal requirements are to be considered in regard of reuse or disposal of used packaging materials

*Further information:* Provisions relating to waste: EC Directive 2006/12/EC; 2008/98/EEC Regulation No. 1013/2006

For personal protection see section 8.

### **SECTION 14: Transport information**

### 14.1 UN number

ADR/RID:Not dangerous goods IMDG:Not dangerous goods

IATA:Not dangerous goods

## 14.2 UN proper shipping name

ADR/RID:Not dangerous goods IMDG:Not dangerous goods IATA:Not dangerous goods

### 14.3 Transport hazard class(es)

14.4 Packaging group

#### 14.5 Environmental hazards ADR/RID:no

Marine pollutant: no

### **14.6 Special precautions for user** No data available

14.7 Maritime transport in bulk according to IMO instruments

Page 13 / 16

# Honeywell Fluka

# Potassium iodide

30315-1KG

Version 2.2

Revision Date 17.12.2022

Supersedes 1

No data available

### **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Basis	Value	Remarks
Directive 2012/18/EC		Not applicable
Substances of very high concern (SVHC)		This product does not contain substances of very high concern according to Regulation (EC) No Article 57 above the respective regulatory 1907/2006 (REACH), concentration limit of $\ge$ 0.1 % (w/w).

### **Poison Control Center**

Country	Phone Number	Country	Phone Number
Austria	+4314064343	Liechtenstein	+41 442515151
Belgium	070 245245	Lithuania	+370532362052
Bulgaria	(+)35929154233	Luxembourg	070245245; (+352)80002-5500
Croatia	(+3851)23-48-342	Malta	+356 2395 2000
Cyprus	+357 2240 5611	Netherlands	030-2748888
Czech Republic	+420224919293; +420224915402	Norway	22591300
Denmark	82121212	Poland	+48 42 25 38 400
Estonia	16662; (+372)6269390	Portugal	800250250
Finland	9471977	Romania	+40 21 318 3606
France	+33(0)145425959	Slovakia (NTIC)	+421 2 54 774 166
Greece	+30 210 779 3777	Slovenia	+386 1 400 6051
Hungary	(+36-80)201-199	Spain	+34915620420
Iceland	5432222	Sweden	112 (begär Giftinformation);+46104566786
reland +353(1)8092166		Switzerland	145

Page 14 / 16

# Honeywell Fluka

(+44) 844 892 0111

## Potassium iodide

30315-1KG

Version 2.2

Revision Date 17.12.2022

United Kingdom

Supersedes 1

Italy	0382 24444
	Berlin : 030/19240
	Bonn : 0228/19240
	Erfurt : 0361/730730
Germany	Freiburg : 0761/19240
Germany	Göttingen : 0551/19240
	Homburg : 06841/19240
	Mainz : 06131/19240
	Munich : 089/19240
Latvia	+37167042473

### Other inventory information

US. Toxic Substances Control Act On TSCA Inventory

Australia. Inventory of Industrial Chemicals (AIIC), as amended On the inventory, or in compliance with the inventory

Canada. Canadian Environmental Protection Act (CEPA). Domestic Substances List (DSL) All components of this product are on the Canadian DSL

Japan. Kashin-Hou Law List On the inventory, or in compliance with the inventory

Korea. Existing Chemicals Inventory (KECI) On the inventory, or in compliance with the inventory

Philippines. Inventory of Chemicals and Chemical Substances (PICCS) On the inventory, or in compliance with the inventory

China. Inventory of Existing Chemical Substances (IECSC) On the inventory, or in compliance with the inventory

New Zealand. Inventory of Chemicals (NZIoC), as published by ERMA New Zealand On the inventory, or in compliance with the inventory

Taiwan Chemical Substance Inventory (TCSI)

Page 15 / 16



## Potassium iodide

30315-1KG

Version 2.2

Revision Date 17.12.2022

Supersedes 1

On the inventory, or in compliance with the inventory

### 15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

2

### **SECTION 16: Other information**

### Text of H-statements referred to under heading 3

Potassium iodide

H372 Causes damage to organs through prolonged or repeated exposure if swallowed.

### **Further information**

All directives and regulations refer to amended versions. Vertical lines in the left hand margin indicate a relevant amendment from the previous version.

Abbreviations:

EC European Community CAS Chemical Abstracts Service DNEL Derived no effect level PNEC Predicted no effect level vPvB Very persistent and very biaccumulative substance PBT Persistent, bioaccmulative und toxic substance

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. Final determination of suitability of any material is the sole responsibility of the user.

This information should not constitute a guarantee for any specific product properties.

Page 16 / 16