

## **Phosphoric acid**

30417-2.5L

Version 1.4

Revision Date 17.12.2022

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

| 1.1. Product identifier   |   |   |  |
|---|---|---|--|
| Product name  | Phosphoric acid   |   |  |
| SDS-number  | 00000020139   |   |  |
| Type of product   | Mixture   |   |  |
| Remarks   | SDS according to Art. 31 of Regulation (EC  | C) 1907/2006.   |  |
| 1.2. Relevant identified u  | of the substance or mixture and uses adv  | vised against   |  |
| Use of the Substance/Mixture  | Laboratory chemicals  |   |  |
| Uses advised against  | none  |   |  |
| 1.3. Details of the supplie   | he safety data sheet  |   |  |
| Company   | 115 Tabor Road 115 Tabo   | ll International, Inc.<br>r Road<br>ains, NJ 07950-2546 |  |
| Telephone<br>For further information,<br>please contact:                | SafetyDataSheet@Honeywell.com   |   |  |
| 1.4. Emergency telephon   | nber  |   |  |
| Emergency telephone<br>number<br>Country based Poison<br>Control Center | +1-703-527-3887 (ChemTrec-Transport)<br>+1-303-389-1414 (Medical)<br>see chapter 15.1 |   |  |

#### **SECTION 2: Hazards identification**

2.1. Classification of the substance or mixture REGULATION (EC) No 1272/2008

Page 1 / 17

# Honeywell Fluka

## **Phosphoric acid**

30417-2.5L

Version 1.4

### Revision Date 17.12.2022

Corrosive to metals Category 1 H290 May be corrosive to metals. Skin corrosion Category 1B H314 Causes severe skin burns and eye damage.

### 2.2. Label elements

#### **REGULATION (EC) No 1272/2008** Hazard pictograms Signal word Danger Hazard statements H290 May be corrosive to metals. : H314 Causes severe skin burns and eye damage. Precautionary statements P234 Keep only in original container. : P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray. Wear protective gloves/protective P280 clothing/eye protection/face protection. P284 In case of inadequate ventilation wear respiratory protection. P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P302 + P352 IF ON SKIN: Wash with plenty of water. P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P308 + P313 IF exposed or concerned: Get medical advice/ attention.

Hazardous components which must be listed on the label

Orthophosphoric acid

Page 2 / 17

## **Phosphoric acid**

30417-2.5L

Version 1.4

Revision Date 17.12.2022

### 2.3. Other hazards

The product is hygroscopic. Results of PBT and vPvB assessment, see chapter 12.5.

#### **SECTION 3: Composition/information on ingredients**

#### 3.1. Substance

Not applicable

#### 3.2. Mixture

| Chemical name           | CAS-No.<br>Index-No.<br>REACH Registration<br>Number<br>EC-No. | Classification 1272/2008                  | Concentration         | Remarks   |
|-------------------------|--|---|-----------------------|---|
| Orthophosphoric<br>acid | 7664-38-2<br>015-011-00-6<br>231-633-2                         | Skin Corr. 1B; H314<br>Met. Corr. 1; H290 | >= 50 % - <= 100<br>% |   |
|                         |  |   |                       | Eye Irrit. 2; H319:10 - < 25 %<br>Skin Irrit. 2; H315:10 - < 25<br>%<br>Skin Corr. 1B; H314:>= 25 % |

Remaining components of this product are non-hazardous and/or are present at concentrations below reportable limits.

Occupational Exposure Limit(s), if available, are listed in Section 8. For the full text of the H-Statements mentioned in this Section, see Section 16.

#### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

General advice:

First aider needs to protect himself. Immediately take off contaminated clothing and rinse body with plenty of water.

Inhalation:

Page 3 / 17



## **Phosphoric acid**

30417-2.5L

Version 1.4

### Revision Date 17.12.2022

Remove to fresh air. If breathing is irregular or stopped, administer artificial respiration. If breathing is difficult, give oxygen. Use oxygen as required, provided a qualified operator is present. Call a physician immediately.

#### Skin contact:

Wash off immediately with plenty of water for at least 15 minutes. Take off contaminated clothing and shoes immediately. Wash contaminated clothing before re-use. Call a physician immediately.

#### Eye contact:

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Call a physician immediately.

#### Ingestion:

Rinse mouth with water. Drink 1 or 2 glasses of water. Do NOT induce vomiting. Call a physician immediately.

#### 4.2. Most important symptoms and effects, both acute and delayed

No data available

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

See Section 11 for more detailed information on health effects and symptoms.

Page 4 / 17

# Honeywell Fluka

## **Phosphoric acid**

30417-2.5L

Version 1.4

Revision Date 17.12.2022

### **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

Suitable extinguishing media: Water spray Foam Carbon dioxide (CO2) Dry powder

*Extinguishing media which shall not be used for safety reasons:* High volume water jet

#### 5.2. Special hazards arising from the substance or mixture

Contact with metals liberates hydrogen gas. In case of fire hazardous decomposition products may be produced such as: Oxides of phosphorus

### 5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective suit. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Wear personal protective equipment. Immediately evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Ensure adequate ventilation. Do not breathe vapours or spray mist. Do not get in eyes, on skin, or on clothing.

#### 6.2. Environmental precautions

Prevent further leakage or spillage if safe to do so. Discharge into the environment must be avoided. Do not flush into surface water or sanitary sewer system. Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

#### 6.3. Methods and materials for containment and cleaning up

Page 5 / 17



## **Phosphoric acid**

30417-2.5L

Version 1.4

Revision Date 17.12.2022

Ventilate the area. With acids neutralization takes place under development of heat. Neutralise with the following product(s): lime soda ash Soak up with inert absorbent material. Sweep up and shovel into suitable containers for disposal.

#### 6.4. Reference to other sections

For personal protection see section 8.

#### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Advice on safe handling: Provide sufficient air exchange and/or exhaust in work rooms. Use only acid resistant equipment.

Advice on protection against fire and explosion: Normal measures for preventive fire protection.

Hygiene measures:

When using, do not eat, drink or smoke. Wash hands before breaks and immediately after handling the product. Keep working clothes separately. Remove and wash contaminated clothing before re-use. Do not breathe vapours or spray mist. Do not get in eyes, on skin, or on clothing.

### 7.2. Conditions for safe storage, including any incompatibilities

#### Further information on storage conditions:

Store in original container. Keep container tightly closed in a dry and well-ventilated place. Protect from extreme heat and cold. Do not leave vessels/containers open Avoid product residues in/on containers.

### 7.3. Specific end use(s)

no additional data available

Page 6 / 17

## **Phosphoric acid**

30417-2.5L

Version 1.4

Revision Date 17.12.2022

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

#### Occupational exposure limits:

| Components           | Basis /<br>Value type | Value /<br>Form of exposure | Exceeding<br>Factor | Remarks    |
|----------------------|-----------------------|-----------------------------|---------------------|------------|
| Orthophosphoric acid | EH40 WEL<br>TWA       | 1 mg/m3                     |                     |            |
| Orthophosphoric acid | EH40 WEL              |                             |                     | Listed     |
| Orthophosphoric acid | EU ELV<br>TWA         | 1 mg/m3                     |                     | Indicative |
| Orthophosphoric acid | EU ELV<br>STEL        | 2 mg/m3                     |                     | Indicative |
| Orthophosphoric acid | EH40 WEL<br>STEL      | 2 mg/m3                     | 15 minutes          |            |

TWA - Time weighted average

STEL - Short term exposure limit

#### **DNEL/ PNEC-Values**

| Component            | End-<br>use/impact                              | Exposure duration | Value      | Exposure routes | Remarks |
|----------------------|---|-------------------|------------|-----------------|---------|
| Orthophosphoric acid | Workers /<br>Long-term<br>systemic<br>effects   |                   | 70 mg/m3   | Inhalation      |         |
| Orthophosphoric acid | Workers /<br>Long-term<br>local effects         |                   | 1 mg/m3    | Inhalation      |         |
| Orthophosphoric acid | Consumers /<br>Long-term<br>systemic<br>effects |                   | 4,57 mg/m3 | Inhalation      |         |
| Orthophosphoric acid | Consumers /<br>Long-term<br>local effects       |                   | 0,36 mg/m3 | Inhalation      |         |

Page 7 / 17



## **Phosphoric acid**

30417-2.5L

Version 1.4

Revision Date 17.12.2022

| Orthophosphoric acid | Consumers /<br>Long-term<br>systemic | 0,1mg/kg<br>bw/d | Skin contact |  |
|----------------------|--------------------------------------|------------------|--------------|--|
|                      | effects                              |                  |              |  |

No PNEC data available.

| Orthophosphoric acid | : | No hazard identified |
|----------------------|---|----------------------|
|                      |   |                      |

#### 8.2. Exposure controls

#### Occupational exposure controls

The Personal Protective Equipment must be in accordance with EN standards:respirator EN 136, 140, 149; safety glasses EN 166; protective suit: EN 340, 463, 468, 943-1, 943-2; gloves EN 374, 511; safety shoes EN-ISO 20345.

#### **Engineering measures**

Use with local exhaust ventilation. acid resisting floor Emergency sprinkling nozzle

#### Personal protective equipment

*Respiratory protection:* In the case of vapour formation use a respirator with an approved filter.

Hand protection: Glove material: Natural Latex Break through time: > 480 min Glove thickness: 0,6 mm Lapren®706 Gloves must be inspected prior to use. Replace when worn.

Page 8 / 17



## **Phosphoric acid**

30417-2.5L

Version 1.4

### Revision Date 17.12.2022

Remarks:Supplementary note: The specifications are based on information and tests from similar substances by analogy.

Due to varying conditions (e.g.temperature or other strains) it must be considered that the usage of a chemical protective glove in practice may be much shorter than the permeation time determined in accordance with EN 374.

Since actual conditions of practical use often deviate from standardised conditions according EN 374 the glove manufacturer reccomends to use the chemical protective glove in practice not longer than 50% of the recomended permeation time.

Manufacturer's directions for use should be observed because of great diversity of types . Suitable gloves tested according EN 374 are supplied e.g. from KCL GmbH, D-36124 Eichenzell, Vertrieb@kcl.de

*Eye protection:* Safety goggles

Skin and body protection: Complete suit protecting against chemicals Wear suitable protective equipment.

#### **Environmental exposure controls**

Handle in accordance with local environmental regulations and good industrial practices.

#### **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

| Physical state              | : | liquid                 |
|-----------------------------|---|------------------------|
| Colour                      | : | colourless             |
| Odour                       | : | odourless              |
| molecular weight            | : | 98 g/mol               |
| Freezing point              | : | ca. 21 °C              |
| Boiling point/boiling range | : | 158 °C<br>at 1.013 hPa |
| Flammability                | : | Not applicable         |

Page 9 / 17

# Honeywell Fluka<sup>™</sup>

# **Phosphoric acid**

30417-2.5L

Version 1.4

Revision Date 17.12.2022

| Upper explosion limit                      | : | Not applicable                      |
|--|---|-------------------------------------|
| Lower explosion limit                      | : | Not applicable                      |
| Flash point                                | : | Not applicable                      |
| Auto-ignition temperature                  | : | Not applicable                      |
| Decomposition temperature                  | : | 300 °C<br>Decomposition temperature |
| рН   | : | 1,0<br>at 20 °C                     |
| Viscosity, kinematic                       | : | No data available                   |
| Water solubility                           | : | completely miscible                 |
| Partition coefficient: n-<br>octanol/water | : | No data available                   |
| Vapour pressure                            | : | 16 hPa<br>at 50 °C                  |
| Vapour pressure                            | : | 2 hPa<br>at 20 °C                   |
| Density                                    | : | ca. 1,71 g/cm3<br>at 20 °C          |
| Bulk density                               | : | Not applicable                      |

### 9.2 Other Information

| The product is hygroscopic.<br>Oxidizing properties | : | The substance or mixture is not classified as oxidizing. |
|---|---|--|
| Corrosive to metals                                 | : | Corrosive to metals                                      |
| Evaporation rate                                    | : | No data available  |

Page 10 / 17

# Honeywell Fluka

## **Phosphoric acid**

30417-2.5L

Version 1.4

Revision Date 17.12.2022

Viscosity, dynamic

: No data available

### **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

Stable under normal conditions.

#### 10.2. Chemical stability

ca.300 °C Decomposition temperature

#### 10.3. Possibility of hazardous reactions

Hazardous polymerisation does not occur. Corrosive in contact with metals

#### 10.4. Conditions to avoid

Protect from atmospheric moisture and water.

### 10.5. Incompatible materials

Metals Powdered metals Gives off hydrogen by reaction with metals. Strong bases

#### 10.6. Hazardous decomposition products

In case of fire hazardous decomposition products may be produced such as: Oxides of phosphorus

#### **SECTION 11: Toxicological information**

#### 11.1. Information on toxicological effects

Acute oral toxicity: No data available

Page 11 / 17

# Honeywell Fluka

## **Phosphoric acid**

30417-2.5L

Version 1.4

Revision Date 17.12.2022

Acute dermal toxicity: No data available

Acute inhalation toxicity: No data available

*Skin irritation:* Classification: Causes burns.

*Eye irritation:* Classification: Causes burns.

Respiratory or skin sensitisation: Classification: non-sensitizing

*Germ cell mutagenicity:* Test Method: Ames test Result: negative

Aspiration hazard: No data available

### 11.2. Information on other hazards

Endocrine disrupting properties No data available

Other information: No data available

### **SECTION 12: Ecological information**

#### 12.1. Toxicity

*Toxicity to fish:* No data available

*Toxicity to aquatic plants:* EC50 Species: Desmodesmus subspicatus (green algae) Value: > 100 mg/l Exposure time: 72 h

Page 12 / 17

# Honeywell Fluka

## **Phosphoric acid**

30417-2.5L

Version 1.4

## Revision Date 17.12.2022

Method: OECD Test Guideline 201

*Toxicity to Microorganisms:* EC50 Species: activated sludge Value: 250 mg/l

*Toxicity to aquatic invertebrates:* Immobilization Species: Daphnia magna (Water flea) Value: > 100 mg/l Exposure time: 48 h Method: OECD Test Guideline 202

### 12.2. Persistence and degradability

*Biodegradability*: The methods for determining biodegradability are not applicable to inorganic substances.

### 12.3. Bioaccumulative potential

Does not bioaccumulate.

### 12.4. Mobility in soil

No data available

### 12.5. Results of PBT and vPvB assessment

This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulating (vPvB).

### 12.6. Endocrine disrupting properties

No data available

#### 12.7. Other adverse effects

Do not flush into surface water or sanitary sewer system. Neutralisation will reduce ecotoxic effects.

Page 13 / 17

# Honeywell Fluka

# **Phosphoric acid**

30417-2.5L

Version 1.4

Revision Date 17.12.2022

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

Product:

Dispose according to legal requirements.

Packaging:

Legal requirements are to be considered in regard of reuse or disposal of used packaging materials

*Further information:* Provisions relating to waste: EC Directive 2006/12/EC; 2008/98/EEC Regulation No. 1013/2006

For personal protection see section 8.

| ECTION 14: Transport information  |                              |           |  |  |
|---|------------------------------|-----------|--|--|
| <b>14.1 UN number</b><br>ADR/RID:1805   | IMDG:1805                    | IATA:1805 |  |  |
| <b>14.2 UN proper shipping name</b><br>ADR/RID:PHOSPHORIC ACID, SO<br>IMDG:PHOSPHORIC ACID SOLU<br>IATA:Phosphoric acid, solution |                              |           |  |  |
| <b>14.3 Transport hazard class(es)</b><br>ADR/RID: 8  | IMDG: 8                      | IATA: 8   |  |  |
| <b>14.4 Packaging group</b><br>ADR/RID: III   | IMDG: III                    | IATA: III |  |  |
| 14.5 Environmental hazards<br>ADR/RID:no  | Marine pollutant: no         |           |  |  |
| <b>14.6 Special precautions for use</b><br>IMDG Code segregation group (SC  |                              |           |  |  |
| 14.7 Maritime transport in bulk a   | according to IMO instruments |           |  |  |
|   | Page 14 / 17                 |           |  |  |

## **Phosphoric acid**

30417-2.5L

Version 1.4

Revision Date 17.12.2022

No data available

### **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

| Basis                                  | Value | Remarks  |
|--|-------|--|
| Directive 2012/18/EC                   |       | Not applicable   |
| Substances of very high concern (SVHC) |       | This product does not contain<br>substances of very high concern<br>according to Regulation (EC) No<br>Article 57 above the respective<br>regulatory 1907/2006 (REACH),<br>concentration limit of ≥ 0.1 % (w/w). |

### **Poison Control Center**

| Country        | Phone Number                 | Country         | Phone Number                                |
|----------------|------------------------------|-----------------|---|
| Austria        | +4314064343                  | Liechtenstein   | +41 442515151                               |
| Belgium        | 070 245245                   | Lithuania       | +370532362052                               |
| Bulgaria       | (+)35929154233               | Luxembourg      | 070245245; (+352)80002-5500                 |
| Croatia        | (+3851)23-48-342             | Malta           | +356 2395 2000                              |
| Cyprus         | +357 2240 5611               | Netherlands     | 030-2748888                                 |
| Czech Republic | +420224919293; +420224915402 | Norway          | 22591300                                    |
| Denmark        | 82121212                     | Poland          | +48 42 25 38 400                            |
| Estonia        | 16662; (+372)6269390         | Portugal        | 800250250                                   |
| Finland        | 9471977                      | Romania         | +40 21 318 3606                             |
| France         | +33(0)145425959              | Slovakia (NTIC) | +421 2 54 774 166                           |
| Greece         | +30 210 779 3777             | Slovenia        | +386 1 400 6051                             |
| Hungary        | (+36-80)201-199              | Spain           | +34915620420                                |
| Iceland        | 5432222                      | Sweden          | 112 (begär<br>Giftinformation);+46104566786 |
| Ireland        | +353(1)8092166               | Switzerland     | 145   |

Page 15 / 17



(+44) 844 892 0111

## **Phosphoric acid**

30417-2.5L

Version 1.4

Revision Date 17.12.2022

United Kingdom

| Italy   | 0382 24444             |
|---------|------------------------|
| Germany | Berlin : 030/19240     |
|         | Bonn : 0228/19240      |
|         | Erfurt : 0361/730730   |
|         | Freiburg : 0761/19240  |
|         | Göttingen : 0551/19240 |
|         | Homburg : 06841/19240  |
|         | Mainz : 06131/19240    |
|         | Munich : 089/19240     |
| Latvia  | +37167042473           |

#### Other inventory information

US. Toxic Substances Control Act On TSCA Inventory

Australia. Inventory of Industrial Chemicals (AIIC), as amended On the inventory, or in compliance with the inventory

Canada. Canadian Environmental Protection Act (CEPA). Domestic Substances List (DSL) All components of this product are on the Canadian DSL

Japan. Kashin-Hou Law List On the inventory, or in compliance with the inventory

Korea. Existing Chemicals Inventory (KECI) On the inventory, or in compliance with the inventory

Philippines. Inventory of Chemicals and Chemical Substances (PICCS) On the inventory, or in compliance with the inventory

China. Inventory of Existing Chemical Substances (IECSC) On the inventory, or in compliance with the inventory

New Zealand. Inventory of Chemicals (NZIoC), as published by ERMA New Zealand On the inventory, or in compliance with the inventory

Taiwan Chemical Substance Inventory (TCSI)

Page 16 / 17

## **Phosphoric acid**

30417-2.5L

Version 1.4

### Revision Date 17.12.2022

On the inventory, or in compliance with the inventory

### 15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

### Text of H-statements referred to under heading 3

Orthophosphoric acid : H314 Causes severe skin burns and eye damage. H290 May be corrosive to metals.

#### **Further information**

All directives and regulations refer to amended versions. Vertical lines in the left hand margin indicate a relevant amendment from the previous version.

Abbreviations:

EC European Community CAS Chemical Abstracts Service DNEL Derived no effect level PNEC Predicted no effect level vPvB Very persistent and very biaccumulative substance PBT Persistent, bioaccmulative und toxic substance

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. Final determination of suitability of any material is the sole responsibility of the user.

This information should not constitute a guarantee for any specific product properties.

Page 17 / 17