

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended

**Honeywell**  
**Fluka™**

## Hydrochloric acid

30721-2.5L-GL

Version 1.6

Revision Date 30.11.2023

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name : Hydrochloric acid  
SDS-number : 000000020253  
Type of product : Substance  
Remarks : SDS according to Art. 31 of Regulation (EC) 1907/2006.  
Chemical name : hydrochloric acid  
Index-No. : 017-002-01-X  
REACH Registration Number : no data available

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Laboratory chemicals  
Uses advised against : none

#### 1.3. Details of the supplier of the safety data sheet

Company	: Honeywell International Inc. 115 Tabor Road 07950-2546 Morris Plains USA	Honeywell International, Inc. 115 Tabor Road Morris Plains, NJ 07950-2546 USA
---------	---	--

Telephone :  
For further information, please contact: : [SafetyDataSheet@Honeywell.com](mailto:SafetyDataSheet@Honeywell.com)

#### 1.4. Emergency telephone number

Emergency telephone number : +1-703-527-3887 (ChemTrec-Transport)  
+1-303-389-1414 (Medical)  
: Poison Control Center:

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended

**Honeywell**  
**Fluka™**

## Hydrochloric acid

30721-2.5L-GL

Version 1.6

Revision Date 30.11.2023

United Kingdom: (+44) 844 892 0111

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### REGULATION (EC) No 1272/2008

Corrosive to metals Category 1

H290 May be corrosive to metals.

Skin corrosion Category 1A

H314 Causes severe skin burns and eye damage.

Specific target organ toxicity - single exposure Category 3 - Respiratory system

H335 May cause respiratory irritation.

#### 2.2. Label elements

##### REGULATION (EC) No 1272/2008

Hazard pictograms



Signal word

: Danger

Hazard statements

: H290

May be corrosive to metals.

H314

Causes severe skin burns and eye damage.

H335

May cause respiratory irritation.

Precautionary statements

: P260

Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.

P280

Wear protective gloves/protective clothing/eye protection/face protection.

P284

In case of inadequate ventilation wear respiratory protection.

P301 + P330 + P331

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P302 + P352

IF ON SKIN: Wash with plenty of water.

P304 + P340

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305 + P351 + P338

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended

**Honeywell**  
**Fluka™**

## Hydrochloric acid

30721-2.5L-GL

Version 1.6

Revision Date 30.11.2023

P308 + P313

Continue rinsing.  
IF exposed or concerned: Get medical  
advice/ attention.

### 2.3. Other hazards

Results of PBT and vPvB assessment, see chapter 12.5. The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Chemical name	CAS-No. Index-No. REACH Registration Number EC-No.	Classification 1272/2008	Concentration	Remarks
hydrochloric acid	7647-01-0 017-002-01-X 231-595-7	Skin Corr. 1A; H314 STOT SE 3; H335; Respiratory system	37 %	Eye Dam. 1; H319:>= 1 % STOT SE 3; H335:>= 10 % Skin Corr. 1B; H315:10 - < 25 % Met. Corr. 1; H290:>= 0,1 % Skin Corr. 1A; H314:>= 25 %

### 3.2. Mixtures

Not applicable

Occupational Exposure Limit(s), if available, are listed in Section 8.

For the full text of the H-Statements mentioned in this Section, see Section 16.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended

**Honeywell**  
**Fluka™**

## Hydrochloric acid

30721-2.5L-GL

Version 1.6

Revision Date 30.11.2023

### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

*General advice:*

First aider needs to protect himself. Remove from exposure, lie down. Immediately take off contaminated clothing and rinse body with plenty of water.

*Inhalation:*

Remove to fresh air. If breathing is difficult, give oxygen. Use oxygen as required, provided a qualified operator is present. Call a physician immediately.

*Skin contact:*

Wash off immediately with plenty of water for at least 15 minutes. Take off contaminated clothing and shoes immediately. Wash contaminated clothing before re-use. Immediate medical treatment is necessary as untreated wounds from corrosion of the skin heal slowly and with difficulty.

*Eye contact:*

Protect unharmed eye. Irrigate eyes for at least 15 minutes with copious quantities of water, keeping eyelids apart and away from eyeballs during irrigation. Call a physician immediately.

*Ingestion:*

Rinse mouth with water. Do NOT induce vomiting. Call a physician immediately.

#### 4.2. Most important symptoms and effects, both acute and delayed

No data available

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

See Section 11 for more detailed information on health effects and symptoms.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended

**Honeywell**  
**Fluka™**

## Hydrochloric acid

30721-2.5L-GL

Version 1.6

Revision Date 30.11.2023

---

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

*Suitable extinguishing media:*

Water spray

Foam

Carbon dioxide (CO<sub>2</sub>)

Dry powder

*Extinguishing media which shall not be used for safety reasons:*

High volume water jet

#### 5.2. Special hazards arising from the substance or mixture

Fire may cause evolution of:

Gaseous hydrogen chloride (HCl).

Exposure to decomposition products may be a hazard to health.

#### 5.3. Advice for firefighters

In the event of fire and/or explosion do not breathe fumes.

Wear self-contained breathing apparatus and protective suit.

No unprotected exposed skin areas.

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. The product itself does not burn. Do not use a solid water stream as it may scatter and spread fire.

---

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Immediately evacuate personnel to safe areas. Wear personal protective equipment. Unprotected persons must be kept away. Keep people away from and upwind of spill/leak. Ensure adequate ventilation. Do not breathe vapours or spray mist.

#### 6.2. Environmental precautions

Discharge into the environment must be avoided. Prevent further leakage or spillage if safe to do so. Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended

**Honeywell**  
**Fluka™**

## Hydrochloric acid

30721-2.5L-GL

Version 1.6

Revision Date 30.11.2023

---

### 6.3. Methods and materials for containment and cleaning up

Rinse away small amounts with water.

Clean-up methods - large spillage

Neutralize with lime milk or soda and flush with plenty of water.

Suppress (knock down) gases/vapours/mists with a water spray jet.

### 6.4. Reference to other sections

For personal protection see section 8.

---

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

*Advice on safe handling:*

Wear personal protective equipment. Use only in well-ventilated areas. Keep container tightly closed.

Use only acid resistant equipment. When diluting, always add the product to water. Never add water to the product. Do not breathe vapours or spray mist.

*Advice on protection against fire and explosion:*

Normal measures for preventive fire protection.

*Hygiene measures:*

Separate rooms are required for washing, showering and changing clothes. Keep working clothes separately. Take off all contaminated clothing immediately. Remove and wash contaminated clothing before re-use. Wash hands before breaks and at the end of workday. When using do not eat or drink.

### 7.2. Conditions for safe storage, including any incompatibilities

*Further information on storage conditions:*

Store in original container. Keep container tightly closed and in a well-ventilated place. Do not leave vessels/containers open. Containers should be protected against falling down. Avoid product residues in/on containers.

*Advice on common storage:*

Do not store together with: Oxidizing agents alkalines

### 7.3. Specific end use(s)

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended

**Honeywell**  
**Fluka™**

## Hydrochloric acid

30721-2.5L-GL

Version 1.6

Revision Date 30.11.2023

no additional data available

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

##### Occupational exposure limits:

Components	Basis / Value type	Value / Form of exposure	Exceeding Factor	Remarks
hydrochloric acid	EH40 WEL TWA	2 mg/m <sup>3</sup> 1 ppm Gas and aerosol mists.		
hydrochloric acid	EH40 WEL	Gas and aerosol mists.		Listed
hydrochloric acid	EU ELV TWA	8 mg/m <sup>3</sup> 5 ppm		Indicative
hydrochloric acid	EU ELV STEL	15 mg/m <sup>3</sup> 10 ppm		Indicative
hydrochloric acid	EH40 WEL STEL	8 mg/m <sup>3</sup> 5 ppm Gas and aerosol mists.	15 minutes	

EH40 WEL - UK. EH40 Workplace Exposure Limits (WELs), as amended

TWA - Time weighted average

EH40 WEL - UK. EH40 Workplace Exposure Limits (WELs), as amended

EU ELV - EU. Indicative Occupational Exposure Limit Values in Directives 91/322/EEC, 2000/39/EC, 2006/15/EC, 2009/161/EU, 2017/164/EU, as amended

STEL - Short term exposure limit

#### DNEL/ PNEC-Values

Component	End-use/impact	Exposure duration	Value	Exposure routes	Remarks
hydrochloric acid	Workers / Acute local effects		15 mg/m <sup>3</sup>	Inhalation	

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended

**Honeywell**  
**Fluka™**

## Hydrochloric acid

30721-2.5L-GL

Version 1.6

Revision Date 30.11.2023

hydrochloric acid	Workers / Long-term local effects		8 mg/m3	Inhalation	
hydrochloric acid	Consumers / Acute local effects		15 mg/m3	Inhalation	
hydrochloric acid	Consumers / Long-term local effects		8 mg/m3	Inhalation	

No PNEC data available.

### 8.2. Exposure controls

#### Occupational exposure controls

The Personal Protective Equipment must be in accordance with EN standards:respirator EN 136, 140, 149; safety glasses EN 166; protective suit: EN 340, 463, 468, 943-1, 943-2; gloves EN 374, 511; safety shoes EN-ISO 20345.

Do not breathe vapours or spray mist.

#### Engineering measures

Use with local exhaust ventilation.

Use only acid resistant equipment.

acid resisting floor

Emergency sprinkling nozzle

#### Personal protective equipment

*Respiratory protection:*

In the case of vapour formation use a respirator with an approved filter.

*Hand protection:*

Glove material: Chloroprene

Break through time: > 480 min

Glove thickness: 0,65 mm

Camapren®720

Gloves must be inspected prior to use.

Replace when worn.



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended

**Honeywell**  
**Fluka™**

## Hydrochloric acid

30721-2.5L-GL

Version 1.6

Revision Date 30.11.2023

Remarks: Supplementary note: The specifications are based on information and tests from similar substances by analogy.  
Due to varying conditions ( e.g.temperature or other strains) it must be considered that the usage of a chemical protective glove in practice may be much shorter than the permeation time determined in accordance with EN 374.  
Since actual conditions of practical use often deviate from standardised conditions according EN 374 the glove manufacturer recommends to use the chemical protective glove in practice not longer than 50% of the recommended permeation time.  
Manufacturer's directions for use should be observed because of great diversity of types .  
Suitable gloves tested according EN 374 are supplied e.g. from KCL GmbH, D-36124 Eichenzell, Vertrieb@kcl.de

*Eye protection:*  
Safety goggles

*Skin and body protection:*  
acid-proof protective clothing

### Environmental exposure controls

Handle in accordance with local environmental regulations and good industrial practices.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

- |                                     |   |   |
|-------------------------------------|---|---|
| (a) Physical state                  | : | liquid                                  |
| (b) Colour                          | : | colourless                              |
| (c) Odour                           | : | stinging                                |
| (d) Melting point/freezing point    | : | ca. -35 °C                              |
| (e) Boiling point/boiling range     | : | ca. 42 °C<br>at 1.013 hPa               |
| (f) Flammability                    | : | Not applicable                          |
| (g) Lower and upper explosion limit | : | Lower explosion limit<br>Not applicable |

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended

**Honeywell**  
**Fluka™**

## Hydrochloric acid

30721-2.5L-GL

Version 1.6

Revision Date 30.11.2023

- : Upper explosion limit  
Not applicable
- (h) Flash point : Not applicable
- (i) Auto-ignition temperature : Not applicable
- (j) Decomposition temperature : No decomposition if used as directed.  
Fire or intense heat may cause violent rupture of packages.
- (k) pH : > 0,1  
at 20 °C
- (l) Viscosity, kinematic : not determined
- (m) Solubility(ies) : Water solubility:  
completely miscible
- (n) Partition coefficient: n-octanol/water : No data available
- (o) Vapour pressure : 965 hPa  
at 50 °C  
  
190 hPa  
at 20 °C
- (p) Density and / or relative density : ca. 1,190 g/cm<sup>3</sup>  
at 20 °C
- (q) Relative vapour density : No data available
- (r) Particle characteristics : No data available

### 9.2 Other Information

Hydrochloric acid is at 20.2 % azeotropic.

Corrosive to metals : Corrosive to metals

Evaporation rate : No data available

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended

**Honeywell**  
**Fluka™**

## Hydrochloric acid

30721-2.5L-GL

Version 1.6

Revision Date 30.11.2023

Viscosity, dynamic : 1,9 mPa.s  
at 15 °C

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

Stable under normal conditions.

#### 10.2. Chemical stability

No decomposition if used as directed.

Fire or intense heat may cause violent rupture of packages.

#### 10.3. Possibility of hazardous reactions

Hazardous polymerisation does not occur.

#### 10.4. Conditions to avoid

Keep away from heat.

Protect from moisture.

#### 10.5. Incompatible materials

Gives off hydrogen by reaction with metals.

Incompatible with strong bases and oxidizing agents.

Ammonia

Amines

#### 10.6. Hazardous decomposition products

Hydrogen, by reaction with metals

Hydrogen chloride gas

Chlorine (Cl<sub>2</sub>)

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended

**Honeywell**  
**Fluka™**

## Hydrochloric acid

30721-2.5L-GL

Version 1.6

Revision Date 30.11.2023

### SECTION 11: Toxicological information

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

##### **(a) Acute toxicity**

###### *Acute oral toxicity:*

Toxicity is determined by the corrosivity of the product.

###### *Acute dermal toxicity:*

Toxicity is determined by the corrosivity of the product.

###### *Acute inhalation toxicity:*

Toxicity is determined by the corrosivity of the product.

###### *Acute toxicity (other routes of administration):*

No data available

##### **(b) Skin corrosion/irritation:**

Species: Rabbit

Result: Corrosive

Method: OECD Test Guideline 404

##### **(c) Serious eye damage/eye irritation:**

Conclusive and supporting classification (Ref: REACH Dossier - ECHA disseminated data)

##### **(d) Respiratory or skin sensitisation:**

Species: Guinea pig

Classification: non-sensitizing

Method: OECD Test Guideline 406

Test substance: anhydrous substance

##### **(e) Germ cell mutagenicity:**

Note: Not classified due to data which are conclusive although insufficient for classification.

##### **(f) Carcinogenicity:**

Note: Not classified due to data which are conclusive although insufficient for classification.

##### **(g) Reproductive toxicity:**

Remarks: Not classified due to data which are conclusive although insufficient for classification.

##### **(h) STOT-single exposure:**

No data available

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended

**Honeywell**  
**Fluka™**

## Hydrochloric acid

30721-2.5L-GL

Version 1.6

Revision Date 30.11.2023

---

**(i) STOT - repeated exposure:**

Note: Not classified due to data which are conclusive although insufficient for classification.

**(j) Aspiration hazard:**

No data available

### 11.2. Information on other hazards

*Endocrine disrupting properties*

No data available

*Other information:*

No data available

---

## SECTION 12: Ecological information

### 12.1. Toxicity

*Toxicity to fish:*

LC50

semi-static test

Species: *Lepomis macrochirus* (Bluegill sunfish)

Value: 3,25 - 3,5 mg/l

Exposure time: 96 h

*Toxicity to aquatic plants:*

EC50

Growth rate

Species: *Chlorella vulgaris* (Fresh water algae)

Value: 4,7 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

*Toxicity to aquatic invertebrates:*

EC50

static test

Species: *Daphnia* (water flea)

Value: 4,92 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended

**Honeywell**  
**Fluka™**

## Hydrochloric acid

30721-2.5L-GL

Version 1.6

Revision Date 30.11.2023

---

### 12.2. Persistence and degradability

*Biodegradability:*

The methods for determining biodegradability are not applicable to inorganic substances.

### 12.3. Bioaccumulative potential

No data available

### 12.4. Mobility in soil

No data available

### 12.5. Results of PBT and vPvB assessment

Substance is not persistent, bioaccumulative, and toxic (PBT).

Substance is not very persistent and very bioaccumulative (vPvB).

### 12.6. Endocrine disrupting properties

No data available

### 12.7. Other adverse effects

Neutralisation will reduce ecotoxic effects.

---

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

*Product:*

Dispose according to legal requirements.

*Packaging:*

Legal requirements are to be considered in regard of reuse or disposal of used packaging materials

*Further information:*

Provisions relating to waste:

EC Directive 2006/12/EC; 2008/98/EEC

Regulation No. 1013/2006

For personal protection see section 8.

---

## SECTION 14: Transport information

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended

**Honeywell**  
**Fluka™**

## Hydrochloric acid

30721-2.5L-GL

Version 1.6

Revision Date 30.11.2023

### 14.1 UN number or ID number

ADR/RID:1789

IMDG:1789

IATA:1789

### 14.2 UN proper shipping name

ADR/RID:HYDROCHLORIC ACID

IMDG:HYDROCHLORIC ACID

IATA:Hydrochloric acid

### 14.3 Transport hazard class(es)

ADR/RID:8

IMDG: 8

IATA: 8

### 14.4 Packaging group

ADR/RID:II

IMDG: II

IATA: II

### 14.5 Environmental hazards

ADR/RID:no

Marine pollutant: no

### 14.6 Special precautions for user

IMDG Code segregation group (SGG1) – ACIDS,

### 14.7 Maritime transport in bulk according to IMO instruments

No data available

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Basis	Value	Remarks
Directive 2012/18/EC SEVESO III		Not applicable
Substances of very high concern (SVHC)		This product does not contain substances of very high concern according to Regulation (EC) No Article 57 above the respective regulatory 1907/2006 (REACH), concentration limit of $\geq 0.1$ % (w/w).

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended

**Honeywell**  
**Fluka™**

## Hydrochloric acid

30721-2.5L-GL

Version 1.6

Revision Date 30.11.2023

---

### Other inventory information

US. Toxic Substances Control Act  
On TSCA Inventory

Australia. Inventory of Industrial Chemicals (AIIC), as amended  
On the inventory, or in compliance with the inventory

Canada. Canadian Environmental Protection Act (CEPA). Domestic Substances List (DSL)  
All components of this product are on the Canadian DSL

Japan. Kashin-Hou Law List  
On the inventory, or in compliance with the inventory

Korea. Existing Chemicals Inventory (KECI)  
On the inventory, or in compliance with the inventory

Philippines. Inventory of Chemicals and Chemical Substances (PICCS)  
On the inventory, or in compliance with the inventory

China. Inventory of Existing Chemical Substances (IECSC)  
On the inventory, or in compliance with the inventory

New Zealand. Inventory of Chemicals (NZIoC), as published by ERMA New Zealand  
On the inventory, or in compliance with the inventory

Taiwan Chemical Substance Inventory (TCSI)  
On the inventory, or in compliance with the inventory

### 15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

---

## SECTION 16: Other information

### Text of H-statements referred to under heading 3

hydrochloric acid : H314 Causes severe skin burns and eye damage.  
H335 May cause respiratory irritation.



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended

**Honeywell**  
**Fluka™**

## Hydrochloric acid

30721-2.5L-GL

Version 1.6

Revision Date 30.11.2023

---

### Further information

All directives and regulations refer to amended versions.  
Vertical lines in the left hand margin indicate a relevant amendment from the previous version.

#### Abbreviations:

EC European Community  
CAS Chemical Abstracts Service  
DNEL Derived no effect level  
PNEC Predicted no effect level  
vPvB Very persistent and very bioaccumulative substance  
PBT Persistent, bioaccumulative und toxic substance

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. Final determination of suitability of any material is the sole responsibility of the user.

This information should not constitute a guarantee for any specific product properties.

---