

Potassium thiocyanate

31272-1KG

Version 1.3

Revision Date 17.12.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name : Potassium thiocyanate
SDS-number : 000000020723
Type of product : Substance
Remarks : SDS according to Art. 31 of Regulation (EC) 1907/2006.
Chemical name : Potassium thiocyanate
Index-No. : 615-030-00-5
REACH Registration Number : no data available

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Laboratory chemicals
Uses advised against : none

1.3. Details of the supplier of the safety data sheet

Company	: Honeywell International Inc. 115 Tabor Road 07950-2546 Morris Plains USA	Honeywell International, Inc. 115 Tabor Road Morris Plains, NJ 07950-2546 USA
---------	---	--

Telephone :
For further information, please contact: : SafetyDataSheet@Honeywell.com

1.4. Emergency telephone number

Emergency telephone number : +1-703-527-3887 (ChemTrec-Transport)
+1-303-389-1414 (Medical)
Country based Poison : see chapter 15.1

Potassium thiocyanate

31272-1KG

Version 1.3

Revision Date 17.12.2022

Control Center

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

REGULATION (EC) No 1272/2008

Acute toxicity Category 4 - Inhalation

H332 Harmful if inhaled.

Acute toxicity Category 4 - Dermal

H312 Harmful in contact with skin.

Acute toxicity Category 4 - Oral

H302 Harmful if swallowed.

Eye irritation Category 2

H319 Causes serious eye irritation.

Long-term (chronic) aquatic hazard Category 3

H412 Harmful to aquatic life with long lasting effects.

2.2. Label elements

REGULATION (EC) No 1272/2008

Hazard pictograms



Signal word

: Warning

Hazard statements

: H302 + H312 + H332 Harmful if swallowed, in contact with skin or if inhaled.
H319 Causes serious eye irritation.
H412 Harmful to aquatic life with long lasting effects.
EUH032 Contact with acids liberates very toxic gas.

Precautionary statements

: P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P284 In case of inadequate ventilation wear respiratory protection.
P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do

Potassium thiocyanate

31272-1KG

Version 1.3

Revision Date 17.12.2022

P302 + P352	NOT induce vomiting.
P304 + P340	IF ON SKIN: Wash with plenty of water.
P305 + P351 + P338	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308 + P313	IF exposed or concerned: Get medical advice/ attention.

2.3. Other hazards

None known.

SECTION 3: Composition/information on ingredients

3.1. Substance

Chemical name	CAS-No. Index-No. REACH Registration Number EC-No.	Classification 1272/2008	Concentration	Remarks
Potassium thiocyanate	333-20-0 615-030-00-5 206-370-1	Acute Tox. 4; H302; Oral Acute Tox. 4; H332; Inhalation Acute Tox. 4; H312; Dermal Eye Irrit. 2; H319 Aquatic Chronic 3; H412 EUH032	<= 100 %	

3.2. Mixture

Not applicable

Occupational Exposure Limit(s), if available, are listed in Section 8.
For the full text of the H-Statements mentioned in this Section, see Section 16.

Potassium thiocyanate

31272-1KG

Version 1.3

Revision Date 17.12.2022

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice:

First aider needs to protect himself. Move out of dangerous area. Immediately take off contaminated clothing and rinse body with plenty of water.

Inhalation:

If inhaled, remove to fresh air. Call a physician.

Skin contact:

After contact with skin, wash immediately with plenty of water. Call a physician immediately.

Eye contact:

Rinse thoroughly with plenty of water, also under the eyelids. Protect unharmed eye. Consult a physician.

Ingestion:

When swallowed, allow water to be drunk. Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

No data available

4.3. Indication of any immediate medical attention and special treatment needed

No data available

See Section 11 for more detailed information on health effects and symptoms.

:

Potassium thiocyanate

31272-1KG

Version 1.3

Revision Date 17.12.2022

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

Water spray
Foam
Carbon dioxide (CO₂)
Dry powder

Extinguishing media which shall not be used for safety reasons:

High volume water jet

5.2. Special hazards arising from the substance or mixture

Some risk may be expected of corrosive and toxic decomposition products.

Nitrous gases
Sulphur oxides
Hydrogen cyanide (hydrocyanic acid)
The product itself does not burn.

5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective suit.
No unprotected exposed skin areas.
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Do not use a solid water stream as it may scatter and spread fire.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Wear personal protective equipment. Unprotected persons must be kept away. Avoid dust formation. Avoid breathing dust. Avoid contact with skin, eyes and clothing.

6.2. Environmental precautions

Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Do not flush into surface water or sanitary sewer system.

Potassium thiocyanate

31272-1KG

Version 1.3

Revision Date 17.12.2022

6.3. Methods and materials for containment and cleaning up

Use mechanical handling equipment.
Pick for disposal in tightly closed containers
Personal protection through wearing a tightly closed chemical protection suit and a self-contained breathing apparatus.

6.4. Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling:

Exhaust ventilation at the object is necessary. Wear personal protective equipment. Avoid creating dust. Avoid inhalation, ingestion and contact with skin and eyes.

Advice on protection against fire and explosion:

Normal measures for preventive fire protection.

Hygiene measures:

General industrial hygiene practice.

7.2. Conditions for safe storage, including any incompatibilities

Further information on storage conditions:

Store in original container. Keep tightly closed in a dry and cool place. Do not leave vessels/containers open. Avoid product residues in/on containers.

7.3. Specific end use(s)

no additional data available

Potassium thiocyanate

31272-1KG

Version 1.3

Revision Date 17.12.2022

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Components with workplace control parameters

Contains no substances with occupational exposure limit values.

DNEL/ PNEC-Values

Component	End-use/impact	Exposure duration	Value	Exposure routes	Remarks
Potassium thiocyanate	Workers / Long-term systemic effects		3,6 mg/m ³	Inhalation	
Potassium thiocyanate	Workers / Long-term systemic effects		2mg/kg bw/d	Skin contact	
Potassium thiocyanate	Consumers / Long-term systemic effects		1,3 mg/m ³	Inhalation	
Potassium thiocyanate	Consumers / Long-term systemic effects		1,5mg/kg bw/d	Skin contact	
Potassium thiocyanate	Consumers / Long-term systemic effects		0,36mg/kg bw/d	Ingestion	

Component	Environmental compartment / Value	Remarks
Potassium thiocyanate	Fresh water: 0,095 mg/l	Assessment factor: 10
Potassium thiocyanate	Marine water: 0,0095 mg/l	Assessment factor: 100

Potassium thiocyanate

31272-1KG

Version 1.3

Revision Date 17.12.2022

Potassium thiocyanate	Sewage treatment plant: 30 mg/l	
Potassium thiocyanate	Fresh water sediment: 0,543 mg/kg dw	
Potassium thiocyanate	Marine sediment: 0,0543 mg/kg dw	
Potassium thiocyanate	Soil: 6,336 mg/kg dw	Assessment factor: 1000

8.2. Exposure controls

Occupational exposure controls

The Personal Protective Equipment must be in accordance with EN standards:respirator EN 136, 140, 149; safety glasses EN 166; protective suit: EN 340, 463, 468, 943-1, 943-2; gloves EN 374, 511; safety shoes EN-ISO 20345.

Do not breathe dust.

Avoid contact with skin and eyes.

Engineering measures

Use with local exhaust ventilation.

Personal protective equipment

Respiratory protection:

In the case of dust or aerosol formation use respirator with an approved filter.

Hand protection:

Glove material: Natural Latex

Break through time: > 480 min

Glove thickness: 0,6 mm

Lapren®706

Gloves must be inspected prior to use.

Replace when worn.

Potassium thiocyanate

31272-1KG

Version 1.3

Revision Date 17.12.2022

Remarks: Supplementary note: The specifications are based on information and tests from similar substances by analogy.
Due to varying conditions (e.g.temperature or other strains) it must be considered that the usage of a chemical protective glove in practice may be much shorter than the permeation time determined in accordance with EN 374.
Since actual conditions of practical use often deviate from standardised conditions according EN 374 the glove manufacturer recommends to use the chemical protective glove in practice not longer than 50% of the recommended permeation time.
Manufacturer's directions for use should be observed because of great diversity of types .
Suitable gloves tested according EN 374 are supplied e.g. from KCL GmbH, D-36124 Eichenzell, Vertrieb@kcl.de

Eye protection:
Safety goggles

Skin and body protection:
Wear suitable protective equipment.
Lab coat
Protective suit

Environmental exposure controls

Handle in accordance with local environmental regulations and good industrial practices.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: solid
Colour	: colourless
Odour	: odourless
molecular weight	: 97,18 g/mol
Melting point/range	: 172 °C
Boiling point/boiling range	: Decomposes on heating.
Flammability	: No data available

Potassium thiocyanate

31272-1KG

Version 1.3

Revision Date 17.12.2022

Upper explosion limit	:	Not applicable
Lower explosion limit	:	Not applicable
Flash point	:	Not applicable
Auto-ignition temperature	:	Not applicable
Decomposition temperature	:	500 °C Decomposition temperature
pH	:	5,3 - 8,5 Concentration: 50 g/l at 20 °C (as aqueous solution)
Viscosity, kinematic	:	Not applicable
Water solubility	:	2.170,0 g/l at 20 °C
Partition coefficient: n-octanol/water	:	No data available
Vapour pressure	:	No data available
Density	:	1,89 g/cm ³
Bulk density	:	No data available
Relative vapour density	:	No data available

9.2 Other Information

The product is hygroscopic.

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Evaporation rate : No data available

Viscosity, dynamic : Not applicable

Potassium thiocyanate

31272-1KG

Version 1.3

Revision Date 17.12.2022

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable under normal conditions.

10.2. Chemical stability

500 °C

Decomposition temperature

10.3. Possibility of hazardous reactions

Thiocyanates can develop poisonous gas in contact with strong acids.

10.4. Conditions to avoid

Protect from heat/overheating.

10.5. Incompatible materials

Acids

Strong oxidizing agents

10.6. Hazardous decomposition products

No decomposition if stored and applied as directed.

In case of fire hazardous decomposition products may be produced such as:

Toxic gases/vapours

Nitrogen oxides (NO_x)

Sulphur oxides

Hydrogen cyanide (hydrocyanic acid)

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute oral toxicity:

Classification based on Annex VI of regulation 1272/2008/EC.

Acute dermal toxicity:

Potassium thiocyanate

31272-1KG

Version 1.3

Revision Date 17.12.2022

Classification based on Annex VI of regulation 1272/2008/EC.

Acute inhalation toxicity:

Classification based on Annex VI of regulation 1272/2008/EC.

Skin irritation:

Not classified due to data which are conclusive although insufficient for classification.

Eye irritation:

Conclusive and supporting classification (Ref: REACH Dossier - ECHA disseminated data)

Respiratory or skin sensitisation:

No data available

Carcinogenicity:

Note: Not classified due to data which are conclusive although insufficient for classification.

Germ cell mutagenicity:

Note: Not classified due to data which are conclusive although insufficient for classification.

Reproductive toxicity:

Remarks: No data available

Remarks: No data available

Aspiration hazard:

No data available

11.2. Information on other hazards

Endocrine disrupting properties

No data available

Other information:

No data available

SECTION 12: Ecological information

12.1. Toxicity

Toxicity to fish:

LC50

Species: *Oncorhynchus mykiss* (rainbow trout)

Value: 11 mg/l

Exposure time: 96 h

Potassium thiocyanate

31272-1KG

Version 1.3

Revision Date 17.12.2022

Toxicity to aquatic plants:
No data available

Toxicity to aquatic invertebrates:
EC50
Species: Daphnia magna (Water flea)
Value: 2,8 mg/l
Exposure time: 96 h

12.2. Persistence and degradability

Biodegradability:
Not applicable

12.3. Bioaccumulative potential

No data available

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

No data available

12.6. Endocrine disrupting properties

No data available

12.7. Other adverse effects

Hazardous to the aquatic environment - chronic hazard
Classification based on Annex VI of regulation 1272/2008/EC.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product:
Dispose according to legal requirements.

Potassium thiocyanate

31272-1KG

Version 1.3

Revision Date 17.12.2022

Packaging:

Legal requirements are to be considered in regard of reuse or disposal of used packaging materials

Further information:

Provisions relating to waste:

EC Directive 2006/12/EC; 2008/98/EEC

Regulation No. 1013/2006

For personal protection see section 8.

SECTION 14: Transport information

14.1 UN number

ADR/RID:Not dangerous goods IMDG:Not dangerous goods IATA:Not dangerous goods

14.2 UN proper shipping name

ADR/RID:Not dangerous goods

IMDG:Not dangerous goods

IATA:Not dangerous goods

14.3 Transport hazard class(es)

14.4 Packaging group

14.5 Environmental hazards

ADR/RID:no

Marine pollutant: no

14.6 Special precautions for user

No data available

14.7 Maritime transport in bulk according to IMO instruments

No data available

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Basis	Value	Remarks
Substances of very high concern (SVHC)		This product does not contain substances of very high concern according to Regulation (EC) No

Potassium thiocyanate

31272-1KG

Version 1.3

Revision Date 17.12.2022

		Article 57 above the respective regulatory 1907/2006 (REACH), concentration limit of $\geq 0.1\%$ (w/w).
--	--	--

Poison Control Center

Country	Phone Number
Austria	+4314064343
Belgium	070 245245
Bulgaria	(+)35929154233
Croatia	(+3851)23-48-342
Cyprus	+357 2240 5611
Czech Republic	+420224919293; +420224915402
Denmark	82121212
Estonia	16662; (+372)6269390
Finland	9471977
France	+33(0)145425959
Greece	+30 210 779 3777
Hungary	(+36-80)201-199
Iceland	5432222
Ireland	+353(1)8092166
Italy	0382 24444
Germany	Berlin : 030/19240
	Bonn : 0228/19240
	Erfurt : 0361/730730
	Freiburg : 0761/19240
	Göttingen : 0551/19240
	Homburg : 06841/19240
	Mainz : 06131/19240
Munich : 089/19240	

Country	Phone Number
Liechtenstein	+41 442515151
Lithuania	+370532362052
Luxembourg	070245245; (+352)80002-5500
Malta	+356 2395 2000
Netherlands	030-2748888
Norway	22591300
Poland	+48 42 25 38 400
Portugal	800250250
Romania	+40 21 318 3606
Slovakia (NTIC)	+421 2 54 774 166
Slovenia	+386 1 400 6051
Spain	+34915620420
Sweden	112 (begär Giftnformation); +46104566786
Switzerland	145
United Kingdom	(+44) 844 892 0111

Potassium thiocyanate

31272-1KG

Version 1.3

Revision Date 17.12.2022

Latvia	+37167042473
--------	--------------

Other inventory information

US. Toxic Substances Control Act
On TSCA Inventory

Australia. Inventory of Industrial Chemicals (AIIC), as amended
On the inventory, or in compliance with the inventory

Canada. Canadian Environmental Protection Act (CEPA). Domestic Substances List (DSL)
All components of this product are on the Canadian DSL

Japan. Kashin-Hou Law List
On the inventory, or in compliance with the inventory

Korea. Existing Chemicals Inventory (KECI)
On the inventory, or in compliance with the inventory

Philippines. Inventory of Chemicals and Chemical Substances (PICCS)
On the inventory, or in compliance with the inventory

China. Inventory of Existing Chemical Substances (IECSC)
On the inventory, or in compliance with the inventory

New Zealand. Inventory of Chemicals (NZIoC), as published by ERMA New Zealand
On the inventory, or in compliance with the inventory

Taiwan Chemical Substance Inventory (TCSI)
On the inventory, or in compliance with the inventory

15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

Text of H-statements referred to under heading 3

Potassium thiocyanate

31272-1KG

Version 1.3

Revision Date 17.12.2022

Potassium thiocyanate : H302 Harmful if swallowed.
H332 Harmful if inhaled.
H312 Harmful in contact with skin.
H319 Causes serious eye irritation.
H412 Harmful to aquatic life with long lasting effects.
EUH032 Contact with acids liberates very toxic gas.

Further information

All directives and regulations refer to amended versions.
Vertical lines in the left hand margin indicate a relevant amendment from the previous version.

Abbreviations:

EC European Community
CAS Chemical Abstracts Service
DNEL Derived no effect level
PNEC Predicted no effect level
vPvB Very persistent and very bioaccumulative substance
PBT Persistent, bioaccumulative und toxic substance

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. Final determination of suitability of any material is the sole responsibility of the user.
This information should not constitute a guarantee for any specific product properties.
