# Honeywell Fluka<sup>™</sup>

# Silver nitrate

# 31630-25G

Version 1.3

# Revision Date 17.12.2022

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier						
Product name	:	Silver nitrate				
SDS-number	:	00000020262				
Type of product	:	Substance				
Remarks	:	SDS according to Art. 31 of Reg	gulation (EC) 1907/2006.			
Chemical name	:	Silver nitrate				
Index-No.	:	047-001-00-2				
REACH Registration Number	:	no data available	no data available			
1.2. Relevant identified us	es o	of the substance or mixture and	d uses advised against			
Use of the Substance/Mixture	:	Laboratory chemicals				
Uses advised against	:	none				
1.3. Details of the supplier	of	the safety data sheet				
Company	:	Honeywell International Inc. 115 Tabor Road 07950-2546 Morris Plains USA	Honeywell International, Inc. 115 Tabor Road Morris Plains, NJ 07950-2546 USA			
Telephone For further information, please contact:	:	SafetyDataSheet@Honeywell.com				
1.4. Emergency telephone number						
Emergency telephone number Country based Poison	:	+1-703-527-3887 (ChemTrec-Transport) +1-303-389-1414 (Medical) see chapter 15.1				
		Page 1 / 18				



# Silver nitrate

## 31630-25G

Version 1.3

Revision Date 17.12.2022

**Control Center** 

#### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

#### REGULATION (EC) No 1272/2008

Oxidizing solids Category 2 H272 May intensify fire; oxidizer. Corrosive to metals Category 1 H290 May be corrosive to metals. Skin corrosion Category 1B H314 Causes severe skin burns and eye damage. Short-term (acute) aquatic hazard Category 1 H400 Very toxic to aquatic life. Long-term (chronic) aquatic hazard Category 1 H410 Very toxic to aquatic life with long lasting effects.

#### 2.2. Label elements

#### REGULATION (EC) No 1272/2008

Hazard pictograms

Signal word



: Danger

orginal mora	•	Danger		
Hazard statements	:	H272 H290 H314		May intensify fire; oxidizer. May be corrosive to metals. Causes severe skin burns and eye damage.
		H410		Very toxic to aquatic life with long lasting effects.
Precautionary statements	:	P210		Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
		P234		Keep only in original container.
		P260		Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.
		P280		Wear protective gloves/protective clothing/eye protection/face protection.
			Page 2 / 18	

# Silver nitrate

## 31630-25G

Version 1.3

P284	Wear respiratory protection.
P301 + P330 + P331	IF SWALLOWED: Rinse mouth. Do
	NOT induce vomiting.
P302 + P352	IF ON SKIN: Wash with plenty of water.
P304 + P340	IF INHALED: Remove person to fresh
	air and keep comfortable for breathing.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water
	for several minutes. Remove contact
	lenses, if present and easy to do.
	Continue rinsing.
P308 + P313	IF exposed or concerned: Get medical
	advice/ attention.

Honeywell

**Fluka**"

#### 2.3. Other hazards

Avoid breathing dust. Oxidizer. Contact with other material may cause fire.

#### **SECTION 3: Composition/information on ingredients**

#### 3.1. Substance

Chemical name	CAS-No. Index-No. REACH Registration Number EC-No.	Classification 1272/2008	Concentration	Remarks
Silver nitrate	7761-88-8 047-001-00-2 231-853-9	Ox. Sol. 2; H272 Met. Corr. 1; H290 Skin Corr. 1B; H314 Aquatic Acute 1; H400 Aquatic Chronic 1; H410	>= 90 % - <= 100 %	M(Aquatic Acute) = 1.000 M(Aquatic Chronic) = 100

# **3.2. Mixture** Not applicable

Occupational Exposure Limit(s), if available, are listed in Section 8.

Page 3 / 18



:

# Silver nitrate

31630-25G

Version 1.3

Revision Date 17.12.2022

For the full text of the H-Statements mentioned in this Section, see Section 16.

## **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

General advice:

First aider needs to protect himself. Move out of dangerous area.

Inhalation:

If inhaled, remove to fresh air. Call a physician.

#### Skin contact:

Wash off immediately with plenty of water. Immediate medical treatment is necessary as untreated wounds from corrosion of the skin heal slowly and with difficulty.

#### Eye contact:

Protect unharmed eye. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

Ingestion:

A person suspected to have swallowed the substance who is conscious should be given water to drink. Take to a doctor immediately together with this card

#### 4.2. Most important symptoms and effects, both acute and delayed

No data available

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

See Section 11 for more detailed information on health effects and symptoms.

Page 4 / 18

# Honeywell Fluka

# Silver nitrate

## 31630-25G

Version 1.3

Revision Date 17.12.2022

## **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Suitable extinguishing media: Water spray jet Foam Carbon dioxide (CO2) Dry powder

*Extinguishing media which shall not be used for safety reasons:* High volume water jet

#### 5.2. Special hazards arising from the substance or mixture

nitrogen oxides The product itself does not burn. Strong oxidizer. Contact with other material may cause fire.

#### 5.3. Advice for firefighters

Personal protection through wearing a tightly closed chemical protection suit and a self-contained breathing apparatus. No unprotected exposed skin areas.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Wear personal protective equipment. Unprotected persons must be kept away.

#### 6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system. Prevent further leakage or spillage if safe to do so.

#### 6.3. Methods and materials for containment and cleaning up

Use mechanical handling equipment. Protect from contamination. Keep in suitable, closed containers for disposal.

Page 5 / 18

# Honeywell Fluka

# Silver nitrate

31630-25G

Version 1.3

Revision Date 17.12.2022

## 6.4. Reference to other sections

For personal protection see section 8.

### **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

Advice on safe handling:

Wear personal protective equipment. Never return unused material to storage receptacle. Protect against light. Exhaust ventilation at the object is necessary.

#### Advice on protection against fire and explosion: The product itself does not burn. Keep away from combustible material.

Hygiene measures:

Avoid contact with skin, eyes and clothing. Keep working clothes separately. Separate rooms are required for washing, showering and changing clothes.

## 7.2. Conditions for safe storage, including any incompatibilities

Further information on storage conditions:

Keep only in the original container, tightly closed, in a well ventilated place. Do not leave vessels/containers open Containers should be protected against falling down. Avoid product residues in/on containers.

## 7.3. Specific end use(s)

no additional data available

Page 6 / 18

# Honeywell Fluka<sup>™</sup>

# Silver nitrate

31630-25G

Version 1.3

## Revision Date 17.12.2022

### **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

#### Occupational exposure limits:

Components	Basis / Value type	Value / Form of exposure	Exceeding Factor	Remarks
Silver nitrate	EH40 WEL	as Ag		Listed
Silver nitrate	EH40 WEL TWA	0,01 mg/m3 as Ag		
Silver nitrate	EU ELV TWA	0,01 mg/m3 as Ag		Indicative

TWA - Time weighted average

#### **DNEL/ PNEC-Values**

Component	End- use/impact	Exposure duration	Value	Exposure routes	Remarks
Silver nitrate	Workers / Long-term systemic effects		0,016 mg/m3	Inhalation	
Silver nitrate	Consumers / Long-term systemic effects		0,0063 mg/m3	Inhalation	
Silver nitrate	Consumers / Long-term systemic effects		0,02mg/kg bw/d	Ingestion	

Component	Environmental compartment / Value	Remarks
Silver nitrate	Fresh water: 0,00004 mg/l	
Silver nitrate	Marine water: 0,00086 mg/l	Assessment factor:

Page 7 / 18



# Silver nitrate

31630-25G

Version 1.3

## Revision Date 17.12.2022

		10
Silver nitrate	Sewage treatment plant: 0,025 mg/l	
Silver nitrate	Fresh water sediment: 438,13 mg/kg dw	Assessment factor: 10
Silver nitrate	Marine sediment: 438,13 mg/kg dw	Assessment factor: 10
Silver nitrate	Soil: 1,41 mg/kg dw	

#### 8.2. Exposure controls

#### Occupational exposure controls

The Personal Protective Equipment must be in accordance with EN standards:respirator EN 136, 140, 149; safety glasses EN 166; protective suit: EN 340, 463, 468, 943-1, 943-2; gloves EN 374, 511; safety shoes EN-ISO 20345.

#### **Engineering measures**

Use with local exhaust ventilation.

#### Personal protective equipment

*Respiratory protection:* In the case of dust or aerosol formation use respirator with an approved filter.

Hand protection: Glove material: Natural Latex Break through time: > 480 min Glove thickness: 0,6 mm Lapren®706 Remarks:Supplementary note: The specifications are based on information and tests from similar substances by analogy. Due to varying conditions ( e.g.temperature or other strains) it must be considered that the usage of a chemical protective glove in practice may be much shorter than the permeation time determined in

chemical protective glove in practice may be much shorter than the permeation time determined in accordance with EN 374.

Since actual conditions of practical use often deviate from standardised conditions according EN 374 the glove manufacturer reccomends to use the chemical protective glove in practice not longer than 50% of the recomended permeation time.

Manufacturer's directions for use should be observed because of great diversity of types . Suitable gloves tested according EN 374 are supplied e.g. from KCL GmbH, D-36124 Eichenzell, Vertrieb@kcl.de

Page 8 / 18

# Honeywell Fluka

# Silver nitrate

## 31630-25G

Version 1.3

## Revision Date 17.12.2022

# *Eye protection:* Safety goggles

Skin and body protection: Wear suitable protective equipment. Lab coat Protective suit

#### **Environmental exposure controls**

Handle in accordance with local environmental regulations and good industrial practices.

#### **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state	:	solid
Colour	:	colourless
Odour	:	odourless
Melting point/range	:	212 °C
Boiling point/boiling range	:	Not applicable Decomposes on heating.
Flammability	:	The product is not flammable.
Upper explosion limit	:	Not applicable
Lower explosion limit	:	Not applicable
Flash point	:	Not applicable
Auto-ignition temperature	:	Not applicable
Decomposition temperature	:	444 °C No decomposition if used as directed.
рН	:	No data available

Page 9 / 18

# Honeywell Fluka<sup>™</sup>

# Silver nitrate

## 31630-25G

Version 1.3

# Revision Date 17.12.2022

Auto-ignition temperature	: not auto-flammable
Viscosity, kinematic	: No data available
Water solubility	: 2.192,0 g/l at 20 °C
Partition coefficient: n- octanol/water	: No data available
Vapour pressure	: No data available
Density	: ca. 4,350 g/cm3 at 20 °C
Bulk density	: ca. 2.400 kg/m3
Relative vapour density	: No data available
9.2 Other Information	
Oxidizing properties	: The substance or mixture is classified as oxidizing with the category 2.
Corrosive to metals	: Corrosive to metals
Evaporation rate	: No data available
Viscosity, dynamic	: No data available

## **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

No decomposition if stored normally.

#### 10.2. Chemical stability

Page 10 / 18



# Silver nitrate

## 31630-25G

Version 1.3

## Revision Date 17.12.2022

444 °C No decomposition if used as directed.

#### 10.3. Possibility of hazardous reactions

With most metals.

#### 10.4. Conditions to avoid

Protect from heat/overheating. Protect from contamination. Exposure to light.

#### 10.5. Incompatible materials

Reactions with combustible substances. Reactions with metals in powder form. As oxidising agent, attacks organic substances such as wood, paper, fats. Corrosive in contact with metals

#### 10.6. Hazardous decomposition products

nitrogen oxides Toxic metal compounds

#### **SECTION 11: Toxicological information**

#### 11.1. Information on toxicological effects

Acute oral toxicity: LD50 Species: Rat Sex: male and female Value: > 5.110 mg/kg Method: OECD Test Guideline 401 Test substance: REACH dossier "read-across"

Acute dermal toxicity: LD50 Species: Rat Sex: male and female Value: > 2.000 mg/kg Method: OECD Test Guideline 402

Page 11 / 18



# Silver nitrate

31630-25G

Version 1.3

## Revision Date 17.12.2022

Test substance: REACH dossier "read-across"

Acute inhalation toxicity: No data available

Skin irritation: Species: reconstructed human epidermis (RhE) Result: Causes burns. Method: OECD Test Guideline 431

*Eye irritation:* Species: Rabbit Result: Risk of serious damage to eyes. Method: No information available.

Respiratory or skin sensitisation: No data available

Germ cell mutagenicity: Cell type: mouse lymphoma cells Metabolic activation: with metabolic activation Result: negative Method: OECD Test Guideline 476 Test substance: REACH dossier "read-across"

Cell type: mouse lymphoma cells Metabolic activation: without metabolic activation Result: positive Method: OECD Test Guideline 476 Test substance: REACH dossier "read-across"

Aspiration hazard: No data available

#### 11.2. Information on other hazards

Endocrine disrupting properties No data available

Other information: No data available

Page 12 / 18

Honeywell Fluka

# Silver nitrate

31630-25G

Version 1.3

Revision Date 17.12.2022

## **SECTION 12: Ecological information**

### 12.1. Toxicity

Toxicity to fish: LC50 semi-static test Species: Pimephales promelas (fathead minnow) Value: 1.2 µg/l Exposure time: 96 h

EC10 flow-through test Species: Oncorhynchus mykiss (rainbow trout) Value: 0.17 µg/l Exposure time: 196 d

Toxicity to aquatic plants: EC10 Growth rate flow-through test Species: Chlamydomonas reinhardtii Value: 0.54 μg/l Exposure time: 24 h

*Toxicity to Microorganisms:* NOEC static test Species: Bacteria Value: 0,025 mg/l Exposure time: 13,3 min

Toxicity to aquatic invertebrates: LC50 semi-static test Species: Daphnia magna (Water flea) Value: 0.22 µg/l Exposure time: 48 h

Chronic toxicity to aquatic invertebrates:

Page 13 / 18



# Silver nitrate

## 31630-25G

Version 1.3

## Revision Date 17.12.2022

EC10 semi-static test Species: Ceriodaphnia dubia (water flea) Value: 6.48 µg/l Exposure time: 7 d

#### 12.2. Persistence and degradability

No data available

#### 12.3. Bioaccumulative potential

No data available

#### 12.4. Mobility in soil

No data available

#### 12.5. Results of PBT and vPvB assessment

No data available

#### 12.6. Endocrine disrupting properties

No data available

#### 12.7. Other adverse effects

Do not flush into surface water or sanitary sewer system. The methods for determining biodegradability are not applicable to inorganic substances.

#### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

*Product:* Dispose according to legal requirements.

*Packaging:* Legal requirements are to be considered in regard of reuse or disposal of used packaging materials

*Further information:* Provisions relating to waste: EC Directive 2006/12/EC; 2008/98/EEC Regulation No. 1013/2006

Page 14 / 18



# Silver nitrate

31630-25G

Version 1.3

Revision Date 17.12.2022

For personal protection see section 8.

SECTION 14: Transport information		
14.1 UN number ADR/RID:1493	IMDG:1493	IATA:1493
<b>14.2 UN proper shipping name</b> ADR/RID:SILVER NITRATE IMDG:SILVER NITRATE IATA:Silver nitrate		
<b>14.3 Transport hazard class(es)</b> ADR/RID: 5.1	IMDG: 5.1	IATA: 5.1
<b>14.4 Packaging group</b> ADR/RID: II	IMDG: II	IATA: II
<b>14.5 Environmental hazards</b> ADR/RID: yes	Marine pollutant: yes	

**14.6 Special precautions for user** No data available

**14.7 Maritime transport in bulk according to IMO instruments** No data available

## **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Basis	Value	Remarks
Substances of very high concern (SVHC)		This product does not contain substances of very high concern according to Regulation (EC) No Article 57 above the respective regulatory 1907/2006 (REACH), concentration limit of ≥ 0.1 % (w/w).

Page 15 / 18

# Silver nitrate

31630-25G

Version 1.3

## Revision Date 17.12.2022

#### **Poison Control Center**

Country	Phone Number
Austria	+4314064343
Belgium	070 245245
Bulgaria	(+)35929154233
Croatia	(+3851)23-48-342
Cyprus	+357 2240 5611
Czech Republic	+420224919293; +420224915402
Denmark	82121212
Estonia	16662; (+372)6269390
Finland	9471977
France	+33(0)145425959
Greece	+30 210 779 3777
Hungary	(+36-80)201-199
Iceland	5432222
Ireland	+353(1)8092166
Italy	0382 24444
Germany	Berlin : 030/19240
	Bonn : 0228/19240
	Erfurt : 0361/730730
	Freiburg : 0761/19240
	Göttingen : 0551/19240
	Homburg : 06841/19240
	Mainz : 06131/19240
	Munich : 089/19240
Latvia	+37167042473

Country	Phone Number
Liechtenstein	+41 442515151
Lithuania	+370532362052
Luxembourg	070245245; (+352)80002-5500
Malta	+356 2395 2000
Netherlands	030-2748888
Norway	22591300
Poland	+48 42 25 38 400
Portugal	800250250
Romania	+40 21 318 3606
Slovakia (NTIC)	+421 2 54 774 166
Slovenia	+386 1 400 6051
Spain	+34915620420
Sweden	112 (begär Giftinformation);+46104566786
Switzerland	145
United Kingdom	(+44) 844 892 0111

Honeywell Fluka<sup>™</sup>

#### Other inventory information

Page 16 / 18

# Honeywell Fluka

# Silver nitrate

31630-25G

Version 1.3

## Revision Date 17.12.2022

US. Toxic Substances Control Act On TSCA Inventory

Australia. Inventory of Industrial Chemicals (AIIC), as amended On the inventory, or in compliance with the inventory

Canada. Canadian Environmental Protection Act (CEPA). Domestic Substances List (DSL) All components of this product are on the Canadian DSL

Japan. Kashin-Hou Law List On the inventory, or in compliance with the inventory

Korea. Existing Chemicals Inventory (KECI) On the inventory, or in compliance with the inventory

Philippines. Inventory of Chemicals and Chemical Substances (PICCS) On the inventory, or in compliance with the inventory

China. Inventory of Existing Chemical Substances (IECSC) On the inventory, or in compliance with the inventory

New Zealand. Inventory of Chemicals (NZIoC), as published by ERMA New Zealand On the inventory, or in compliance with the inventory

Taiwan Chemical Substance Inventory (TCSI) On the inventory, or in compliance with the inventory

#### 15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

5

#### **SECTION 16: Other information**

### Text of H-statements referred to under heading 3

Silver nitrate

- H272 May intensify fire; oxidizer.
- H290 May be corrosive to metals.
- H314 Causes severe skin burns and eye damage.
- H400 Very toxic to aquatic life.

Page 17 / 18

# Silver nitrate

## 31630-25G

Version 1.3

## Revision Date 17.12.2022

H410 Very toxic to aquatic life with long lasting effects.

Honeywell

Fluka

#### **Further information**

All directives and regulations refer to amended versions. Vertical lines in the left hand margin indicate a relevant amendment from the previous version.

Abbreviations:

EC European Community CAS Chemical Abstracts Service DNEL Derived no effect level PNEC Predicted no effect level vPvB Very persistent and very biaccumulative substance PBT Persistent, bioaccmulative und toxic substance

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. Final determination of suitability of any material is the sole responsibility of the user.

This information should not constitute a guarantee for any specific product properties.