

Ammonium acetate

32301-1KG

Version 1.3

Revision Date 17.12.2022

Control Center

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

REGULATION (EC) No 1272/2008

Not a hazardous substance or mixture.

2.2. Label elements

REGULATION (EC) No 1272/2008

Not a hazardous substance or mixture.

2.3. Other hazards

None known.

SECTION 3: Composition/information on ingredients

3.1. Substance

Chemical name	CAS-No. Index-No. REACH Registration Number EC-No.	Classification 1272/2008	Concentration	Remarks
Ammonium acetate	631-61-8 211-162-9		100 %	N.C.*

N.C.* - Non-hazardous substance - for information only

3.2. Mixture

Not applicable

Occupational Exposure Limit(s), if available, are listed in Section 8.
For the full text of the H-Statements mentioned in this Section, see Section 16.

Ammonium acetate

32301-1KG

Version 1.3

Revision Date 17.12.2022

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice:

First aider needs to protect himself. Take off all contaminated clothing immediately.

Inhalation:

Remove to fresh air. If breathing is difficult, give oxygen. Use oxygen as required, provided a qualified operator is present. Call a physician.

Skin contact:

Wash off immediately with plenty of water. If symptoms persist, call a physician.

Eye contact:

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Call a physician if irritation develops or persists.

Ingestion:

Rinse mouth with water. Get medical attention immediately.

4.2. Most important symptoms and effects, both acute and delayed

No data available

4.3. Indication of any immediate medical attention and special treatment needed

No data available

See Section 11 for more detailed information on health effects and symptoms.

:

Ammonium acetate

32301-1KG

Version 1.3

Revision Date 17.12.2022

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

Water spray
Foam
Carbon dioxide (CO₂)
Dry powder

Extinguishing media which shall not be used for safety reasons:

High volume water jet

5.2. Special hazards arising from the substance or mixture

In case of fire hazardous decomposition products may be produced such as:

Nitrogen oxides (NO_x)
Ammonia
Carbon oxides

5.3. Advice for firefighters

In the event of fire, wear self-contained breathing apparatus.
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Avoid dust formation.

6.2. Environmental precautions

Prevent further leakage or spillage if safe to do so. Discharge into the environment must be avoided. Do not flush into surface water or sanitary sewer system. Do not allow run-off from fire fighting to enter drains or water courses.

6.3. Methods and materials for containment and cleaning up

Use mechanical handling equipment.

Ammonium acetate

32301-1KG

Version 1.3

Revision Date 17.12.2022

Pick for disposal in tightly closed containers

6.4. Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling:

Avoid dust formation. Avoid breathing dust.

Advice on protection against fire and explosion:

Normal measures for preventive fire protection.

Hygiene measures:

When using, do not eat, drink or smoke. Wash hands before breaks and at the end of workday. Keep working clothes separately. Remove and wash contaminated clothing before re-use.

7.2. Conditions for safe storage, including any incompatibilities

Further information on storage conditions:

Keep containers tightly closed in a dry, cool and well-ventilated place.

7.3. Specific end use(s)

no additional data available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Components with workplace control parameters

Contains no substances with occupational exposure limit values.

DNEL/ PNEC-Values

Component	End-use/impact	Exposure duration	Value	Exposure routes	Remarks
-----------	----------------	-------------------	-------	-----------------	---------

Ammonium acetate

32301-1KG

Version 1.3

Revision Date 17.12.2022

Ammonium acetate	Workers / Long-term systemic effects		9,11 mg/m3	Inhalation	
Ammonium acetate	Workers / Long-term systemic effects		10,34mg/kg bw/d	Skin contact	
Ammonium acetate	Consumers / Long-term systemic effects		2,24 mg/m3	Inhalation	
Ammonium acetate	Consumers / Long-term systemic effects		5,17mg/kg bw/d	Skin contact	
Ammonium acetate	Consumers / Long-term systemic effects		5,17mg/kg bw/d	Ingestion	

Component	Environmental compartment / Value	Remarks
Ammonium acetate	Fresh water: 3,08 mg/l	Assessment factor: 50
Ammonium acetate	Marine water: 0,308 mg/l	Assessment factor: 500
Ammonium acetate	Sewage treatment plant: 677 mg/l	Assessment factor: 10
Ammonium acetate	Fresh water sediment: 2,51 mg/kg dw	
Ammonium acetate	Marine sediment: 0,251 mg/kg dw	
Ammonium acetate	Soil: 0,72 mg/kg dw	

Ammonium acetate

32301-1KG

Version 1.3

Revision Date 17.12.2022

8.2. Exposure controls

Occupational exposure controls

The Personal Protective Equipment must be in accordance with EN standards:respirator EN 136, 140, 149; safety glasses EN 166; protective suit: EN 340, 463, 468, 943-1, 943-2; gloves EN 374, 511; safety shoes EN-ISO 20345.

Personal protective equipment

Respiratory protection:

In the case of dust or aerosol formation use respirator with an approved filter.

Hand protection:

Glove material: Natural Latex

Break through time: > 480 min

Glove thickness: 0,6 mm

Lapren®706

Gloves must be inspected prior to use.

Replace when worn.

Remarks:Supplementary note: The specifications are based on information and tests from similar substances by analogy.

Due to varying conditions (e.g.temperature or other strains) it must be considered that the usage of a chemical protective glove in practice may be much shorter than the permeation time determined in accordance with EN 374.

Since actual conditions of practical use often deviate from standardised conditions according EN 374 the glove manufacturer recommends to use the chemical protective glove in practice not longer than 50% of the recommended permeation time.

Manufacturer's directions for use should be observed because of great diversity of types .

Suitable gloves tested according EN 374 are supplied e.g. from KCL GmbH, D-36124 Eichenzell, Vertrieb@kcl.de

Eye protection:

Safety glasses with side-shields

Skin and body protection:

Protective suit

Ammonium acetate

32301-1KG

Version 1.3

Revision Date 17.12.2022

Environmental exposure controls

Handle in accordance with local environmental regulations and good industrial practices.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	:	solid
Colour	:	colourless
Odour	:	weak
molecular weight	:	77,08 g/mol
Melting point (decomposition)	:	113 °C
Flammability	:	This product is not easily inflammable.
Upper explosion limit	:	Not applicable
Lower explosion limit	:	Not applicable
Flash point	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	115 °C Decomposition temperature
pH	:	6,7 - 7,3 at 20 °C
Water solubility	:	1.480 g/l at 20 °C
Partition coefficient: n- octanol/water	:	No data available
Vapour pressure	:	No data available

Ammonium acetate

32301-1KG

Version 1.3

Revision Date 17.12.2022

Density : ca. 1,170 g/cm³
at 20 °C

Bulk density : ca. 660 kg/m³

9.2 Other Information

The product is hygroscopic.

Oxidizing properties : The substance or mixture is not classified as oxidizing.

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable under recommended storage conditions.

10.2. Chemical stability

115 °C
Decomposition temperature

10.3. Possibility of hazardous reactions

Hazardous polymerisation does not occur.

10.4. Conditions to avoid

Exposure to moisture

10.5. Incompatible materials

Strong oxidizing agents
Strong acids

10.6. Hazardous decomposition products

Ammonia
Nitrogen oxides (NO_x)

Ammonium acetate

32301-1KG

Version 1.3

Revision Date 17.12.2022

Carbon oxides

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute oral toxicity:

No data available

Acute dermal toxicity:

No data available

Acute inhalation toxicity:

No data available

Skin irritation:

Species: Rabbit

Result: No skin irritation

Method: OECD Test Guideline 404

Test substance: REACH dossier "read-across"

Eye irritation:

Species: Rabbit

Result: slight irritation

Method: OECD Test Guideline 405

Test substance: REACH dossier "read-across"

Respiratory or skin sensitisation:

No data available

Repeated dose toxicity:

Note: No data available

Aspiration hazard:

Not applicable

11.2. Information on other hazards

Endocrine disrupting properties

No data available

Other information:

No data available

Ammonium acetate

32301-1KG

Version 1.3

Revision Date 17.12.2022

SECTION 12: Ecological information

12.1. Toxicity

Toxicity to fish:

LC50

semi-static test

Species: Cyprinus carpio (Carp)

Value: 308 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 203

Toxicity to aquatic plants:

EC50

Growth rate

Species: Skeletonema costatum (marine diatom)

Value: > 1.000 mg/l

Exposure time: 72 h

Test substance: REACH dossier "read-across"

Toxicity to Microorganisms:

EC50

static test

Species: Pseudomonas putida

Value: 7,2 mg/l

Exposure time: 16 h

Method: DIN 38412

Test substance: REACH dossier "read-across"

Toxicity to aquatic invertebrates:

No data available

12.2. Persistence and degradability

Biodegradability:

No data available

12.3. Bioaccumulative potential

Ammonium acetate

32301-1KG

Version 1.3

Revision Date 17.12.2022

No data available

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

No data available

12.6. Endocrine disrupting properties

No data available

12.7. Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product:

Dispose according to legal requirements.

Packaging:

Legal requirements are to be considered in regard of reuse or disposal of used packaging materials

Further information:

Provisions relating to waste:
EC Directive 2006/12/EC; 2008/98/EEC
Regulation No. 1013/2006

For personal protection see section 8.

SECTION 14: Transport information

14.1 UN number

ADR/RID:Not dangerous goods IMDG:Not dangerous goods IATA:Not dangerous goods

14.2 UN proper shipping name

ADR/RID:Not dangerous goods
IMDG:Not dangerous goods
IATA:Not dangerous goods

Ammonium acetate

32301-1KG

Version 1.3

Revision Date 17.12.2022

14.3 Transport hazard class(es)

14.4 Packaging group

14.5 Environmental hazards

ADR/RID: no

Marine pollutant: no

14.6 Special precautions for user

No data available

14.7 Maritime transport in bulk according to IMO instruments

No data available

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Basis	Value	Remarks
Directive 2012/18/EC		Not applicable
Substances of very high concern (SVHC)		This product does not contain substances of very high concern according to Regulation (EC) No Article 57 above the respective regulatory 1907/2006 (REACH), concentration limit of $\geq 0.1\%$ (w/w).

Poison Control Center

Country	Phone Number
Austria	+4314064343
Belgium	070 245245
Bulgaria	(+)35929154233
Croatia	(+3851)23-48-342
Cyprus	+357 2240 5611
Czech Republic	+420224919293; +420224915402

Country	Phone Number
Liechtenstein	+41 442515151
Lithuania	+370532362052
Luxembourg	070245245; (+352)80002-5500
Malta	+356 2395 2000
Netherlands	030-2748888
Norway	22591300

Ammonium acetate

32301-1KG

Version 1.3

Revision Date 17.12.2022

Denmark	82121212
Estonia	16662; (+372)6269390
Finland	9471977
France	+33(0)145425959
Greece	+30 210 779 3777
Hungary	(+36-80)201-199
Iceland	5432222
Ireland	+353(1)8092166
Italy	0382 24444
Germany	Berlin : 030/19240
	Bonn : 0228/19240
	Erfurt : 0361/730730
	Freiburg : 0761/19240
	Göttingen : 0551/19240
	Homburg : 06841/19240
	Mainz : 06131/19240
Munich : 089/19240	
Latvia	+37167042473

Poland	+48 42 25 38 400
Portugal	800250250
Romania	+40 21 318 3606
Slovakia (NTIC)	+421 2 54 774 166
Slovenia	+386 1 400 6051
Spain	+34915620420
Sweden	112 (begär Giftinformation);+46104566786
Switzerland	145
United Kingdom	(+44) 844 892 0111

Other inventory information

US. Toxic Substances Control Act
On TSCA Inventory

Australia. Inventory of Industrial Chemicals (AIIC), as amended
On the inventory, or in compliance with the inventory

Canada. Canadian Environmental Protection Act (CEPA). Domestic Substances List (DSL)
All components of this product are on the Canadian DSL

Japan. Kashin-Hou Law List
Not in compliance with the inventory

Korea. Existing Chemicals Inventory (KECI)

Ammonium acetate

32301-1KG

Version 1.3

Revision Date 17.12.2022

On the inventory, or in compliance with the inventory

Philippines. Inventory of Chemicals and Chemical Substances (PICCS)
On the inventory, or in compliance with the inventory

China. Inventory of Existing Chemical Substances (IECSC)
On the inventory, or in compliance with the inventory

New Zealand. Inventory of Chemicals (NZIoC), as published by ERMA New Zealand
On the inventory, or in compliance with the inventory

Taiwan Chemical Substance Inventory (TCSI)
On the inventory, or in compliance with the inventory

15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

Further information

All directives and regulations refer to amended versions.
Vertical lines in the left hand margin indicate a relevant amendment from the previous version.

Abbreviations:

EC European Community
CAS Chemical Abstracts Service
DNEL Derived no effect level
PNEC Predicted no effect level
vPvB Very persistent and very bioaccumulative substance
PBT Persistent, bioaccumulative und toxic substance

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. Final determination of suitability of any material is the sole responsibility of the user.

This information should not constitute a guarantee for any specific product properties.

Ammonium acetate

32301-1KG

Version 1.3

Revision Date 17.12.2022
