

## Ammonium acetate

32301-6X500G

Version 1.3

Revision Date 17.12.2022

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name : Ammonium acetate  
SDS-number : 000000020234  
Type of product : Substance  
Remarks : Document according to Art. 32 of Regulation (EC) 1907/2006.  
Chemical name : Ammonium acetate  
CAS-No. : 631-61-8  
REACH Registration Number : no data available

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Laboratory chemicals  
Uses advised against : none

#### 1.3. Details of the supplier of the safety data sheet

Company	: Honeywell International Inc. 115 Tabor Road 07950-2546 Morris Plains USA	Honeywell International, Inc. 115 Tabor Road Morris Plains, NJ 07950-2546 USA
---------	---	--

Telephone :  
For further information, please contact: : [SafetyDataSheet@Honeywell.com](mailto:SafetyDataSheet@Honeywell.com)

#### 1.4. Emergency telephone number

Emergency telephone number : +1-703-527-3887 (ChemTrec-Transport)  
+1-303-389-1414 (Medical)  
Country based Poison : see chapter 15.1

**Ammonium acetate**

32301-6X500G

Version 1.3

Revision Date 17.12.2022

Control Center

**SECTION 2: Hazards identification**

**2.1. Classification of the substance or mixture**

**REGULATION (EC) No 1272/2008**

Not a hazardous substance or mixture.

**2.2. Label elements**

**REGULATION (EC) No 1272/2008**

Not a hazardous substance or mixture.

**2.3. Other hazards**

None known.

**SECTION 3: Composition/information on ingredients**

**3.1. Substance**

Chemical name	CAS-No. Index-No. REACH Registration Number EC-No.	Classification 1272/2008	Concentration	Remarks
Ammonium acetate	631-61-8 211-162-9		100 %	N.C.*

N.C.\* - Non-hazardous substance - for information only

**3.2. Mixture**

Not applicable

Occupational Exposure Limit(s), if available, are listed in Section 8.  
For the full text of the H-Statements mentioned in this Section, see Section 16.

## Ammonium acetate

32301-6X500G

Version 1.3

Revision Date 17.12.2022

---

### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

*General advice:*

First aider needs to protect himself. Take off all contaminated clothing immediately.

*Inhalation:*

Remove to fresh air. If breathing is difficult, give oxygen. Use oxygen as required, provided a qualified operator is present. Call a physician.

*Skin contact:*

Wash off immediately with plenty of water. If symptoms persist, call a physician.

*Eye contact:*

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Call a physician if irritation develops or persists.

*Ingestion:*

Rinse mouth with water. Get medical attention immediately.

#### 4.2. Most important symptoms and effects, both acute and delayed

No data available

#### 4.3. Indication of any immediate medical attention and special treatment needed

No data available

See Section 11 for more detailed information on health effects and symptoms.

:

## Ammonium acetate

32301-6X500G

Version 1.3

Revision Date 17.12.2022

---

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

*Suitable extinguishing media:*

Water spray  
Foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry powder

*Extinguishing media which shall not be used for safety reasons:*

High volume water jet

#### 5.2. Special hazards arising from the substance or mixture

In case of fire hazardous decomposition products may be produced such as:

Nitrogen oxides (NO<sub>x</sub>)  
Ammonia  
Carbon oxides

#### 5.3. Advice for firefighters

In the event of fire, wear self-contained breathing apparatus.  
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

---

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Avoid dust formation.

#### 6.2. Environmental precautions

Prevent further leakage or spillage if safe to do so. Discharge into the environment must be avoided. Do not flush into surface water or sanitary sewer system. Do not allow run-off from fire fighting to enter drains or water courses.

#### 6.3. Methods and materials for containment and cleaning up

Use mechanical handling equipment.

## Ammonium acetate

32301-6X500G

Version 1.3

Revision Date 17.12.2022

Pick for disposal in tightly closed containers

### 6.4. Reference to other sections

For personal protection see section 8.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

*Advice on safe handling:*

Avoid dust formation. Avoid breathing dust.

*Advice on protection against fire and explosion:*

Normal measures for preventive fire protection.

*Hygiene measures:*

When using, do not eat, drink or smoke. Wash hands before breaks and at the end of workday. Keep working clothes separately. Remove and wash contaminated clothing before re-use.

### 7.2. Conditions for safe storage, including any incompatibilities

*Further information on storage conditions:*

Keep containers tightly closed in a dry, cool and well-ventilated place.

### 7.3. Specific end use(s)

no additional data available

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### Components with workplace control parameters

Contains no substances with occupational exposure limit values.

#### DNEL/ PNEC-Values

Component	End-use/impact	Exposure duration	Value	Exposure routes	Remarks
-----------	----------------	-------------------	-------	-----------------	---------

**Ammonium acetate**

32301-6X500G

Version 1.3

Revision Date 17.12.2022

Ammonium acetate	Workers / Long-term systemic effects		9,11 mg/m3	Inhalation	
Ammonium acetate	Workers / Long-term systemic effects		10,34mg/kg bw/d	Skin contact	
Ammonium acetate	Consumers / Long-term systemic effects		2,24 mg/m3	Inhalation	
Ammonium acetate	Consumers / Long-term systemic effects		5,17mg/kg bw/d	Skin contact	
Ammonium acetate	Consumers / Long-term systemic effects		5,17mg/kg bw/d	Ingestion	

Component	Environmental compartment / Value	Remarks
Ammonium acetate	Fresh water: 3,08 mg/l	Assessment factor: 50
Ammonium acetate	Marine water: 0,308 mg/l	Assessment factor: 500
Ammonium acetate	Sewage treatment plant: 677 mg/l	Assessment factor: 10
Ammonium acetate	Fresh water sediment: 2,51 mg/kg dw	
Ammonium acetate	Marine sediment: 0,251 mg/kg dw	
Ammonium acetate	Soil: 0,72 mg/kg dw	

## Ammonium acetate

32301-6X500G

Version 1.3

Revision Date 17.12.2022

### 8.2. Exposure controls

#### Occupational exposure controls

The Personal Protective Equipment must be in accordance with EN standards:respirator EN 136, 140, 149; safety glasses EN 166; protective suit: EN 340, 463, 468, 943-1, 943-2; gloves EN 374, 511; safety shoes EN-ISO 20345.

#### Personal protective equipment

##### *Respiratory protection:*

In the case of dust or aerosol formation use respirator with an approved filter.

##### *Hand protection:*

Glove material: Natural Latex

Break through time: > 480 min

Glove thickness: 0,6 mm

Lapren®706

Gloves must be inspected prior to use.

Replace when worn.

Remarks:Supplementary note: The specifications are based on information and tests from similar substances by analogy.

Due to varying conditions ( e.g.temperature or other strains) it must be considered that the usage of a chemical protective glove in practice may be much shorter than the permeation time determined in accordance with EN 374.

Since actual conditions of practical use often deviate from standardised conditions according EN 374 the glove manufacturer recommends to use the chemical protective glove in practice not longer than 50% of the recommended permeation time.

Manufacturer's directions for use should be observed because of great diversity of types .

Suitable gloves tested according EN 374 are supplied e.g. from KCL GmbH, D-36124 Eichenzell, Vertrieb@kcl.de

##### *Eye protection:*

Safety glasses with side-shields

##### *Skin and body protection:*

Protective suit

## Ammonium acetate

32301-6X500G

Version 1.3

Revision Date 17.12.2022

### Environmental exposure controls

Handle in accordance with local environmental regulations and good industrial practices.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	:	solid
Colour	:	colourless
Odour	:	weak
molecular weight	:	77,08 g/mol
Melting point (decomposition)	:	113 °C
Flammability	:	This product is not easily inflammable.
Upper explosion limit	:	Not applicable
Lower explosion limit	:	Not applicable
Flash point	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	115 °C Decomposition temperature
pH	:	6,7 - 7,3 at 20 °C
Water solubility	:	1.480 g/l at 20 °C
Partition coefficient: n- octanol/water	:	No data available
Vapour pressure	:	No data available

## Ammonium acetate

32301-6X500G

Version 1.3

Revision Date 17.12.2022

---

Density : ca. 1,170 g/cm<sup>3</sup>  
at 20 °C

Bulk density : ca. 660 kg/m<sup>3</sup>

### 9.2 Other Information

The product is hygroscopic.

Oxidizing properties : The substance or mixture is not classified as oxidizing.

---

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Stable under recommended storage conditions.

### 10.2. Chemical stability

115 °C  
Decomposition temperature

### 10.3. Possibility of hazardous reactions

Hazardous polymerisation does not occur.

### 10.4. Conditions to avoid

Exposure to moisture

### 10.5. Incompatible materials

Strong oxidizing agents  
Strong acids

### 10.6. Hazardous decomposition products

Ammonia  
Nitrogen oxides (NO<sub>x</sub>)

## Ammonium acetate

32301-6X500G

Version 1.3

Revision Date 17.12.2022

Carbon oxides

### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

*Acute oral toxicity:*

No data available

*Acute dermal toxicity:*

No data available

*Acute inhalation toxicity:*

No data available

*Skin irritation:*

Species: Rabbit

Result: No skin irritation

Method: OECD Test Guideline 404

Test substance: REACH dossier "read-across"

*Eye irritation:*

Species: Rabbit

Result: slight irritation

Method: OECD Test Guideline 405

Test substance: REACH dossier "read-across"

*Respiratory or skin sensitisation:*

No data available

*Repeated dose toxicity:*

Note: No data available

*Aspiration hazard:*

Not applicable

#### 11.2. Information on other hazards

Endocrine disrupting properties

No data available

*Other information:*

No data available

## Ammonium acetate

32301-6X500G

Version 1.3

Revision Date 17.12.2022

---

### SECTION 12: Ecological information

#### 12.1. Toxicity

*Toxicity to fish:*

LC50

semi-static test

Species: Cyprinus carpio (Carp)

Value: 308 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 203

*Toxicity to aquatic plants:*

EC50

Growth rate

Species: Skeletonema costatum (marine diatom)

Value: > 1.000 mg/l

Exposure time: 72 h

Test substance: REACH dossier "read-across"

*Toxicity to Microorganisms:*

EC50

static test

Species: Pseudomonas putida

Value: 7,2 mg/l

Exposure time: 16 h

Method: DIN 38412

Test substance: REACH dossier "read-across"

*Toxicity to aquatic invertebrates:*

No data available

#### 12.2. Persistence and degradability

*Biodegradability:*

No data available

#### 12.3. Bioaccumulative potential

## Ammonium acetate

32301-6X500G

Version 1.3

Revision Date 17.12.2022

---

No data available

### 12.4. Mobility in soil

No data available

### 12.5. Results of PBT and vPvB assessment

No data available

### 12.6. Endocrine disrupting properties

No data available

### 12.7. Other adverse effects

No data available

---

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

*Product:*

Dispose according to legal requirements.

*Packaging:*

Legal requirements are to be considered in regard of reuse or disposal of used packaging materials

*Further information:*

Provisions relating to waste:  
EC Directive 2006/12/EC; 2008/98/EEC  
Regulation No. 1013/2006

For personal protection see section 8.

---

## SECTION 14: Transport information

### 14.1 UN number

ADR/RID:Not dangerous goods    IMDG:Not dangerous goods    IATA:Not dangerous goods

### 14.2 UN proper shipping name

ADR/RID:Not dangerous goods  
IMDG:Not dangerous goods  
IATA:Not dangerous goods

**Ammonium acetate**

32301-6X500G

Version 1.3

Revision Date 17.12.2022

**14.3 Transport hazard class(es)**

**14.4 Packaging group**

**14.5 Environmental hazards**

ADR/RID: no

Marine pollutant: no

**14.6 Special precautions for user**

No data available

**14.7 Maritime transport in bulk according to IMO instruments**

No data available

**SECTION 15: Regulatory information**

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

Basis	Value	Remarks
Directive 2012/18/EC		Not applicable
Substances of very high concern (SVHC)		This product does not contain substances of very high concern according to Regulation (EC) No Article 57 above the respective regulatory 1907/2006 (REACH), concentration limit of $\geq 0.1\%$ (w/w).

**Poison Control Center**

Country	Phone Number
Austria	+4314064343
Belgium	070 245245
Bulgaria	(+)35929154233
Croatia	(+3851)23-48-342
Cyprus	+357 2240 5611
Czech Republic	+420224919293; +420224915402

Country	Phone Number
Liechtenstein	+41 442515151
Lithuania	+370532362052
Luxembourg	070245245; (+352)80002-5500
Malta	+356 2395 2000
Netherlands	030-2748888
Norway	22591300

## Ammonium acetate

32301-6X500G

Version 1.3

Revision Date 17.12.2022

Denmark	82121212
Estonia	16662; (+372)6269390
Finland	9471977
France	+33(0)145425959
Greece	+30 210 779 3777
Hungary	(+36-80)201-199
Iceland	5432222
Ireland	+353(1)8092166
Italy	0382 24444
Germany	Berlin : 030/19240
	Bonn : 0228/19240
	Erfurt : 0361/730730
	Freiburg : 0761/19240
	Göttingen : 0551/19240
	Homburg : 06841/19240
	Mainz : 06131/19240
Munich : 089/19240	
Latvia	+37167042473

Poland	+48 42 25 38 400
Portugal	800250250
Romania	+40 21 318 3606
Slovakia (NTIC)	+421 2 54 774 166
Slovenia	+386 1 400 6051
Spain	+34915620420
Sweden	112 (begär Giftinformation);+46104566786
Switzerland	145
United Kingdom	(+44) 844 892 0111

### Other inventory information

US. Toxic Substances Control Act  
On TSCA Inventory

Australia. Inventory of Industrial Chemicals (AIIC), as amended  
On the inventory, or in compliance with the inventory

Canada. Canadian Environmental Protection Act (CEPA). Domestic Substances List (DSL)  
All components of this product are on the Canadian DSL

Japan. Kashin-Hou Law List  
Not in compliance with the inventory

Korea. Existing Chemicals Inventory (KECI)

## Ammonium acetate

32301-6X500G

Version 1.3

Revision Date 17.12.2022

---

On the inventory, or in compliance with the inventory

Philippines. Inventory of Chemicals and Chemical Substances (PICCS)  
On the inventory, or in compliance with the inventory

China. Inventory of Existing Chemical Substances (IECSC)  
On the inventory, or in compliance with the inventory

New Zealand. Inventory of Chemicals (NZIoC), as published by ERMA New Zealand  
On the inventory, or in compliance with the inventory

Taiwan Chemical Substance Inventory (TCSI)  
On the inventory, or in compliance with the inventory

### 15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

---

## SECTION 16: Other information

### Further information

All directives and regulations refer to amended versions.  
Vertical lines in the left hand margin indicate a relevant amendment from the previous version.

Abbreviations:

EC European Community  
CAS Chemical Abstracts Service  
DNEL Derived no effect level  
PNEC Predicted no effect level  
vPvB Very persistent and very bioaccumulative substance  
PBT Persistent, bioaccumulative und toxic substance

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. Final determination of suitability of any material is the sole responsibility of the user.

This information should not constitute a guarantee for any specific product properties.

**Ammonium acetate**

32301-6X500G

Version 1.3

Revision Date 17.12.2022

---