

Buffer solution pH 4.00 (20°C)

33665-5L-VP

Version 1.2

Revision Date 16.12.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier				
Product name	: Buffer solution pH 4.00 (20°C)			
SDS-number	: 00000021869			
Type of product	: Mixture			
Remarks	: Document according to Art. 32 of Regulation (EC) 19	907/2006.		
1.2. Relevant identified u	of the substance or mixture and uses advised agai	nst		
Use of the Substance/Mixture	: Laboratory chemicals			
Uses advised against	: none			
1.3. Details of the suppli	f the safety data sheet			
Company	 Honeywell International Inc. Honeywell International Inc. 115 Tabor Road 07950-2546 Morris Plains USA Honeywell International Inc. Honeywell International Inc. Honeywell International Inc. 115 Tabor Road 115 Tabor Road Morris Plains, NJ 07 USA 			
Telephone For further information, please contact:	: SafetyDataSheet@Honeywell.com			
1.4. Emergency telephone number				
Emergency telephone number Country based Poison Control Center	 +1-703-527-3887 (ChemTrec-Transport) +1-303-389-1414 (Medical) see chapter 15.1 			

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture REGULATION (EC) No 1272/2008

Page 1 / 16



Buffer solution pH 4.00 (20°C)

33665-5L-VP

Version 1.2

Revision Date 16.12.2022

Not a hazardous substance or mixture.

2.2. Label elements

REGULATION (EC) No 1272/2008

Not a hazardous substance or mixture.

2.3. Other hazards

This product is a mixture. Health hazard information is based on its components.

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

3.2. Mixture

Chemical name	CAS-No. Index-No. REACH Registration Number EC-No.	Classification 1272/2008	Concentration	Remarks
Sodium dihydrogen citrate	18996-35-5 242-734-6		<= 2 %	N.C.*
Sodium chloride	7647-14-5 231-598-3		<= 1 %	N.C.*

N.C.* - Non-hazardous substance - for information only

Remaining components of this product are non-hazardous and/or are present at concentrations below reportable limits.

Occupational Exposure Limit(s), if available, are listed in Section 8. For the full text of the H-Statements mentioned in this Section, see Section 16.

Page 2 / 16

Honeywell Fluka

:

Buffer solution pH 4.00 (20°C)

33665-5L-VP

Version 1.2

Revision Date 16.12.2022

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice:

First aider needs to protect himself. Move out of dangerous area. Take off all contaminated clothing immediately.

Inhalation:

If breathed in, move person into fresh air. If symptoms persist, call a physician.

Skin contact:

After contact with skin, wash immediately with plenty of water. If symptoms persist, call a physician.

Eye contact:

Rinse thoroughly with plenty of water, also under the eyelids. Protect unharmed eye. If eye irritation persists, consult a specialist.

Ingestion: When swallowed, allow water to be drunk. Consult a physician.

4.2. Most important symptoms and effects, both acute and delayed

No data available

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

See Section 11 for more detailed information on health effects and symptoms.

Honeywell Fluka

Buffer solution pH 4.00 (20°C)

33665-5L-VP

Version 1.2

Revision Date 16.12.2022

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media: Water spray Foam Carbon dioxide (CO2) Dry powder

Extinguishing media which shall not be used for safety reasons: High volume water jet

5.2. Special hazards arising from the substance or mixture

Fire may cause evolution of: Sodium oxides Carbon oxides Gaseous hydrogen chloride (HCI).

5.3. Advice for firefighters

In the event of fire, wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Wear personal protective equipment. Unprotected persons must be kept away.

6.2. Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not flush into surface water or sanitary sewer system.

6.3. Methods and materials for containment and cleaning up

Soak up with inert absorbent material. Pick for disposal in tightly closed containers

Page 4 / 16

Honeywell Fluka

Buffer solution pH 4.00 (20°C)

33665-5L-VP

Version 1.2

Revision Date 16.12.2022

6.4. Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling:

Wear personal protective equipment. Handle in accordance with good industrial hygiene and safety practice.

Advice on protection against fire and explosion: Normal measures for preventive fire protection.

Hygiene measures: General industrial hygiene practice.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers: Store in original container. Keep containers tightly closed in a dry, cool and well-ventilated place.

7.3. Specific end use(s)

no additional data available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Components with workplace control parameters

Contains no substances with occupational exposure limit values.

DNEL/ PNEC-Values

Component	End- use/impact	Exposure duration	Value	Exposure routes	Remarks
Sodium dihydrogen citrate					No data available
Sodium chloride	Workers / Long-term systemic		2068,62 mg/m3	Inhalation	

Page 5 / 16



Buffer solution pH 4.00 (20°C)

33665-5L-VP

Version 1.2

Revision Date 16.12.2022

	effects			
Sodium chloride	Workers / Acute systemic effects	2068,62 mg/m3	Inhalation	
Sodium chloride	Workers / Long-term systemic effects	295,52mg/k g bw/d	Skin contact	
Sodium chloride	Workers / Acute systemic effects	295,52mg/k g bw/d	Skin contact	
Sodium chloride	Consumers / Long-term systemic effects	443,28 mg/m3	Inhalation	
Sodium chloride	Consumers / Acute systemic effects	443,28 mg/m3	Inhalation	
Sodium chloride	Consumers / Long-term systemic effects	126,65mg/k g bw/d	Skin contact	
Sodium chloride	Consumers / Acute systemic effects	126,65mg/k g bw/d	Skin contact	
Sodium chloride	Consumers / Long-term systemic effects	126,65mg/k g bw/d	Ingestion	
Sodium chloride	Consumers / Acute systemic effects	126,65mg/k g bw/d	Ingestion	

Component	Environmental compartment / Value	Remarks
Sodium dihydrogen citrate	Fresh water: 0,44 mg/l	Assessment factor:

Page 6 / 16



Buffer solution pH 4.00 (20°C)

33665-5L-VP

Version 1.2

Revision Date 16.12.2022

		1000
Sodium dihydrogen citrate	Marine water: 0,044 mg/l	Assessment factor: 10000
Sodium dihydrogen citrate	Sewage treatment plant: 1000 mg/l	Assessment factor: 10
Sodium dihydrogen citrate	Fresh water sediment: 34,6 mg/kg dw	
Sodium dihydrogen citrate	Marine sediment: 3,46 mg/kg dw	
Sodium dihydrogen citrate	Soil: 33,1 mg/kg dw	
Sodium chloride	Fresh water: 5 mg/l	Assessment factor: 50
Sodium chloride	Sewage treatment plant: 500 mg/l	Assessment factor: 10
Sodium chloride	Soil: 4,86 mg/kg dw	Assessment factor: 50

8.2. Exposure controls

Occupational exposure controls

The Personal Protective Equipment must be in accordance with EN standards:respirator EN 136, 140, 149; safety glasses EN 166; protective suit: EN 340, 463, 468, 943-1, 943-2; gloves EN 374, 511; safety shoes EN-ISO 20345.

Personal protective equipment

Respiratory protection: In the case of vapour formation use a respirator with an approved filter.

Hand protection: Glove material: Natural Latex Break through time: 480 min Glove thickness: 0,6 mm Lapren®706 Gloves must be inspected prior to use. Replace when worn.

Page 7 / 16

Honeywell Fluka

Buffer solution pH 4.00 (20°C)

33665-5L-VP

Version 1.2

Revision Date 16.12.2022

Remarks:Supplementary note: The specifications are based on information and tests from similar substances by analogy.

Due to varying conditions (e.g.temperature or other strains) it must be considered that the usage of a chemical protective glove in practice may be much shorter than the permeation time determined in accordance with EN 374.

Since actual conditions of practical use often deviate from standardised conditions according EN 374 the glove manufacturer reccomends to use the chemical protective glove in practice not longer than 50% of the recomended permeation time.

Manufacturer's directions for use should be observed because of great diversity of types . Suitable gloves tested according EN 374 are supplied e.g. from KCL GmbH, D-36124 Eichenzell, Vertrieb@kcl.de

Eye protection: Safety glasses with side-shields

Skin and body protection: Protective suit

Environmental exposure controls

Handle in accordance with local environmental regulations and good industrial practices.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	:	liquid
Colour	:	red
Odour	:	odourless
	:	No data available
Boiling point/boiling range	:	ca. 100 °C at 1.013 hPa
Flammability	:	No data available
Upper explosion limit	:	No data available
Lower explosion limit	:	No data available

Page 8 / 16

Honeywell Fluka[™]

Buffer solution pH 4.00 (20°C)

33665-5L-VP

Version 1.2

Revision Date 16.12.2022

Flash point	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	Stable under recommended storage conditions.
рН	:	4,0 at 20 °C
Viscosity, kinematic	:	No data available
Water solubility	:	completely miscible
Partition coefficient: n- octanol/water	:	No data available
Vapour pressure	:	No data available
Density	:	1,0 g/cm3
Relative vapour density	:	No data available
9.2 Other Information		
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Evaporation rate	:	No data available
Viscosity, dynamic	:	No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable under recommended storage conditions.

10.2. Chemical stability

Page 9 / 16

Honeywell Fluka

Buffer solution pH 4.00 (20°C)

33665-5L-VP

Version 1.2

Revision Date 16.12.2022

Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

Hazardous polymerisation does not occur.

10.4. Conditions to avoid

None known.

10.5. Incompatible materials

Strong bases Strong oxidizing agents Strong reducing agents

10.6. Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute oral toxicity: No data available

Acute dermal toxicity: No data available

Acute inhalation toxicity: No data available

Skin irritation: No data available

Eye irritation: No data available

Respiratory or skin sensitisation: No data available

Page 10 / 16



Buffer solution pH 4.00 (20°C)

33665-5L-VP

Version 1.2

Revision Date 16.12.2022

Carcinogenicity: Note: No data available

Germ cell mutagenicity: Note: No data available

Reproductive toxicity: Remarks: No data available

Aspiration hazard: No data available

11.2. Information on other hazards

Endocrine disrupting properties No data available

Other information: No data available

SECTION 12: Ecological information

12.1. Toxicity

Toxicity to fish: No data available

Toxicity to aquatic plants: No data available

Toxicity to aquatic invertebrates: No data available

12.2. Persistence and degradability

No data available

12.3. Bioaccumulative potential

No data available

12.4. Mobility in soil

Page 11 / 16



Buffer solution pH 4.00 (20°C)

33665-5L-VP

Version 1.2

Revision Date 16.12.2022

No data available

12.5. Results of PBT and vPvB assessment

No data available

12.6. Endocrine disrupting properties

No data available

12.7. Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product: Dispose according to legal requirements.

Packaging: Legal requirements are to be considered in regard of reuse or disposal of used packaging materials

Further information: Provisions relating to waste: EC Directive 2006/12/EC; 2008/98/EEC Regulation No. 1013/2006

For personal protection see section 8.

SECTION 14: Transport information

14.1 UN number

ADR/RID:Not dangerous goods IMDG:Not dangerous goods

IATA:Not dangerous goods

14.2 UN proper shipping name

ADR/RID:Not dangerous goods IMDG:Not dangerous goods IATA:Not dangerous goods

14.3 Transport hazard class(es)

14.4 Packaging group

Page 12 / 16

Honeywell Fluka

Buffer solution pH 4.00 (20°C)

33665-5L-VP

Version 1.2

Revision Date 16.12.2022

14.5 Environmental hazards ADR/RID:no

Marine pollutant: no

14.6 Special precautions for user No data available

14.7 Maritime transport in bulk according to IMO instruments No data available

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Basis	Value	Remarks
Directive 2012/18/EC		Not applicable
Substances of very high concern (SVHC)		This product does not contain substances of very high concern according to Regulation (EC) No Article 57 above the respective regulatory 1907/2006 (REACH), concentration limit of ≥ 0.1 % (w/w).

Poison Control Center

Country	Phone Number
Austria	+4314064343
Belgium	070 245245
Bulgaria	(+)35929154233
Croatia	(+3851)23-48-342
Cyprus	+357 2240 5611
Czech Republic	+420224919293; +420224915402
Denmark	82121212
Estonia	16662; (+372)6269390

Country	Phone Number
Liechtenstein	+41 442515151
Lithuania	+370532362052
Luxembourg	070245245; (+352)80002-5500
Malta	+356 2395 2000
Netherlands	030-2748888
Norway	22591300
Poland	+48 42 25 38 400
Portugal	800250250

Page 13 / 16



Buffer solution pH 4.00 (20°C)

33665-5L-VP

Version 1.2

Revision Date 16.12.2022

1	1 1
Finland	9471977
France	+33(0)145425959
Greece	+30 210 779 3777
Hungary	(+36-80)201-199
Iceland	5432222
Ireland	+353(1)8092166
Italy	0382 24444
	Berlin : 030/19240
	Bonn : 0228/19240
	Erfurt : 0361/730730
Germany	Freiburg : 0761/19240
Connary	Göttingen : 0551/19240
	Homburg : 06841/19240
	Mainz : 06131/19240
	Munich : 089/19240
Latvia	+37167042473

Romania	+40 21 318 3606
Slovakia (NTIC)	+421 2 54 774 166
Slovenia	+386 1 400 6051
Spain	+34915620420
Sweden	112 (begär Giftinformation):+46104566786
Switzerland	145
United Kingdom	(+44) 844 892 0111

Other inventory information

US. Toxic Substances Control Act Not On TSCA Inventory

Australia. Inventory of Industrial Chemicals (AIIC), as amended On the inventory, or in compliance with the inventory

Canada. Canadian Environmental Protection Act (CEPA). Domestic Substances List (DSL) Not in compliance with the inventory

Japan. Kashin-Hou Law List Not in compliance with the inventory

Korea. Existing Chemicals Inventory (KECI) Not in compliance with the inventory

Philippines. Inventory of Chemicals and Chemical Substances (PICCS)

Page 14 / 16



Buffer solution pH 4.00 (20°C)

33665-5L-VP

Version 1.2

Revision Date 16.12.2022

On the inventory, or in compliance with the inventory

China. Inventory of Existing Chemical Substances (IECSC) Not in compliance with the inventory

New Zealand. Inventory of Chemicals (NZIoC), as published by ERMA New Zealand On the inventory, or in compliance with the inventory

Taiwan Chemical Substance Inventory (TCSI) On the inventory, or in compliance with the inventory

15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

Further information

All directives and regulations refer to amended versions. Vertical lines in the left hand margin indicate a relevant amendment from the previous version.

Abbreviations: EC European Community CAS Chemical Abstracts Service DNEL Derived no effect level PNEC Predicted no effect level vPvB Very persistent and very biaccumulative substance PBT Persistent, bioaccmulative und toxic substance

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. Final determination of suitability of any material is the sole responsibility of the user.

This information should not constitute a guarantee for any specific product properties.

Page 15 / 16



Buffer solution pH 4.00 (20°C)

33665-5L-VP

Version 1.2

Revision Date 16.12.2022

Page 16 / 16