

### Buffer solution pH 10.00 (20°C)

33668-10L-VP

Version 1.5

Revision Date 16.12.2022

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier		
Product name	Buffer solution pH 10.00 (20°C)	
SDS-number	00000021855	
Type of product	Mixture	
Remarks	Document according to Art. 32 of Regulation (EC) 190	7/2006.
1.2. Relevant identified u	of the substance or mixture and uses advised agains	st
Use of the Substance/Mixture	Laboratory chemicals	
Uses advised against	none	
1.3. Details of the suppli	f the safety data sheet	
Company	Honeywell International Inc. Honeywell International Inc. 115 Tabor Road 07950-2546 Morris Plains USA Honeywell Internation 115 Tabor Road Morris Plains, NJ 079 USA	
Telephone For further information, please contact:	SafetyDataSheet@Honeywell.com	
1.4. Emergency telephor	umber	
Emergency telephone number Country based Poison Control Center	+1-703-527-3887 (ChemTrec-Transport) +1-303-389-1414 (Medical) see chapter 15.1	

#### **SECTION 2: Hazards identification**

2.1. Classification of the substance or mixture REGULATION (EC) No 1272/2008

Page 1 / 15

## Honeywell Fluka

### Buffer solution pH 10.00 (20°C)

#### 33668-10L-VP

Version 1.5

#### Revision Date 16.12.2022

Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.

#### 2.2. Label elements

#### REGULATION (EC) No 1272/2008

Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.

Special labelling of certain : Safety data sheet available on request. products:

#### 2.3. Other hazards

This product is a mixture. Health hazard information is based on its components. Results of PBT and vPvB assessment, see chapter 12.5.

#### **SECTION 3: Composition/information on ingredients**

#### 3.1. Substance

Not applicable

#### 3.2. Mixture

Chemical name	CAS-No. Index-No. REACH Registration Number EC-No.	Classification 1272/2008	Concentration	Remarks
Sodium hydroxide	1310-73-2 011-002-00-6 215-185-5	Met. Corr. 1; H290 Skin Corr. 1A; H314	< 0,5 %	Skin Corr. 1A; H314:>= 5 % Skin Corr. 1B; H314:2 - < 5 % Eye Irrit. 2; H319:0,5 - < 2 % Skin Irrit. 2; H315:0,5 - < 2 %
Sodium tetraborate	1330-43-4 005-011-00-4 215-540-4	Repr. 1B; H360FD	< 0,3 %	



:

### Buffer solution pH 10.00 (20°C)

#### 33668-10L-VP

Version 1.5

#### Revision Date 16.12.2022

Remaining components of this product are non-hazardous and/or are present at concentrations below reportable limits.

Occupational Exposure Limit(s), if available, are listed in Section 8. For the full text of the H-Statements mentioned in this Section, see Section 16.

#### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

#### General advice:

First aider needs to protect himself. Move out of dangerous area. Take off all contaminated clothing immediately.

Inhalation:

If breathed in, move person into fresh air. If symptoms persist, call a physician.

Skin contact:

After contact with skin, wash immediately with plenty of water. If symptoms persist, call a physician.

Eye contact:

Rinse thoroughly with plenty of water, also under the eyelids. Protect unharmed eye. If eye irritation persists, consult a specialist.

Ingestion:

When swallowed, allow water to be drunk. Rinse mouth. Consult a physician.

#### 4.2. Most important symptoms and effects, both acute and delayed

No data available

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

See Section 11 for more detailed information on health effects and symptoms.



### Buffer solution pH 10.00 (20°C)

33668-10L-VP

Version 1.5

Revision Date 16.12.2022

#### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Suitable extinguishing media: Water spray Foam Dry powder Carbon dioxide (CO2)

*Extinguishing media which shall not be used for safety reasons:* High volume water jet

#### 5.2. Special hazards arising from the substance or mixture

Fire may cause evolution of: Sodium oxides Boron oxides

#### 5.3. Advice for firefighters

In the event of fire, wear self-contained breathing apparatus. Do not use a solid water stream as it may scatter and spread fire.Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Wear personal protective equipment. Unprotected persons must be kept away. Provide adequate ventilation.

#### 6.2. Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not flush into surface water or sanitary sewer system.

#### 6.3. Methods and materials for containment and cleaning up

Soak up with inert absorbent material. Pick for disposal in tightly closed containers

Page 4 / 15

# Honeywell Fluka

### Buffer solution pH 10.00 (20°C)

#### 33668-10L-VP

Version 1.5

Revision Date 16.12.2022

#### 6.4. Reference to other sections

For personal protection see section 8.

#### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Advice on safe handling:

Wear personal protective equipment. Handle in accordance with good industrial hygiene and safety practice.

Advice on protection against fire and explosion: Normal measures for preventive fire protection.

*Hygiene measures:* General industrial hygiene practice.

#### 7.2. Conditions for safe storage, including any incompatibilities

*Requirements for storage areas and containers:* Store in original container. Keep containers tightly closed in a dry, cool and well-ventilated place.

#### 7.3. Specific end use(s)

no additional data available

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

#### Components with workplace control parameters

Contains no substances with occupational exposure limit values.

#### **DNEL/ PNEC-Values**

Component	End- use/impact	Exposure duration	Value	Exposure routes	Remarks
Sodium hydroxide	Workers /		1 mg/m3	Inhalation	
-	Long-term		-		
	local effects				

Page 5 / 15



## Buffer solution pH 10.00 (20°C)

33668-10L-VP

Version 1.5

Revision Date 16.12.2022

1	1 1	1 1		1
Sodium hydroxide	Consumers / Long-term local effects	1 mg/m3	Inhalation	
Sodium tetraborate	Workers / Long-term systemic effects	6,7 mg/m3	Inhalation	
Sodium tetraborate	Workers / Long-term systemic effects	316,4mg/kg bw/d	Dermal	
Sodium tetraborate	Consumers / Long-term systemic effects	3,41 mg/m3	Inhalation	
Sodium tetraborate	Consumers / Long-term systemic effects	159,5mg/kg bw/d	Dermal	
Sodium tetraborate	Consumers / Long-term systemic effects	0,79mg/kg bw/d	Ingestion	

Component	Environmental compartment / Value	Remarks
Sodium tetraborate	Fresh water: 2,9 mg/l	
Sodium tetraborate	Marine water: 2,9 mg/l	
Sodium tetraborate	Sewage treatment plant: 10 mg/l	
Sodium tetraborate	Soil: 5,7 mg/kg dw	

## Honeywell Fluka

## Buffer solution pH 10.00 (20°C)

33668-10L-VP

Version 1.5

Revision Date 16.12.2022

#### 8.2. Exposure controls

#### **Occupational exposure controls**

The Personal Protective Equipment must be in accordance with EN standards:respirator EN 136, 140, 149; safety glasses EN 166; protective suit: EN 340, 463, 468, 943-1, 943-2; gloves EN 374, 511; safety shoes EN-ISO 20345.

#### Personal protective equipment

Respiratory protection: In the case of vapour formation use a respirator with an approved filter.

Hand protection: Glove material: Natural Latex Break through time: 480 min Glove thickness: 0,6 mm Lapren®706 Gloves must be inspected prior to use. Replace when worn. Remarks:Supplementary note: The specifications are based on information and tests from similar substances by analogy. Due to varying conditions (e.g.temperature or other strains) it must be considered that the usage of a chemical protective glove in practice may be much shorter than the permeation time determined in accordance with EN 374. Since actual conditions of practical use often deviate from standardised conditions according EN 374 the glove manufacturer reccomends to use the chemical protective glove in practice not longer than 50% of the recomended permeation time. Manufacturer's directions for use should be observed because of great diversity of types . Suitable gloves tested according EN 374 are supplied e.g. from KCL GmbH, D-36124 Eichenzell, Vertrieb@kcl.de

*Eye protection:* Safety glasses with side-shields

*Skin and body protection:* Protective suit

Page 7 / 15



### Buffer solution pH 10.00 (20°C)

#### 33668-10L-VP

Version 1.5

#### Revision Date 16.12.2022

#### **Environmental exposure controls**

Handle in accordance with local environmental regulations and good industrial practices.

#### **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state	:	liquid
Colour	:	violet
Odour	:	No data available
Melting point/range	:	No data available
Boiling point/boiling range	:	100 °C at 1.013 hPa
Flammability	:	No data available
Upper explosion limit	:	No data available
Lower explosion limit	:	No data available
Flash point	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	Stable under recommended storage conditions.
рН	:	10 at 20 °C
Water solubility	:	completely miscible
Vapour pressure	:	No data available
Density	:	No data available

Page 8 / 15

# Honeywell Fluka<sup>™</sup>

Buffer solution pH 10.00	(20°C)	
33668-10L-VP		
Version 1.5	Revision Date 16.12.2022	
9.2 Other Information		
Oxidizing properties :	The substance or mixture is not classified as oxidizing.	
Viscosity, dynamic :	No data available	
SECTION 10: Stability and reactivi	ty	
10.1. Reactivity		
Stable under recommended stor	rage conditions.	
10.2. Chemical stability		
Stable under recommended storage conditions.		
10.3. Possibility of hazardous reactions		
Hazardous polymerisation does not occur.		
10.4. Conditions to avoid		
None known.		
10.5. Incompatible materials		
Strong oxidizing agents Strong acids		
10.6. Hazardous decomposition products		
No decomposition if stored and applied as directed.		
SECTION 11: Toxicological inform	ation	
11.1. Information on toxicolog	ical effects	
<i>Acute oral toxicity:</i> No data available		
Acute dermal toxicity:		
	Page 9 / 15	

## Honeywell Fluka

## Buffer solution pH 10.00 (20°C)

33668-10L-VP

Version 1.5

Revision Date 16.12.2022

No data available

Acute inhalation toxicity: No data available

Skin irritation: No data available

Eye irritation: No data available

Respiratory or skin sensitisation: No data available

*Carcinogenicity:* Note: No data available

*Germ cell mutagenicity:* Note: No data available

*Reproductive toxicity:* Remarks: No data available

Aspiration hazard: No data available

#### 11.2. Information on other hazards

Endocrine disrupting properties

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Other information: No data available

#### **SECTION 12: Ecological information**

#### 12.1. Toxicity

*Toxicity to fish:* No data available

Page 10 / 15

# Honeywell Fluka

## Buffer solution pH 10.00 (20°C)

#### 33668-10L-VP

Version 1.5

Revision Date 16.12.2022

*Toxicity to aquatic plants:* No data available

*Toxicity to aquatic invertebrates:* No data available

#### 12.2. Persistence and degradability

*Biodegradability*: No data available

#### 12.3. Bioaccumulative potential

No data available

#### 12.4. Mobility in soil

No data available

#### 12.5. Results of PBT and vPvB assessment

No data available

#### 12.6. Endocrine disrupting properties

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

#### 12.7. Other adverse effects

No data available

#### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

*Product:* Dispose according to legal requirements.

Packaging: Legal requirements are to be considered in regard of reuse or disposal of used packaging materials

Page 11 / 15



uffer solution pH 10.00 (2	0°C)	
668-10L-VP		
ersion 1.5 R	evision Date 16.12.2022	
Further information:		
Provisions relating to waste: EC Directive 2006/12/EC; 2008/98		
Regulation No. 1013/2006		
For personal protection see section	ı 8.	
CTION 14: Transport information		
14.1 UN number		
ADR/RID:Not dangerous goods	IMDG:Not dangerous goods	IATA:Not dangerous goods
14.2 UN proper shipping name		
ADR/RID:Not dangerous goods IMDG:Not dangerous goods		
IATA:Not dangerous goods		
14.3 Transport hazard class(es)		
14.4 Packaging group		
14.5 Environmental hazards		
ADR/RID:no	Marine pollutant: no	
<b>14.6 Special precautions for use</b> No data available	r	
14.7 Maritime transport in bulk a	ccording to IMO instruments	
No data available		
CTION 15: Regulatory information		
15.1 Safety, health and environn	nental regulations/legislation	specific for the substance or
mixture		
Basis	Value	Remarks
Directive 2012/18/EC		Not applicable
		This product does contain substances
Substances of very high concern (SVHC)		of very high concern according to Regulation (EC) No Article 57 above
		the respective regulatory 1907/2006
	Page 12 / 15	(REACH), concentration limit of $\geq 0.1$



## Buffer solution pH 10.00 (20°C)

33668-10L-VP

Version 1.5

Revision Date 16.12.2022

	% (w/w).

#### **Poison Control Center**

T

Country	Phone Number
Austria	+4314064343
Belgium	070 245245
Bulgaria	(+)35929154233
Croatia	(+3851)23-48-342
Cyprus	+357 2240 5611
Czech Republic	+420224919293; +420224915402
Denmark	82121212
Estonia	16662; (+372)6269390
Finland	9471977
France	+33(0)145425959
Greece	+30 210 779 3777
Hungary	(+36-80)201-199
Iceland	5432222
Ireland	+353(1)8092166
Italy	0382 24444
	Berlin : 030/19240
	Bonn : 0228/19240
	Erfurt : 0361/730730
Germany	Freiburg : 0761/19240
Connuny	Göttingen : 0551/19240
	Homburg : 06841/19240
	Mainz : 06131/19240
	Munich : 089/19240
Latvia	+37167042473

Country	Phone Number
Liechtenstein	+41 442515151
Lithuania	+370532362052
Luxembourg	070245245; (+352)80002-5500
Malta	+356 2395 2000
Netherlands	030-2748888
Norway	22591300
Poland	+48 42 25 38 400
Portugal	800250250
Romania	+40 21 318 3606
Slovakia (NTIC)	+421 2 54 774 166
Slovenia	+386 1 400 6051
Spain	+34915620420
Sweden	112 (begär Giftinformation);+46104566786
Switzerland	145
United Kingdom	(+44) 844 892 0111

Page 13 / 15

# Honeywell Fluka

## Buffer solution pH 10.00 (20°C)

33668-10L-VP

Version 1.5

Revision Date 16.12.2022

#### Other inventory information

US. Toxic Substances Control Act On TSCA Inventory

Australia. Inventory of Industrial Chemicals (AIIC), as amended On the inventory, or in compliance with the inventory

Canada. Canadian Environmental Protection Act (CEPA). Domestic Substances List (DSL) All components of this product are on the Canadian DSL

Japan. Kashin-Hou Law List On the inventory, or in compliance with the inventory

Korea. Existing Chemicals Inventory (KECI) On the inventory, or in compliance with the inventory

Philippines. Inventory of Chemicals and Chemical Substances (PICCS) On the inventory, or in compliance with the inventory

China. Inventory of Existing Chemical Substances (IECSC) On the inventory, or in compliance with the inventory

New Zealand. Inventory of Chemicals (NZIoC), as published by ERMA New Zealand On the inventory, or in compliance with the inventory

Taiwan Chemical Substance Inventory (TCSI) On the inventory, or in compliance with the inventory

#### **15.2 Chemical safety assessment**

A Chemical Safety Assessment has been carried out.

#### **SECTION 16: Other information**

#### **Further information**

All directives and regulations refer to amended versions. Vertical lines in the left hand margin indicate a relevant amendment from the previous version.

Page 14 / 15

## Honeywell Fluka

### Buffer solution pH 10.00 (20°C)

33668-10L-VP

Version 1.5

#### Revision Date 16.12.2022

Abbreviations: EC European Community CAS Chemical Abstracts Service DNEL Derived no effect level PNEC Predicted no effect level vPvB Very persistent and very biaccumulative substance PBT Persistent, bioaccmulative und toxic substance

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. Final determination of suitability of any material is the sole responsibility of the user.

This information should not constitute a guarantee for any specific product properties.

Page 15 / 15