

#### **Dichloromethane** 34488-1L Revision Date 11.06.2022 Supersedes 1 Version 2.3 SECTION 1: Identification of the substance/mixture and of the company/undertaking 1.1. Product identifier Product name Dichloromethane 1 SDS-number 00000020387 : Type of product Substance 1 Remarks SDS according to Art. 31 of Regulation (EC) 1907/2006. 1 Chemical name dichloromethane; methylene chloride : Index-No. : 602-004-00-3 **REACH Registration** : no data available Number 1.2. Relevant identified uses of the substance or mixture and uses advised against Use of the : Laboratory chemicals Substance/Mixture Uses advised against : none 1.3. Details of the supplier of the safety data sheet Company : Honeywell International Inc. Honeywell International, Inc. 115 Tabor Road 115 Tabor Road 07950-2546 Morris Plains Morris Plains, NJ 07950-2546 USA USA Telephone SafetyDataSheet@Honeywell.com For further information, 5 please contact: 1.4. Emergency telephone number Emergency telephone : +1-703-527-3887 (ChemTrec-Transport) number +1-303-389-1414 (Medical) Country based Poison : see chapter 15.1 Control Center Page 1 / 18

## Dichloromethane

34488-1L

Version 2.3

Revision Date 11.06.2022

Supersedes 1

#### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

#### REGULATION (EC) No 1272/2008

Skin irritation Category 2 H315 Causes skin irritation. Eye irritation Category 2 H319 Causes serious eye irritation. Carcinogenicity Category 2 H351 Suspected of causing cancer. Specific target organ toxicity - single exposure Category 3 - Central nervous system H336 May cause drowsiness or dizziness.

#### 2.2. Label elements

#### REGULATION (EC) No 1272/2008

Hazard pictograms



Signal word	:	Warning	
Hazard statements	:	H315 H319 H336 H351	Causes skin irritation. Causes serious eye irritation. May cause drowsiness or dizziness. Suspected of causing cancer.
Precautionary statements	:	P260	Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.
		P280	Wear protective gloves/protective clothing/eye protection/face protection.
		P302 + P352 P304 + P340	IF ON SKIN: Wash with plenty of water. IF INHALED: Remove person to fresh air and keep comfortable for breathing.
		P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
		P308 + P313	IF exposed or concerned: Get medical advice/ attention.
		Page 2 / 18	

## Dichloromethane

### 34488-1L

Version 2.3

Revision Date 11.06.2022

Supersedes 1

#### 2.3. Other hazards

Fire or intense heat may cause violent rupture of packages. Vapours may form explosive mixtures with air. Results of PBT and vPvB assessment, see chapter 12.5.

#### **SECTION 3: Composition/information on ingredients**

#### 3.1. Substance

Chemical name	CAS-No. Index-No. REACH Registration Number EC-No.	Classification 1272/2008	Concentration	Remarks
dichloromethane; methylene chloride	75-09-2 602-004-00-3 200-838-9	Skin Irrit. 2; H315 Eye Irrit. 2; H319 Carc. 2; H351 STOT SE 3; H336; Inhalation; Central nervous system	>= 99 %	

#### 3.2. Mixture

Not applicable

Occupational Exposure Limit(s), if available, are listed in Section 8. For the full text of the H-Statements mentioned in this Section, see Section 16.

#### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

General advice:

First aider needs to protect himself. Move out of dangerous area. If unconscious, place in recovery position and seek medical advice. Take off all contaminated clothing immediately.

Inhalation:

If breathed in, move person into fresh air. If symptoms persist, call a physician.

Skin contact:

After contact with skin, wash immediately with plenty of water. Consult a physician.

Page 3 / 18

## Honeywell Riedel-de Haën<sup>™</sup>

### Dichloromethane

34488-1L

Version 2.3

Revision Date 11.06.2022

Supersedes 1

:

Eye contact:

Rinse thoroughly with plenty of water, also under the eyelids. Protect unharmed eye. Consult a physician.

*Ingestion:* When swallowed, allow water to be drunk. Call a physician immediately.

#### 4.2. Most important symptoms and effects, both acute and delayed

No data available

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

See Section 11 for more detailed information on health effects and symptoms.

#### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Suitable extinguishing media: Foam Carbon dioxide (CO2) Water spray Dry powder

*Extinguishing media which shall not be used for safety reasons:* High volume water jet

#### 5.2. Special hazards arising from the substance or mixture

Fire may cause evolution of: Gaseous hydrogen chloride (HCI). Phosgene

Page 4 / 18

## Dichloromethane

#### 34488-1L

Version 2.3

Revision Date 11.06.2022

Supersedes 1

#### 5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective suit. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.Cool containers/tanks with water spray.Prevent fire extinguishing water from contaminating surface water or the ground water system.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing vapours, mist or gas. Keep people away from and upwind of spill/leak.

#### 6.2. Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

#### 6.3. Methods and materials for containment and cleaning up

Soak up with inert absorbent material. Pick for disposal in tightly closed containers

#### 6.4. Reference to other sections

For personal protection see section 8.

#### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Advice on safe handling: Exhaust ventilation at the object is necessary. Avoid formation of aerosol.

Advice on protection against fire and explosion: Keep away from heat and sources of ignition. Normal measures for preventive fire protection.

*Hygiene measures:* General industrial hygiene practice.

#### 7.2. Conditions for safe storage, including any incompatibilities

Page 5 / 18



#### 34488-1L

Version 2.3

Revision Date 11.06.2022

Supersedes 1

Further information on storage conditions:

Store in original container. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep container dry.

#### 7.3. Specific end use(s)

no additional data available

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

#### Occupational exposure limits:

Components	Basis / Value type	Value / Form of exposure	Exceeding Factor	Remarks	
dichloromethane; methylene chloride	EH40 WEL SKIN_DES			Can be absorbed through the skin.	
dichloromethane; methylene chloride	EH40 WEL TWA	350 mg/m3 100 ppm			
dichloromethane; methylene chloride	EH40 WEL STEL	1.060 mg/m3 300 ppm			
dichloromethane; methylene chloride	EH40 WEL			Listed	
dichloromethane; methylene chloride	EU ELV STEL	706 mg/m3 200 ppm		Indicative	
dichloromethane; methylene chloride	EU ELV SKIN_DES			Can be absorbed through the skin.	
dichloromethane; methylene chloride	EU ELV TWA	353 mg/m3 100 ppm		Indicative	
dichloromethane; methylene chloride	EH40 WEL TWA	353 mg/m3 100 ppm			
dichloromethane; methylene chloride	EH40 WEL STEL	706 mg/m3 200 ppm			

SKIN\_DES - Skin designation:

TWA - Time weighted average

STEL - Short term exposure limit

# Honeywell Riedel-de Haën™

## Dichloromethane

#### 34488-1L

Version 2.3

Revision Date 11.06.2022

Supersedes 1

#### **DNEL/ PNEC-Values**

Component	End- use/impact	Exposure duration	Value	Exposure routes	Remarks
dichloromethane; methylene chloride	Workers / Long-term systemic effects		176 mg/m3	Inhalation	
dichloromethane; methylene chloride	Workers / Long-term systemic effects		12mg/kg bw/d	Skin contact	
dichloromethane; methylene chloride	Consumers / Long-term systemic effects		44 mg/m3	Inhalation	
dichloromethane; methylene chloride	Consumers / Long-term systemic effects		5,82mg/kg bw/d	Skin contact	
dichloromethane; methylene chloride	Consumers / Long-term systemic effects		0,06mg/kg bw/d	Ingestion	

Component	Environmental compartment / Value	Remarks
dichloromethane; methylene chloride	Fresh water: 0,31 mg/l	Assessment factor: 20
dichloromethane; methylene chloride	Marine water: 0,031 mg/l	Assessment factor: 200
dichloromethane; methylene chloride	Sewage treatment plant: 26 mg/l	Assessment factor: 100
dichloromethane; methylene chloride	Fresh water sediment: 2,57 mg/kg dw	
dichloromethane; methylene chloride	Marine sediment: 0,26 mg/kg dw	
dichloromethane; methylene chloride	Soil: 0,33 mg/kg dw	

Page 7 / 18

## Honeywell Riedel-de Haën<sup>™</sup>

## Dichloromethane

34488-1L

Version 2.3

Revision Date 11.06.2022

Supersedes 1

#### 8.2. Exposure controls

#### **Occupational exposure controls**

The Personal Protective Equipment must be in accordance with EN standards:respirator EN 136, 140, 149; safety glasses EN 166; protective suit: EN 340, 463, 468, 943-1, 943-2; gloves EN 374, 511; safety shoes EN-ISO 20345.

Avoid exposure - obtain special instructions before use.

#### Personal protective equipment

Respiratory protection:

In the case of vapour formation use a respirator with an approved filter.

Hand protection: Glove material: Fluorinated rubber Break through time: > 120 min Glove thickness: 0,7 mm Vitoject® 890 Gloves must be inspected prior to use. Replace when worn. Remarks:Supplementary note: The specifications are based on information and tests from similar substances by analogy. Due to varying conditions (e.g.temperature or other strains) it must be considered that the usage of a chemical protective glove in practice may be much shorter than the permeation time determined in accordance with EN 374. Since actual conditions of practical use often deviate from standardised conditions according EN 374 the glove manufacturer reccomends to use the chemical protective glove in practice not longer than 50% of the recomended permeation time. Manufacturer's directions for use should be observed because of great diversity of types . Suitable gloves tested according EN 374 are supplied e.g. from KCL GmbH, D-36124 Eichenzell, Vertrieb@kcl.de

Eye protection: Safety goggles

*Skin and body protection:* Impervious clothing



#### 34488-1L

Version 2.3

Revision Date 11.06.2022

Supersedes 1

#### **Environmental exposure controls**

Handle in accordance with local environmental regulations and good industrial practices.

#### **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state	:	liquid
Colour	:	colourless
Odour	:	sweet
molecular weight	:	84,93 g/mol
Melting point/range	:	-97 °C
Boiling point/boiling range	:	39 - 41 °C at 1.013 hPa
Upper explosion limit	:	22 %(V)
Lower explosion limit	:	13 %(V)
Flash point	:	Not applicable
Auto-ignition temperature	:	605 °C
Decomposition temperature	:	120 °C Decomposition temperature
рН	:	Not applicable
Viscosity, kinematic	:	No data available
Water solubility	:	20,0 g/l at 20 °C
Solubility in other solvents	:	soluble
Partition coefficient: n- octanol/water	:	log Pow 1,25

Page 9 / 18



#### 34488-1L

Version 2.3	Revision Date 11.06.2022	Supersedes 1
Vapour pressure	: 453 hPa at 20 °C	
Density	: 1,32 - 1,33 g/cm3 at 20 °C	
Relative vapour density	: No data available	
9.2 Other Information		
Evaporation rate	: No data available	
Viscosity, dynamic	: 0,44 mPa.s at 20 °C	

### **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

No data available

#### 10.2. Chemical stability

>120 °C Decomposition temperature

#### 10.3. Possibility of hazardous reactions

Vapours may form explosive mixture with air.

#### 10.4. Conditions to avoid

Heat, flames and sparks. Exposure to sunlight.

#### 10.5. Incompatible materials

Alkali metals

Page 10 / 18

## Dichloromethane

#### 34488-1L

Version 2.3

Revision Date 11.06.2022

Supersedes 1

Amines Bases Alkaline earth metals Powdered metals Strong oxidizing agents Strong acids

#### 10.6. Hazardous decomposition products

Hydrogen chloride gas Phosgene

#### **SECTION 11: Toxicological information**

#### 11.1. Information on toxicological effects

Acute oral toxicity: LD50 Species: Rat Value: > 2.000 mg/kg Method: OECD Test Guideline 401

Acute dermal toxicity: LD50 Species: Rat Value: > 2.000 mg/kg Method: OECD Test Guideline 402

Acute inhalation toxicity: LC50 Species: Mouse Value: 86 mg/l

Skin irritation: Species: Rabbit Result: irritating Method: OECD Test Guideline 404

*Eye irritation:* Species: rabbit eye Result: irritating

*Respiratory or skin sensitisation:* Species: Mouse

Page 11 / 18



### Dichloromethane

#### 34488-1L

Version 2.3

Revision Date 11.06.2022

Supersedes 1

Result: non-sensitizing Method: OECD 429

Repeated dose toxicity: Note: No data available

Carcinogenicity: Species: not specified Note: Classification based on Annex VI of regulation 1272/2008/EC. Germ cell mutagenicity: Note: Not classified due to data which are conclusive although insufficient for classification.

Reproductive toxicity: Species: not specified Remarks: Not classified due to data which are conclusive although insufficient for classification.

Aspiration hazard: No data available

#### 11.2. Information on other hazards

Endocrine disrupting properties No data available

*Other information:* Solvent removes skin oil from the skin. Solvent vapours have a narcotic effect if inhaled in high concentrations. The product has a neurotoxic effect in high concentrations.

#### **SECTION 12: Ecological information**

#### 12.1. Toxicity

*Toxicity to fish:* LC50 Species: Pimephales promelas (fathead minnow) Value: 193 mg/l Exposure time: 96 h

LC50 Species: Fish Value: 97 mg/l Exposure time: 48 h

Page 12 / 18

Honeywell Riedel-de Haën™

### Dichloromethane

#### 34488-1L

Version 2.3

Revision Date 11.06.2022

Supersedes 1

NOEC

Species: Pimephales promelas (fathead minnow) Value: 142 mg/l Exposure time: 28 d mortality

*Toxicity to aquatic plants:* No data available

*Toxicity to Microorganisms:* LC0 Species: Pseudomonas putida Value: 500 mg/l EC50 Species: activated sludge Value: 2.590 mg/l Exposure time: 40 min Method: OECD 209

Toxicity to aquatic invertebrates: LC50 Species: Daphnia (water flea) Value: 220 mg/l Exposure time: 48 h LC50 Species: Daphnia magna (Water flea) Value: 27 mg/l Exposure time: 48 h

#### 12.2. Persistence and degradability

Biodegradability: Biodegradation: 68 % Exposure time: 28 d Result: Readily biodegradable Method: OECD 301 D

#### 12.3. Bioaccumulative potential

No bioaccumulation is to be expected (log Pow <= 4).

Page 13 / 18

### Dichloromethane

#### 34488-1L

Version 2.3

#### Revision Date 11.06.2022

Supersedes 1

#### 12.4. Mobility in soil

No data available

#### 12.5. Results of PBT and vPvB assessment

No data available

#### 12.6. Endocrine disrupting properties

No data available

#### 12.7. Other adverse effects

Bioaccumulation is unlikely. The product should not be allowed to enter drains, water courses or the soil.

#### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

*Product:* Dispose according to legal requirements.

Packaging: Legal requirements are to be considered in regard of reuse or disposal of used packaging materials

*Further information:* Provisions relating to waste: EC Directive 2006/12/EC; 2008/98/EEC Regulation No. 1013/2006

For personal protection see section 8.

#### **SECTION 14: Transport information**

14.1 UN number ADR/RID:1593

IMDG:1593

IATA:1593

**14.2 UN proper shipping name** ADR/RID:DICHLOROMETHANE IMDG:DICHLOROMETHANE IATA:Dichloromethane

14.3 Transport hazard class(es)

Page 14 / 18



IATA: 6.1

Supersedes 1

## Dichloromethane

34488-1L	
Version 2.3	Revision Date 11.06.2022
ADR/RID: 6.1	IMDG: 6.1
11 A Deckoging group	

14.4 Packaging group ADR/RID: III IMDG: III IATA: III

14.5 Environmental hazards ADR/RID:no

Marine pollutant: no

14.6 Special precautions for user No data available

14.7 Maritime transport in bulk according to IMO instruments No data available

#### **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Basis	Value	Remarks
Regulation (EC) No. 1907/2006, Annex XVII		This product contains an ingredient according to Annex XVII of the REACH Regulation1907/2006/EC.
Directive 2012/18/EC		Not applicable
Substances of very high concern (SVHC)		This product does not contain substances of very high concern according to Regulation (EC) No Article 57 above the respective regulatory 1907/2006 (REACH), concentration limit of ≥ 0.1 % (w/w).

#### VOC:

Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control), 100 %

VOC:

Directive 2004/42/EC, 100 %

Page 15 / 18

34488-1L

Version 2.3

Revision Date 11.06.2022

Supersedes 1

Riedel-de Haën™

Honeywell

#### **Poison Control Center**

Country	Phone Number
Austria	+4314064343
Belgium	070 245245
Bulgaria	(+)35929154233
Croatia	(+3851)23-48-342
Cyprus	+357 2240 5611
Czech Republic	+420224919293; +420224915402
Denmark	82121212
Estonia	16662; (+372)6269390
Finland	9471977
France	+33(0)145425959
Greece	+30 210 779 3777
Hungary	(+36-80)201-199
Iceland	5432222
Ireland	+353(1)8092166
Italy	0382 24444
	Berlin : 030/19240
	Bonn : 0228/19240
	Erfurt : 0361/730730
Germany	Freiburg : 0761/19240
	Göttingen : 0551/19240
	Homburg : 06841/19240
	Mainz : 06131/19240
	Munich : 089/19240
Latvia	+37167042473

•	
Country	Phone Number
Liechtenstein	+41 442515151
Lithuania	+370532362052
Luxembourg	070245245; (+352)80002-5500
Malta	+356 2395 2000
Netherlands	030-2748888
Norway	22591300
Poland	+48 42 25 38 400
Portugal	800250250
Romania	+40 21 318 3606
Slovakia (NTIC)	+421 2 54 774 166
Slovenia	+386 1 400 6051
Spain	+34915620420
Sweden	112 (begär Giftinformation);+46104566786
Switzerland	145
United Kingdom	(+44) 844 892 0111

#### Other inventory information

US. Toxic Substances Control Act On TSCA Inventory

Page 16 / 18



## Dichloromethane

34488-1L						
Version 2.3	Version 2.3 Revision Date 11.06.2022 Sup					
Australia. Industrial Chemica	le Ar		as amondod			
On the inventory, or in compl						
Canada. Canadian Environm All components of this produc			ion Act (CEPA). Domestic Substance Canadian DSL	es List (DSL)		
Japan. Kashin-Hou Law List On the inventory, or in compl	ianc	e with th	e inventory			
Korea. Existing Chemicals In On the inventory, or in compl						
Philippines. Inventory of Che On the inventory, or in compl			chemical Substances (PICCS) e inventory			
China. Inventory of Existing ( On the inventory, or in compl						
New Zealand. Inventory of C On the inventory, or in compl			ZIoC), as published by ERMA New Ze e inventory	ealand		
Taiwan Chemical Substance On the inventory, or in compl						
15.2 Chemical safety asses	ssm	ent				
A Chemical Safety Assessme	ent h	nas not b	een carried out.			
SECTION 16: Other information						
Text of H-statements referr	ed t	o under	heading 3			
dichloromethane; methylene chloride	dichloromethane; methylene : H315 Causes skin irritation.					
Unionae		H319	Causes serious eye irritation.			
	H351 Suspected of causing cancer.					
		H336	May cause drowsiness or dizziness.			
2-Methylbut-2-ene (Stabilizer)	:	H225	Highly flammable liquid and vapour.			
			Page 17 / 18			

## Honeywell Riedel-de Haën<sup>™</sup>

## Dichloromethane

34488-1L

Version 2.3

Revision Date 11.06.2022

Supersedes 1

H302 Harmful if swallowed.

#### Further information

All directives and regulations refer to amended versions. Vertical lines in the left hand margin indicate a relevant amendment from the previous version.

Abbreviations: EC European Community CAS Chemical Abstracts Service DNEL Derived no effect level PNEC Predicted no effect level vPvB Very persistent and very biaccumulative substance PBT Persistent, bioaccmulative und toxic substance

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. Final determination of suitability of any material is the sole responsibility of the user.

This information should not constitute a guarantee for any specific product properties.

Page 18 / 18