

Safety data sheet according to 1907/2006/EC, Article 31

Page 1/11

Printing date 20.02.2020 Revision: 20.02.2020 Version number 9

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: Citronensäure
- · Article number: 1808
- · CAS Number:

77-92-9

EC number:

201-069-1

- Registration number 01-2119457026-42-XXXX
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Sector of Use
- SU1 Agriculture, forestry, fishery
- SU2a Mining, (without offshore industries)
- SU2b Offshore industries
- SU3 Industrial uses: Uses of substances as such or in preparations at industrial sites
- SU5 Manufacture of textiles, leather, fur
- SU6b Manufacture of pulp, paper and paper products
- SU8 Manufacture of bulk, large scale chemicals (including petroleum products)
- SU9 Manufacture of fine chemicals
- SU10 Formulation [mixing] of preparations and/or re-packaging (excluding alloys)
- SU11 Manufacture of rubber products
- SU12 Manufacture of plastics products, including compounding and conversion
- SU13 Manufacture of other non-metallic mineral products, e.g. plasters, cement
- SU14 Manufacture of basic metals, including alloys
- SU15 Manufacture of fabricated metal products, except machinery and equipment
- SU16 Manufacture of computer, electronic and optical products, electrical equipment
- SU17 General manufacturing, e.g. machinery, equipment, vehicles, other transport equipment
- SU18 Manufacture of furniture
- SU19 Building and construction work
- SU20 Health services

· Product category

- PC1 Adhesives, sealants
- PC2 Adsorbents
- PC3 Air care products
- PC4 Anti-Freeze and de-icing products
- PC7 Base metals and alloys
- PC8 Biocidal products
- PC9a Coatings and paints, thinners, paint removers
- PC9b Fillers, putties, plasters, modelling clay
- PC9c Finger paints
- PC12 Fertilisers
- PC14 Metal surface treatment products
- PC16 Heat transfer fluids
- PC17 Hydraulic fluids
- PC18 Ink and toners
- PC19 Intermediate
- PC20 Processing aids such as pH-regulators, flocculants, precipitants, neutralization agents
- PC21 Laboratory chemicals
- PC23 Leather treatment products
- PC25 Metal working fluids
- PC26 Paper and board treatment products
- PC28 Perfumes, fragrances

(Contd. on page 2)

Printing date 20.02.2020 Revision: 20.02.2020 Version number 9

Trade name: Citronensäure

(Contd. of page 1) PC30 Photo-chemicals PC31 Polishes and wax blends PC32 Polymer preparations and compounds PC34 Textile dyes, and impregnating products PC35 Washing and cleaning products (including solvent based products) PC36 Water softeners PC37 Water treatment chemicals PC39 Cosmetics, personal care products PC40 Extraction agents · Process category PROC1 Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions. PROC2 Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions Manufacture or formulation in the chemical industry in closed batch processes with occasional controlled exposure or processes with equivalent containment condition PROC4 Chemical production where opportunity for exposure arises PROC5 Mixing or blending in batch processes PROC7 Industrial spraying PROC8a Transfer of substance or mixture (charging and discharging) at non-dedicated facilities PROC8b Transfer of substance or mixture (charging and discharging) at dedicated facilities PROC9 Transfer of substance or mixture into small containers (dedicated filling line, including weighing) PROC10 Roller application or brushing PROC11 Non industrial spraying PROC13 Treatment of articles by dipping and pouring PROC14 Tabletting, compression, extrusion, pelletisation, granulation PROC15 Use as laboratory reagent PROC17 Lubrication at high energy conditions in metal working operations PROC18 General greasing /lubrication at high kinetic energy conditions PROC19 Manual activities involving hand contact PROC20 Use of functional fluids in small devices PROC21 Low energy manipulation and handling of substances bound in/on materials or articles PROC22 Manufacturing and processing of minerals and/or metals at substantially elevated temperature PROC23 Open processing and transfer operations at substantially elevated temperature PROC24 High (mechanical) energy work-up of substances bound in /on materials and/or articles · Environmental release category ERC1 Manufacture of the substance ERC2 Formulation into mixture ERC3 Formulation into solid matrix ERC4 Use of non-reactive processing aid at industrial site (no inclusion into or onto article) ERC5 Use at industrial site leading to inclusion into/onto article ERC6a Use of intermediate ERC6b Use of reactive processing aid at industrial site (no inclusion into or onto article) ERC7 Use of functional fluid at industrial site ERC8a Widespread use of non-reactive processing aid (no inclusion into or onto article, indoor) ERC8b Widespread use of reactive processing aid (no inclusion into or onto article, indoor) ERC8c Widespread use leading to inclusion into/onto article (indoor) ERC8d Widespread use of non-reactive processing aid (no inclusion into or onto article, outdoor) ERC8f Widespread use leading to inclusion into/onto article (outdoor) ERC9a Widespread use of functional fluid (indoor) ERC9b Widespread use of functional fluid (outdoor) ERC10a Widespread use of articles with low release (outdoor) ERC10b Widespread use of articles with high or intended release (outdoor) ERC11a Widespread use of articles with low release (indoor) ERC11b Widespread use of articles with high or intended release (indoor)

· Article category

AC4 Stone, plaster, cement, glass and ceramic articles

ERC12a Processing of articles at industrial sites with low release

(Contd. on page 3)

Safety data sheet according to 1907/2006/EC, Article 31

Page 3/11

(Contd. of page 2)

Printing date 20.02.2020 Revision: 20.02.2020 Version number 9

Tel. (+34) 937 489 400

Fax. (+34) 937 489 401

e-mail: product.safety@panreac.com

Trade name: Citronensäure

AC5 Fabrics, textiles and apparel

AC6 Leather articles AC8 Paper articles

AC11 Wood articles

AC35 Scented paper articles

Application of the substance / the mixture

Chemical analytics Molecular biology Pharmaceutical analysis Laboratory chemical

· 1.3 Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

PANREAC QUIMICA S.L.U.

C/Garraf 2 Polígono Pla de la Bruguera

E-08211 Castellar del Vallès (Barcelona)

· Further information obtainable from: email: product.safety@panreac.com

· 1.4 Emergency telephone number:

Single telephone number for emergency calls: 112 (EU)

Tel.: (+34) 937 489 499

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008

Eye Irrit. 2 H319 Causes serious eye irritation.

- · 2.2 Label elements
- Labelling according to Regulation (EC) No 1272/2008

The substance is classified and labelled according to the CLP regulation.

· Hazard pictograms



GHS07

- · Signal word Warning
- Hazard statements

H319 Causes serious eye irritation.

Precautionary statements

P264 Wash thoroughly after handling.
P280 Wear eye protection / face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

- 3.1 Chemical characterisation: Substances
- CAS No. Description 77-92-9 Citronensäure

(Contd. on page 4)

Page 4/11

Printing date 20.02.2020 Revision: 20.02.2020 Version number 9

Trade name: Citronensäure

· Identification number(s)

EC number: 201-069-1

(Contd. of page 3)

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information: Involve doctor immediately.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Immediately rinse with water.

Immediately remove any clothing soiled by the product.

If skin irritation continues, consult a doctor.

- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing:

Rinse out mouth.

make victim drink water (maximum of 2 drinking glasses)

Do not induce vomiting; call for medical help immediately.

If symptoms persist consult doctor.

· 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· 5.2 Special hazards arising from the substance or mixture

In case of fire, the following can be released:

Carbon monoxide and carbon dioxide

- · 5.3 Advice for firefighters
- Protective equipment: Wear self-contained respiratory protective device.
- Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Avoid formation of dust.

Use respiratory protective device against the effects of fumes/dust/aerosol.

Avoid substance contact.

Ensure adequate ventilation

- · 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · 6.3 Methods and material for containment and cleaning up:

Pick up mechanically.

Avoid formation of dust.

Clean up affected area.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling Any unavoidable deposit of dust must be regularly removed.

(Contd. on page 5)

Page 5/11

Printing date 20.02.2020 Revision: 20.02.2020 Version number 9

Trade name: Citronensäure

(Contd. of page 4)

- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: Provide acid-resistant floor.
- Information about storage in one common storage facility: Store away from oxidising agents.
- · Further information about storage conditions:

Keep container tightly sealed.

Open receptacle only under localised extractor facilities.

- · Recommended storage temperature: Room Temperature
- · Storage class: 11
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace: Not required.

	_		_	<u> </u>
•	μ	N	-	2.1

·	0.44 mg/L
Aquatic compartment - marine water	0.044 mg/L
Aquatic compartment - sediment in freshwater	3.46 mg/kg
Aquatic compartment - sediment in marine water	34.6 mg/kg
Terrestrial compartment - soil	33.1 mg/kg
Sewage treatment plant	>1,000 mg/L

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

· Respiratory protection:

Required when dusts are generated.

Filter P2

· Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

For the permanent contact gloves made of the following materials are suitable:

Nitrile rubber, NBR

Recommended thickness of the material: > 0.11 mm

Value for the permeation: Level ≥ 480 min

As protection from splashes gloves made of the following materials are suitable:

Nitrile rubber, NBR

Recommended thickness of the material: ≥ 0.11 mm

Value for the permeation: Level ≥ 480 min

(Contd. on page 6)

Page 6/11

(Contd. of page 5)

Printing date 20.02.2020 Revision: 20.02.2020 Version number 9

Trade name: Citronensäure

· Eye protection:



Tightly sealed goggles

· Body protection:

Protective clothing should be selected specifically for the working place, depending on concentration and quantity of the hazourdous substances handled.

OFOTION OF Physical and about				
SECTION 9: Physical and chemi	ical properties			
9.1 Information on basic physical and chemical properties				
· General Information · Appearance:				
Form:	Solid			
Colour:	White			
· Odour: · Odour threshold:	Odourless Not determined.			
pH-value:	1.7			
 Change in condition Melting point/freezing point: 	153 °C			
Initial boiling point and boiling range				
Flash point:	>93 °C			
Flammability (solid, gas):	Product is not flammable.			
· Ignition temperature:	540 °C			
· Decomposition temperature:	>175 °C			
· Auto-ignition temperature:	Not determined.			
· Explosive properties:	Product does not present an explosion hazard.			
· Explosion limits:				
Lower:	Not determined.			
Upper:	Not determined.			
· Vapour pressure at 20 °C:	<0.00133322 hPa			
· Density at 20 °C:	1.665 g/cm³			
· Bulk density:	560 kg/m³			
Relative density	Not determined.			
Vapour density	Not applicable.			
· Evaporation rate	Not applicable.			
· Solubility in / Miscibility with water at 20 °C:	1220 ~//			
	1330 g/l			
Partition coefficient: n-octanol/water:	-1.72011			
· Viscosity:	Not applicable			
Dynamic: Kinematic:	Not applicable. Not applicable.			
• 9.2 Other information	Not applicable. No further relevant information available.			
V.Z Julei illiorination	No latitle relevant information available.			

SECTION 10: Stability and reactivity

10.1 Reactivity No further relevant information available.

(Contd. on page 7)

Printing date 20.02.2020 Revision: 20.02.2020 Version number 9

Trade name: Citronensäure

(Contd. of page 6)

- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided: Heating.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials:

oxidizing agent reducing agents

alkali compounds

· 10.6 Hazardous decomposition products: In the event of fire: See chapter 5

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.
- LD/LC50 values relevant for classification:

Quantitative data on the toxicological effect of this product are not available.

· Components		Туре	Value	Species
Oral	LD50	5,400 mg/kg (mouse)		
		3,000 mg/kg (rat)		
Dermal	LD50	2,700 mg/kg (mouse)		
		5,500 mg/kg (rat)		

- · Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation

Causes serious eve irritation.

· After inhalation:

Irritation symptoms in the respiratory tract.

- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- Subacute to chronic toxicity:

Oral NOAEL 1,200 mg/kg (rat)

- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.

Type of test Effective concentration Method **Assessment**

EC50/72 h | 120 mg/l (daphnia magna)

LC50/24 h 1,535 mg/l (daphnia magna)

LC50/96 h 440-760 mg/l (fish)

- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential -1.72 log Pow
- **12.4 Mobility in soil** No further relevant information available.
- Additional ecological information:
- General notes:

Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low (Contd. on page 8)

(Contd. of page 7)

Printing date 20.02.2020 Revision: 20.02.2020 Version number 9

Trade name: Citronensäure

water-dangerous.

Water hazard class 1 (German Regulation) (Assessment by list): slightly hazardous for water Do not allow product to reach ground water, water course or sewage system.

- 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Chemicals must be disposed of in compliance with the respective national regulations.

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- · Recommendation:

Disposal must be made according to official regulations.

Packagings that may not be cleansed are to be disposed of in the same manner as the product.

SECTION 14: Transport information							
· 14.1 UN-Number	Maid						
· ADR, ADN, IMDG, IATA	Void						
 14.2 UN proper shipping name ADR, ADN, IMDG, IATA 	Void						
· 14.3 Transport hazard class(es)							
· ADR, ADN, IMDG, IATA · Class	Void						
· 14.4 Packing group · ADR, IMDG, IATA	Void						
· 14.5 Environmental hazards:	Not applicable.						
· 14.6 Special precautions for user	Not applicable.						
· 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable.							
	• •						
· Transport/Additional information:	Not dangerous according to the above specifications.						
· UN "Model Regulation":	Void						

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- Directive 2012/18/EU
- · Named dangerous substances ANNEX I Substance is not listed.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has been carried out.

GB

Page 9/11

Printing date 20.02.2020 Revision: 20.02.2020 Version number 9

Trade name: Citronensäure

(Contd. of page 8)

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ADR: Accord européen sur le transport des marchandises dangéreuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

* Data compared to the previous version altered.

Annex: Exposure scenario

- · Short title of the exposure scenario Formulation and packing/repacking of substances and mixtures
- · Sector of Use
- SU3 Industrial uses: Uses of substances as such or in preparations at industrial sites
- SU10 Formulation [mixing] of preparations and/or re-packaging (excluding alloys)
- SU1 Agriculture, forestry, fishery
- SU2a Mining, (without offshore industries)
- SU2b Offshore industries
- SU5 Manufacture of textiles, leather, fur
- SU6b Manufacture of pulp, paper and paper products
- SU8 Manufacture of bulk, large scale chemicals (including petroleum products)
- SU9 Manufacture of fine chemicals
- SU11 Manufacture of rubber products

· Product category

- PC1 Adhesives, sealants
- PC2 Adsorbents
- PC3 Air care products
- PC4 Anti-Freeze and de-icing products
- PC7 Base metals and alloys
- PC8 Biocidal products
- PC9a Coatings and paints, thinners, paint removers
- PC9b Fillers, putties, plasters, modelling clay
- PC9c Finger paints
- PC12 Fertilisers
- PC14 Metal surface treatment products
- PC16 Heat transfer fluids
- PC17 Hydraulic fluids
- PC18 Ink and toners
- PC19 Intermediate
- PC20 Processing aids such as pH-regulators, flocculants, precipitants, neutralization agents
- PC21 Laboratory chemicals
- PC23 Leather treatment products
- PC25 Metal working fluids
- PC26 Paper and board treatment products
- PC28 Perfumes, fragrances
- PC30 Photo-chemicals
- PC31 Polishes and wax blends
- PC32 Polymer preparations and compounds
- PC34 Textile dyes, and impregnating products
- PC35 Washing and cleaning products (including solvent based products)

(Contd. on page 10)

Safety data sheet according to 1907/2006/EC, Article 31

Page 10/11

Printing date 20.02.2020 Revision: 20.02.2020 Version number 9

Trade name: Citronensäure

(Contd. of page 9)

PC36 Water softeners

PC37 Water treatment chemicals

PC39 Cosmetics, personal care products

PC40 Extraction agents

· Process category

Chemical production or refinery in closed process without likelihood of exposure or PROC1 processes with equivalent containment conditions.

PROC2 Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions

PROC3 Manufacture or formulation in the chemical industry in closed batch processes with occasional controlled exposure or processes with equivalent containment condition

PROC4 Chemical production where opportunity for exposure arises

PROC5 Mixing or blending in batch processes

PROC7 Industrial spraying

PROC8a Transfer of substance or mixture (charging and discharging) at non-dedicated facilities
PROC8b Transfer of substance or mixture (charging and discharging) at dedicated facilities
PROC9 Transfer of substance or mixture into small containers (dedicated filling line, including weighing)

PROC10 Roller application or brushing

PROC11 Non industrial spraying

PROC13 Treatment of articles by dipping and pouring

PROC14 Tabletting, compression, extrusion, pelletisation, granulation

PROC15 Use as laboratory reagent

PROC17 Lubrication at high energy conditions in metal working operations

PROC18 General greasing /lubrication at high kinetic energy conditions

PROC19 Manual activities involving hand contact

PROC20 Use of functional fluids in small devices

PROC21 Low energy manipulation and handling of substances bound in/on materials or articles

Manufacturing and processing of minerals and/or metals at substantially elevated PROC22 temperature

PROC23 Open processing and transfer operations at substantially elevated temperature

PROC24 High (mechanical) energy work-up of substances bound in /on materials and/or articles

Article category

AC4 Stone, plaster, cement, glass and ceramic articles

AC5 Fabrics, textiles and apparel

AC6 Leather articles

AC8 Paper articles

AC11 Wood articles AC35 Scented paper articles

Environmental release category

ERC1 Manufacture of the substance

ERC2 Formulation into mixture

ERC3 Formulation into solid matrix

ERC4 Use of non-reactive processing aid at industrial site (no inclusion into or onto article)

ERC5 Use at industrial site leading to inclusion into/onto article

ERC6a Use of intermediate

ERC6b Use of reactive processing aid at industrial site (no inclusion into or onto article)

ERC7 Use of functional fluid at industrial site

ERC8a Widespread use of non-reactive processing aid (no inclusion into or onto article, indoor)

ERC8b Widespread use of reactive processing aid (no inclusion into or onto article, indoor)

ERC8c Widespread use leading to inclusion into/onto article (indoor)

ERC8d Widespread use of non-reactive processing aid (no inclusion into or onto article, outdoor) ERC8f Widespread use leading to inclusion into/onto article (outdoor)

ERC9a Widespread use of functional fluid (indoor)

ERC9b Widespread use of functional fluid (outdoor)

ERC10a Widespread use of articles with low release (outdoor)

ERC10b Widespread use of articles with high or intended release (outdoor)

ERC11a Widespread use of articles with low release (indoor)

ERC11b Widespread use of articles with high or intended release (indoor)

ERC12a Processing of articles at industrial sites with low release

(Contd. on page 11)

Printing date 20.02.2020 Revision: 20.02.2020 Version number 9

Trade name: Citronensäure

(Contd. of page 10)

- Description of the activities / processes covered in the Exposure Scenario See section 1 of the annex to the Safety Data Sheet.
- · Conditions of use
- · Duration and frequency 5 workdays/week.
- Physical parameters
- Physical state Solid
- · Concentration of the substance in the mixture Raw material.
- · Used amount per time or activity <10 tons per day
- Other operational conditions
- Other operational conditions affecting environmental exposure No special measures required.
- · Other operational conditions affecting worker exposure

Avoid contact with eyes.

Indoor application.

Outdoor application.

- Other operational conditions affecting consumer exposure No special measures required.
- Other operational conditions affecting consumer exposure during the use of the product Not applicable.
- · Risk management measures
- · Worker protection
- · Organisational protective measures No special measures required.
- · Technical protective measures

Ensure that suitable extractors are available on processing machines

· Personal protective measures

Do not inhale dust / smoke / mist.

Avoid contact with the eyes.

Tightly sealed goggles

- · Measures for consumer protection Ensure adequate labelling.
- · Environmental protection measures
- · Water No special measures required.
- Disposal measures Ensure that waste is collected and contained.
- · Disposal procedures

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Waste type Partially emptied and uncleaned packaging
- **Exposure estimation**
- · Worker (dermal) The calculated value is smaller than the DNEL.
- · Worker (inhalation) The calculated value is smaller than the DNEL.
- · Consumer Not relevant for this Exposure Scenario.
- · Guidance for downstream users No further relevant information available.

GB